

# ALYTES INTERNATIONAL JOURNAL OF RATE ACHOLOGY



## Amphibia Mundi 1

- 1 AOUT 2005





Volume 23, N° 1-2



#### International Society for the Study and Conservation of Amphibians

(International Society of Batrachology)

Laboratoire des Reptiles et Amphibiens, Muséum national d'Histoire naturelle, 25 rue Cuvier, 75005 Paris, France. - Tel.: (33),(0)1.40.79.34.87. - Fax: (33),(0)1.40.79.34.88. - E-mail: ohler@mnhn.fr.

President: C. Kenneth Dodd, Jr. (Gainesville, USA). General Secretary: Annemarie OHLER (Paris, France). Deputy Secretary: Alain PAGANO (Angers, France). Treasurer: Stéphane GROSJEAN (Paris, France)

Deputy Treasurer: Rafael De Sá (Richmond, USA).

Councillors: Lauren E. Brown (Normal, USA); Alain DUBOIS (Paris, France); JIANG Jianping (Chengdu, China); Esteban O. LAVILLA (San Miguel de Tucumán, Argentina); Thierry Lopé (Angers, France); Miguel VENCES (Amsterdam, The Netherlands).

### TARIFF FOR 2005

| INDIVIDUALS   |  |
|---|--|
| Regular 2005 subscription to Alytes (volume 23) + ISSCA + Circulytes  | 50 € or \$   |
| Student 2005 subscription to Alytes (volume 23) + ISSCA + Circulytes  | 25 € or \$   |
| Special offer: gift half-price subscription of one year for a colleague of your choice:   | Half of price above  |
| Degular 2005 subscription to Alytes (volume 23) alone (volume 24) alone (volume 24) alone (volume 25) | 46 € or 5 23 € or 3 15 € or 5 25 € or 5 40 € or 5 660 € or 5 225 € or 5 200 € or 5 |
|   | 1080 € or \$<br>1200 € or \$<br>2160 € or \$ or more<br>2400 € or \$ or more       |

Important notice: from 1996 on, any new life or patron individual subscriber to Alytes is offered a free complete collection of back issues of Alytes from the first issue (February 1982) until the start of her/his subscription. TATOMICS PRICATO

| 2005 subscription to Alytes (volume 23) + ISSCA + Circulytes | 100 € or \$  |
|--|--------------|
| 2005 1 111 11 11 11 11                                       |              |
| 2005 subscription to Alvies (volume 23) alone                | 92 € or \$   |
| Back issues of Alytes; any single issue                      | 30 € or \$   |
| Back issues of Alytes: any double issue                      | 50 € or \$   |
| Back issues of Alytes: any complete volume (4 issues)        | 80 € or \$   |
| Back issues of Alytes: complete set volumes 1 to 22          | 1320 € or \$ |

Circulytes is the internal information bulletin of ISSCA. Back issues of this bulletin are also available: prices can be provided upon request by our Secretariat.

#### MODES OF PAYMENT

- In Euros, by cheques drawn on a French bank payable to "ISSCA", sent to our secretariat (address - In Euros, by direct postal transfer to our postal account: "ISSCA", Nr. 1-398-91 L, Paris; if you use this
  - mode of payment, add 2.30 °C to your payment for postal charges at our end.

    In US Dollars, by cheques payable to "ISSCA", sent to Rafael O. DE SA, Associate Professor, Department of Biology, University of Richmond, Richmond, VA 23173, USA (e-mail:

rdesa@richmond.edu; fax: (804)289-8233).

Source : MMHN Paris





#### INTERNATIONAL JOURNAL OF BATRACHOLOGY

July 2005

Volume 23, No 1-2

Alutes 2005, 23 (1-2): 1-24

## Amphibia Mundi. 1.1. An ergotaxonomy of recent amphibians



Vertebrés: Reptiles et Amphibiens, USM 0602 Taxonomie and Collections Département de Systématique and Evolution, Muséum national d'Histoire naturelle, 25 rue Cuvier, 75005 Paris, France Sarbónio (Morphy 1675)

The new publication series Amphibia Mundi was presented by Dunots (2004a). This will be a series of taxonomic catalogues and regular lists of taxonomic novelties concerning the Ameriuan, that will allow users of taxonomic data (biologists, conservationists, administrators, etc.) to find updated information on the state of the art. Contributors to this ambitious endeavour are welcome and should contact our editorial board, either to write some contributions, or to provide information, or to correct some of the mistakes or omissions that our catalogues will unavoidably contain. This first issue of the series presents a list of taxonomic novelties in recent amphibians, Le, basically a list of new nomina (Dunots, 2000) recently proposed for amphibians. Information on these novelties must be provided within the frame of a given taxonomy, and respecting strictly the Rules of the International Code of Zoological Nomenclature ("the Code"; ANONYMOUS, 1999). These rules, often designated as "Linnaean" in have force of law for all zoologists worldwide except those who expressly state that they are following other rules, but then the nomenclature adopted is incompatible with a "Linnaean" one (for details, see Dunots, 2006). The traxonomy used as a framework for Amabible Mundi deserves a few comments.

In most zoological groups, and especially in those like the amphibians, which are currently the matter of numerous phylogenetic works often followed by drastic reappraisals of relationships, any given taxonomy is bound to be provisional. This is by no means problematic, as long as one understands the "heuristic value" of taxonomy (e.g. MANN, 1981). Taxonomise are not only "resulus" of phylogenetic and taxonomic research, but may sever as starting points for further research, as they provide hypotheses on relationships that can be tested. For each zoological group, until we have reached its "final taxonomy"; a goal that is legitimate but which will probably remain out of reach for many decades yet, any taxonomic frame must be viewed as a "working taxonomy" (DuBots, 1999) or more shortly an expensationery (DuBots, 2005a).

Taxonomy under the "Linnaean" system consists in two different aspects (e.g., Dubots, 2005a): establishment or use of taxa, and allocation of ranks to these taxa. These two aspects are independent and widely different. Establishment or use of taxa is a scientific work that relies on a philosophy of taxonomy; it requires a decision regarding which information is believed to be important or crucial to be carried by taxa and their nomina. Many authors consider that taxonomy should be "phylogenetic", i.e., that taxa should, as far as a so sosible (but see DeLorake et al., 2004). be "monophyletic sensu

Hennig' or holophylatic. Taxa are hierarchically nested within one another, some being more inclusive than others, and there is a single hierarchy of all living beings. A distinct matter is the ranks that are given to these more or less inclusive taxa. Despite several attempts in this respect, there is at present no homogenizing principle that would allow equivalence of taxa at a given rank in different groups: a family of briefs is by no criterion equivalent to a family of frogs (Duons, 1988). Ranks are arbitrary and subjective, as are the nomina of taxa. However, just like for the latter, this does not mean that they are useless or harmful and that they should be abandoned. Ranks provide a useful, if not indispensable, system of hierarchisation and indexation of taxonomic information (for more details, discussion and references, see Duxons, 2005a). A careful use of ranks allows them to play an important rôle in the robustness of ergotaxonomics, such robustness of ergotaxonomics, as they are meant to be useful not only to phylogeneticists and taxonomists but also to all other users of zoological nomina.

To avoid unnecessarily frequent changes in ergotuxonomies, especially back and forth movements between two related taxonomic schemes, any ergotuxonomy chosen for a group should be largely conservative. To attain this goal it should preferably afford primary key ranks (e.g., ordo or familia; Durous, 20056), to taxe that are widely recognized as valid, i.e., that are considered by most authors, on the basis of apparently reliable data, as corresponding to well-supported clades. Such taxe and their nomina are likely to remain unchanged for long periods, which will be appreciated by non-taxonomist users. In contrast, taxe that are more controversial, being less robustly supported by the current set of data, should be afforded secondary key ranks (e.g., legio or phalans) or even subidiary ranks (e.g., superfamilia or subfamilia) (for more details, see Dustos; 20056). This philosophy was followed for the choice of the erpotuxonomy used in this issue of Armbhika Mundi.

In the ergotaxonomy presented below, subfamilies and tribes are recognized only when supported by published phylogenetic hypotheses, even when provisional: some of these taxa are likely to change, but this will not affect very much the overall familial scheme. At higher levels, although hypotheses about the relationships between the provisional families as recognized here do exist (for recent data, see e.g.: Haas, 2003; Hoegg et al., 2004; Roelants & Bossuyt, 2005; San Mauro et al., 2005), they are not yet consensual and are still likely to be modified in the coming years. Until a robust cladistic hypothesis is widely accepted, it seems better to refrain from recognizing taxa of rank suborder between family and order, especially as this would raise various nomenclatural problems concerning their best designation (for more details, see Dubois, 2004b, 2006). At any rate, in the future, the two nomina Archaeoba-TRACHIA Reig, 1958 and NEOBATRACHIA Reig, 1958 must be definitively abandoned, for two distinct but complementary reasons; (1) these nomina are junior homonyms of the nomina Archaeobatrachi Sarasin & Sarasin, 1890 and Neobatrachi Sarasin & Sarasin, 1890; (2) the nomen Archaeobatrachia Reig, 1958 was proposed for a taxon that is clearly paraphyletic (references above). The nomen NEOBATRACHI Sarasin & Sarasin, 1890 is the valid nomen of the subclass of recent amphibians, that has sometimes been called Lissamphibia Haeckel, 1866. The latter nomen must also be abandoned, being an invalid junior synonym of Ваткаснія Brongniart, 1800. More details on nomenclature of higher taxa (above superfamily) of Amphibia were provided by Dubois (2004b).

Rather than recognizing suborders, a better solution for the time being is to recognize higher ranks in the family-series, i.e., superfamilies (ending in -omota) and optimalities (ending in -omota) and series of optimalities (ending in -omota) are redefined by Dusons (2005s): these taxa do not require the use of other nomina than those of families and may be easily abandoned to modified whenever changes are brought to the clade-taxnonnie scheme. The cladistic scheme of San Mauron et al. (2005), which largely agrees with other recent studies (HAAS, 2003; RobeLarnts & Bossurity, 2009) was used as the basic framework for recognition of these higher family-series taxa. For fossil groups, Sanctiz (1998) and S, E. Evans et al. (2005) were largely followed. As explained by Dusors (2004a, 2005b), any higher taxon that only includes one taxon of forch colorer rank, a situation that is sometimes made necessary for taxonomic balance and homogeneity, bears the same nomen as this lower taxon; e.g., edinating Paraconomics and superfamily Paraconomics.

DUBOIS 3

or superorder † ALLOCAUDATA and order † ALLOCAUDATA. In such cases, the two ranks are redundant, which causes no nomenclatural problem as long as this does not require formation or recognition of a distinct nomen for each rank (for more details on this controversial question, see DUBOIS, 700.54)

The general ergotaxonomic frame used here is conservative at the family level: most of the families here been used for more than a century, and correspond to clades that are consensually recognized by most current authors. In most groups, the ergotaxonomy retained is similar to that given in HUTCHENS et al. (2003), but there are a few important differences, largely related to the inclusion of extinct taxa, but also in a few cases to the acknowlegement of recent cladistic data. Unlike the recent lists of FROST (1985), DUELLMAN (1993) and GLAW et al. (1998), Amphibis Mundi provides information on fossil taxa. This has some bearing on the taxonomic frame retained. Because many fossil taxa are known only from partial skeletons, their inclusion in the taxonomy of recent amphibians results in some uncertainties. To limit the impact of this problem, a conservative familial ergotaxonomy was adopted here whenever phylogenetic relationships between taxa are still unsolved or controversial. These taxa were maintained in comprehensive families, which may be split later whenever relationships between them are better understood. Not doing so would result in having many genera unallocated to families, which would simply have to be listed as "incertae sedis" at family level. Given these premises, the taxonomic-nomenclatural scheme adopted here for some families needs a bort discussion:

(1) For the "discoglossoid" frogs, the taxonomic scheme of SANCHIZ (1998: 18) was here followed, with a single family including the ALTITAGE, BOSHIGHTORIES, DESCOLUSIONER AND † CORMITAGE, as the relationships between these four groups are still controversaid (HAMS, 2003; HORGO et al., 2004; ROBLANTS & BOSSUTT, 2005; SAM MAURO et al., 2005). Additionally, a few problematic fossil genera are simply referred to the family without subfamilial allocation. The family as here recognized will most probably have to be dismanded when the relationships between all its genera are better understood. In the meanwhile, the valid nomen for this family is Bosmonotomens, as pointed out long ago (Durols, 1984). As the International Commission of Zoological Nomenclature decided not to use its plenary powers to protect the nomen Discoulosians (see Durols, 1987d), the Code's Rule of Priority must be followed. The nomen Bosmonotomen has been used repeatedly in the recent years (e.g.: FORK & CANNATELLA, 1993; BIJU & BOSSUTY, 2003; MAGLIA, 2003; CANNATELLA & HILLIS, 2004; ROBLANTS & BOSSUTY, 2003; so it cannot be rejected as a nomen oblitum.

(2) The case of the "pelobatoid" frogs is similar. Recent discussions have not yet led to a consensual hypothesis for relationships among groups (Gardic-Padis' et al., 2003; HASA, 2003; CANSATELLA & HILLIS, 2004; HOEGG et al., 2004; ROELANTS & BOSSUYT, 2005; SAN MAURO et al., 2005). A provisional conservative scheme with a single family Princentmen was adopted here. This family includes four subfamilies (Macountment, Princentmen, Flourottmen, Schembourons, and as everal fossis genera that cannot be allocated to subfamilies in the present state of knowledge, especially because of apparent convergences between Planattrase and Schembourons in their fossorial adaptations.

(3) Two subfamilies are recognized here within the family Prinate following B. J. Evans et al. (2004, 2005). Priority requires that the subfamily including Xenopus and Silurana be called DACTYLETHRINAE, as already pointed our repeatedly (DuBOIS, 1983, 1984, 1985, 1987b-c).

(4) The epifamily Rassonas as recognized here corresponds to the "Neonatractua" of several recent authors. This clade is robustly supported by most recent analyses (e.g., Horge et al., 2004; Nat DER Mutpors et al., 2004; Nat DER Mutpors et al., 2005). It includes two well-supported large clades, recognized here as the superfamilies Huomes and Rassonas, and two smaller groups of uncertain affinities (Horge et al., 2004), recognized here as the superfamilies Huomesterwinons and Socioussonas.

(5) No subfamilies are currently recognized in the family Burnamas, although this huge assemblage clearly consists of several subclades, some of which have a limited geographical range whereas others have a much larger distribution. In case future works support the formal recognition of

subfamilies, several family-series nomina are already available and should be used to nominate them rather than coining new nomina (DUROIS, 1984: 34-35, 1987a: 24-29).

- (6) The results of Darst & Cannatella (2004) and Hoegg et al. (2004) suggest that the subfamily Polynomie Fitzinger, 1843 should be considered a synonym of HYLIMB Rafinesque, 1815, not a distinct subfamily
- (7) The recent finding (DARST & CANNATELLA, 2004) that the genus Brachyesphalas Fitzinger, 1826 (including Psyllophryms Izacksohn, 1971, according to KAPLAN, 2002) is phylogenetically nested within eleutherodacylines, as usually understood, suggests that the taxon including these genera should be called Brachesphalanse Günther, 1858 instead of Eleutrierodacylines, Itar, 1954 (as used e.g. by DUELLAMA, 2003). The genus Crunquisor Cope, 1862 was recently recognized for a large part of the species usually placed in Eleutherodacylis Duméril & Bibron, 1841 (CRAWFORD & SMITH, 2005), and the latter sensu might have to be further solit.
- (8) The family Resonae as understood here is a very conservative group which corresponds to the epifamily Resonate as recognized by Vences & GLAW (2001) and VAN DER MEIDEN et al. (2005). This huge assemblage includes a number of taxa whose relationships are not yet clarified and most of which are here provisionally treated as subfamilies, following DUBDIS (2003) but adding the MANTELINAE and REMOCOPRIENSE. Treating the latter as families makes the Resonae paraphyletic (Vences & GLAW, 2001; VAN DER MEIDEN et al., 2004, 2005). This family will probably have to be split in several families, but these may correspond only in part to the subfamilies as recognized below, so this move appears premature. Changes are here Provult to the following taxas:
- (a) VAN DER MEIDDES et al. (2005) recently pointed to the well-supported existence of a previously underected radiation in African ranif frogs that includes all general placed by Dussoi (2003) in the Coccessories Noble, 1931 but also the genera African, Natabbarachus and Pszicipha-har. This finding is ackweledged here in placing all these genera, as well as the clearly related Amiestia and Astrica, in the same subfamily, for which the nomen Princerness Bonaparte, 1850 has priority.
- (b) The data of VAN DER MEIJDEN et al. (2005) also suggest that the genus Occidezyga is a member of the Diemoclossymae (as already proposed by Dubors, 1987a, 1992), and therefore the subfamily Occidezymae in Dubors (2003) is here downgraded to the rank of a tribe of the latter.
- (c) In contrast, the same data also strongly suggest that the genus Cerambarachus and related genera are not members of the Demociocossiva and that the tribe Constronstruction of Dimotos (2003) should be provisionally treated as a subfamily of its own. The valid nomen for this subfamily is CERTOSITECHUMEN BOURDERY, 1878, 1986, as suggested by VAN DER MIRIDEN et al. (2005). The genus Barachyloides, placed by Diwots (1987a, 1992, 2003) in the Remova without robust evidence, is here tentatively referred to this subfamily mostly on the grounds of reproductive mode (direct devolument) and biogeography.
- (d) In the tribe LIMNONIETIN of the DIGNOGLOSSIMIE, the genus Liurana Dubois, 1987 is here considered a strict synonym of Taylorana Dubois, 1987 (DUBOIS & OHLER, in preparation). Priority of Taylorana over Liurana was fixed by the first-reviser action of DUBOIS (1999) 91).
- (e) Cladistic relationships within the subfamily Rausum as recognized by Denots (2003) remain very poorly known and will require additional data. This will not be not an easy task because, as already pointed out (Denots, 1981, 1987a, 1992, 2003), such a revision to be meaningful cannot be limited to analysis of a subsample of the subfamily, chosen e.g. on geographical grounds (e.g., HILLIS & WILCOX, 2005), but must include representatives of at least all groups and subgroups defined by Dinots (1992), and probably more. The tribe Autoconst Yang, 1991, recognized by Dunots (2003), is not adopted here, as its relationships and contents are not yet fully understood. The genus Odornan Fel, Ye & Huang, 1991 should probably be separated from Ran (Dunots, 2001), but its relationships with several.

Dubois 5

other groups (e.g.: Bambinana Fei,Ye & Huang, 2005; Chalcorana Dubois, 1992; Eburana Dubois, 1992; Nasinana Dubois, 1992; should first be clarified. Except for the genera Afrana, Aminina and Strongylo-pus, here placed in the PYNCEPHALINAE for reasons explained above, the genus Rava is here kept as a wide and probably polyphyletic assemblage (Dubots, 1992) to avoid the creation of paraphyletic genera, which would certainly be the case if e.g. Ammirana Dubois, 1992, Hydanana Tschudi, 1838, Peliophylax Fitzinger, 1843, Pseudorana Fei, Ye & Huang, 1991 or Ragoia Fei, Ye & Huang, 1991 were raised to generic rank, as proposed by some recent authors (e.g., Fei et al., 1991, 2005; VAN DER MRIPISS et al., 2005).

(f) On the other hand, within the RAMNOR, a new tribe \$STANNORM (Type-genus Samonic Cope, 1865) is here exected for the genus Samonic alone. The diagnosis of this tribe is as follows: its members share two important characters with the RINGORMORM, i.e. completely closed ventral cells on digital disks and glandular belly skin (DUBORS, 1992: 321, 334; BOSSUTY & DUBORS, 2001: 4), and show other synapomorphies for the RANNORM, such as special courtship display (HARDNOR, 1982) and unusual keratodont formulae in tadpoles (ALTIO & McDIMARD, 1999; 331). BOSSUTY & DUBORS (2001: 4) wrote about the genus Samonic "in fact, but for the absence of intercalary cardiages on digits, there seems to be little reason for not assigning the genus Samonic to Rhacophorines". According to recent molecular data (RORLANTS et al., 2004), this seems annears as the sister-erroup of all other RANNORM.

(a) The relationships of the other groups of RANIDAE (as here understood) are not yet clarified (e.g., Va) page MEIDBEN et al., 2005), so these groups are here provisionally maintained as the subfamilies Connaunae, Lancaunsenterman, Remainae, Petropenson and PHEYNOBATRACHEMAE. The latter two groups were included by DUBOIS (2003) in a single subfamily PETROPEDETMAE, but this taxon appears paraphyletic according to the data of VAN DER MRIJEN et al. (2005).

(8) The recent molecular data of DARST & CANNATELIA (2004) and VAN DER MEIIDEN et al. (2004, 2005) support the opinion of LAURENT (1980, 1986) and DUBOIS (1981, 1987a, 1992) that the ARTHROLEPTINAE, ASTYLOSTERNINAE and HYPEROLINAE belong in the same clade, recognized by VENCES & GLAW (2001) and VAN DER MEIIDEN et al. (2005) as the epifamily ARTHROLEPTOIDAE. But these data also suggest that two other groups, traditionally recognized as the Micropylinas Brevicipitinas and the HEMISOTIDAE, are also members of this clade. To account for these findings, these five groups are here recognized as subfamilies of a single, purely African, family, which must bear the nomen BREVICIPITIDAE. This is not because "the oldest available genus name in this clade is Brevicets Merrem, 1920" (DARST & CANNATELLA, 2004; 468), as priority among family-series nomina is determined by the dates of the latter nomina, not by those of the nomina of their included genera! The valid nomen in this case is Brevicipitina Bonaparte, 1850, which has priority over Hemisidae Cope, 1867 and Arthroleptina Mivart, 1869. In Linnaean nomenclature, Brevicipitina, Brevicipitinae, Brevicipitidae or Brevicipitoi-DEA are simply different aponyms of the same nomen (see DUBOIS, 2000), which have the same author and date but "simply" different ranks; it is thus incorrect to write that there "seems to be no available superfamily name" for this taxon (DARST & CANNATELLA, 2004: 468). Besides the five subfamilies listed above, a sixth subfamily is here recognized in this family for the LEPTOPELINAE, which according to EMERSON et al. (2000) represent a subclade distinct from the Hyperolinae.

(9) In the urodelan family Prepriories the traditional taxonomy (Waka, 2003) has been challenged by recent findings. The molecular phylogenetic data recently provided by CHIPPINDALE et al. (2004) suggest the existence of two major lineages, for which the nomina Hauthortunnea and Prepriories are available. The first lineage seems to include three subclades, which can be provisionally recognized as tribes, under the nomina Bautroacossin, Hauthortunnea and Speesperson, in this group, the genus Eurycea Rafinesque, 1822 is here understood as including the taxa traditionally known as the genera Haidottrion Carr, 1939, Tophlomolog Steineger, 1896 and Tophlotrion Steineger, 1895, as well as other taxa more recently recognized (HILLIS et al., 2001). The second lineage of 1839, as well as other taxa more recently recognized (HILLIS et al., 2001). The second lineage of the properties of th

PLETHODOWTHMS seems to include two subclades, for which the nomina DESMOGRATHMS and PLETHOnOWNING are swallable. The new data obtained by MURLEIRE et al. (2004), and by Mist et al. (2005) on the occasion of the discovery of Karnenia knowning, furthermore suggest that the genus Hydromanies s.l. (including Syeleomanies) must be placed in the DESMOGRATHM, rather than in the BOARTMANIES of the PROPERTY OF THE PRO

- (10) In the family Xalamorization, on the basis of "molecular studies in progress" ("estudios moleculares en curros"), Garkel-Pads et al. (2004) recently split the genue Trimer in four genera, recognizing the genera Listoriton, Mesoriton and Ommatoriton. No subfamilies are currently recognized three subfamilies, including respectively the genera Pleuroddes, Salamoritor and Titurus (and other genera in each). If, following ongoing works, this or a similar arrangement had to be adopted, the valid nomina for these three subfamilies would be, respectively, Pleurooutland Tichtuol, 1838, Salamoritae Goldfuss, 1820 and Molitage Gray, 1850 (see Dimons). 1985.)
- (II) Beside the three traditional orders Anura, Urodela and Gymnophiona (for their valid names ed Duros); 2004b), an order † Allocaudata is here tentatively recognized for the family † ALBERTETORTHOMS in order to account for the results of MCGOWAN & EVANS (1995).

The ergotaxonomy used in this first issue of Amphihia Mundi will certainly have to be modified in subsequent issues. The list below only mentions the nomina of taxe currently considered valid on the basis of published evidence, except in a few cases mentioned above. Hierarchy of taxa is shown by indernation from margin, and ranks of class-series and family-series taxe. Druous; 2005-a-b) are written in full. Taxa of same rank subordinate to the same taxon are listed by alphabetical order. Synonyms, subgenera and other infrageneric supraspecific taxa, species and subspecies are not listed. Nomina of entirely fossil taxa are preceded by the sign 1.

```
Classis Amphibia De Blainville, 1816
  Subclassis Neobatrachi Sarasin & Sarasin, 1890
    Superordo † ALLOCAUDATA Fox & Navior, 1982
      Ordo + ALLOCAUDATA Fox & Navlor, 1982
        Epifamilia † ALBANERPETONTOIDIA Estes & Hoffstetter, 1976
          Superfamilia † ALBANERPETONTOIDEA Estes & Hoffstetter, 1976
             Familia † ALBANERPETONTIDAE Estes & Hoffstetter, 1976
                      † Albanerpeton Estes & Hoffstetter, 1976
                      † Anoualerpeton Gardner, Evans & Sigogneau-Russell, 2003
                     † Celtedens McGowan & Evans, 1995
                     + Nukusurus Nessov, 1981
    Superordo BATRACHIA Brongniart, 1800
      Ordo ANURA Duméril, 1806
        Incertae sedis
                     † Aralobatrachus Nessov, 1981
                      † Avitabatrachus Báez, Trueb & Calvo, 2000
                      + Batrachulina Kuhn, 1962
                      † Comobatrachus Hecht & Estes, 1960
                     † Czatkobatrachus Evans & Borsuk-Białynicka, 1998
                      † Eobatrachus Marsh, 1887
                     † Eorubeta Hecht, 1960
                      † Estesina Roček & Nessov, 1993
```

† Gobiatoides Roček & Nessov, 1993

† Hatzepohatrachus Venczel & Csiki, 2003

+ Itemirella Nessov. 1981 + Lineuropekia Ratnikov 1993 + Lutetinhatrachus Wuttke, 1988 + Mesophrone Gan & Wang 2001 + Negatchenkia Ratnikov, 1993 † Nezpercius Blob, Carrano, Rogers, Forster & Espinoza, 2001 + Novooskolia Ratnikov, 1993 + Probatrachus Peters, 1878 † Procerobatrachus Roček & Nessov, 1993 + Protonbrumus Pomel 1953 † Saevesnederberghia Roček & Nessov, 1993 4 Summhamachus Evans & McGowan, 2002 † Thaumastosaurus De Stefano, 1903 + Theatonius Fox. 1976. + Yizhoubatrachus Gao & Chen, 2004 Familia + Prosauridae Shubin & Jenkins, 1995 + Prosalirus Kuhn, 1964 Familia † RANAVINAE Feiérváry, 1920. + Rangeus Portis, 1885 Familia † Tregoratrachidas Holman, 1974 † Trepobatrachus Holman, 1974 Familia + Vienael Linas Kuhn, 1964 + Viemella Reig. 1961 Epifamilia Bombinatoroidia Grav. 1825 Superfamilia ROMBINATOROIDEA Gray, 1825 Familia Bombinatoridae Grav, 1825 Incertae sedis + Altanulia Gubin, 1993 † Callobatrachus Wang & Gao, 1997 † Enneabatrachus Evans & Milner, 1993 † Latoglossus Hossini, 2000 † Montsechobatrachus Feiérváry, 1921 + Onisthocoelellus Kuhn, 1941 + Pelophilus Tschudi, 1838 † Scotiophryne Estes, 1969 Subfamilia ALYTINAE Fitzinger, 1843 Alvtes Wagler, 1829 + Kizvikuma Nessov, 1981 Subfamilia Bombinatorinae Gray, 1825 Barbourula Taylor & Noble, 1924 Bombina Oken, 1816 Subfamilia Discoglossing Günther, 1858 Discoglossus Otth, 1837 † Eodiscoglossus Villalta, 1956 † Latonia Mever, 1843 † Paradiscoglossus Estes & Sanchiz, 1982 + Paralatonia Venczel & Csiki, 2003 + Wealdenbatrachus Fev. 1988

Subfamilia + Gaptarouse Ročak & Massow 1993 + Cretasalia Gubin, 1999 + Gabiares Spiner & Tererinov 1986 Enifamilia I FIOREI MATORIM Mivart 1869 Superfamilia Legoper Maroupea Miyart 1869 Familia Ascapunas Feiérváry, 1923. Ascablus Steineger 1890 Familia Lexoner Marrings Miyart 1869 Subfamilia Letopet MATINAE Mivart 1869 Leiopelma Fitzinger, 1861 Subfamilia † Notoratrachinae Reig, 1957 + Notobatrachus Reig, 1956 Epifamilia Priorazoinia Bonaparte, 1850 Superfamilia Pelobatomea Bonaparte, 1850 Familia PELOBATIDAE Bonaparte, 1850 Incertae sedis + Lianhatrachus Ii Shu'an & Ii Ouang, 1998 † Macropelobates Noble, 1924 + Uldzinia Gubin, 1996 Subfamilia Megophevovas Bonaparte, 1850. Tribus Leptobrachuni Dubois, 1983 Leptobrachella Smith, 1925 Leptobrachium Tschudi, 1838 Lentolalay Dubois, 1980 Orgolalax Myers & Leviton, 1962 Scurior Theobald, 1868 Tribus Megophryini Bonaparte, 1850 Brachytarsophrys Tian & Hu, 1983 Megophrys Kuhl & Van Hasselt, 1822 Ophryaphryne Boulenger, 1903 Xenophrys Günther, 1864 Subfamilia Pelobatinae Bonaparte, 1850 + Eopelobates Parker, 1929 Pelohates Wagler, 1830 Subfamilia PELODYTINAE Bonaparte, 1850 † Miopelodytes Taylor, 1941 Pelodytes Bonaparte, 1838 † Tephrodytes Henrici, 1994 Subfamilia SCAPHIOPODINAE Cone, 1865 Scaphiopus Holbrook, 1836 Spea Cope, 1866 Epifamilia Pipoidia Gray, 1825 Superfamilia PIPOIDEA Grav, 1825 Incertae sedis † Aygroua Jones, Evans & Sigogneau-Russell, 2003 † Thoraciliacus Nevo, 1968 Familia † PALAEOBATRACHIDAE Cope, 1865

† Albionbatrachus Meszoely, Špinar & Ford, 1984 † Messelobatrachus Wuttke, 1988 DIPATE 0

- + Palaenharrachus Tschudi, 1838 + Phohaprachus Feierváry, 1917
- Familia Pipinas Grav. 1825

#### Incertae sedio

† Cordscephalus Nevo. 1968

- + Forenopoides Haughton 1931
- + Llankthatrachus Báez & Pugener, 2003
- + Shomeonella Fetes Spinge & News 1079
- † Thoracultacus Nevo. 1968

Subfamilia Dactyr stupmas Hogg 1838

- † Pachycentrata Baez & Rage, 2004
- + Saltonia Reig. 1950
- + Shelania Casamuquela, 1960

Silurana Grav. 1864

Xenopus Wagler, 1827

Subfamilia Pipinian Gray, 1875.

Hymenochirus Boulenger, 1896

Prog Laurenti, 1768 Pseudhomenachinus Chahanaud 1920

Familia RHINOPHRYNIDAE Günther, 1858

- + Chelomophrynus Henrici, 1991
- + Eorlanophrynus Hecht, 1959
- + Rhadmosteus Henrici, 1998

Rhmonhrsmus Dumeril & Bibron, 1841 Enifamilia Rasiotota Rafinesque-Schmaltz 1814

Superfamilia Hereograpyvojoga Noble 1931

Familia Her gopus yaunas Noble 1931

Helcophryne Sclater, 1899 Superfamilia Hyloidea Rafinesque, 1815

Familia ALLOPHR VNIDAE Goin, Goin & Zug. 1978

Allophryme Gauge, 1926

Familia BUFONIDAE Gray, 1825

Adenomus Cope, 1860

Alaphrynoides Dubois, 1987 Andinophryne Hoogmoed, 1985

Ansoma Stoliczka, 1870

Atelophroniscus McCranie, Wilson & Williams, 1989

Audonus Duméril & Bibron, 1841

Bulo Laurenti, 1768

Buloides Pellai & Yazdani, 1973

Capensibulo Grandison, 1980

Churanus Channing & Stanley, 2002

Crepidophryne Cope, 1889

Dendrophryniscus Iiménez de la Espada, 1871

Didynamibus Andersson, 1903

Frostus Cannatella, 1986

Laurentophryne Tihen, 1960

Leptophryne Fitzinger, 1843

Melanophryniscus Gallardo, 1961

Mertensophryne Tihen, 1960

Matablevenicus Safiaris Avarzamiana & Gornula 1004 Macranhuma Buchholz & Darage 1975 Nectable mander Noble 1926 Nimbaahmmada Dubou 1087 Owophymella Boulenger, 1895 Osornophryne Ruiz-Carranza & Hernández-Camacho, 1976 Paranelonhrone Fei. Ve & Jiang. 2003. Pedaguhar Gunther 1876 Pelophryne Barbour, 1938 Physioids Fitzman 1843 Preudahufa Technidi 1838 Rhambhathmus Truch 1971 Schismaderma Smith, 1849 Spinophrynoides Dubois, 1987 Stephonaedes Channing, 1978 Trushella Gravbeal & Cannatella, 1995 Werneria Poche, 1903 Wolterstorffma Mertens, 1939 Familia CENTROLENIDAS Taylor, 1951. Centrolene luménez de la Espada, 1872 Cochranella Taylor, 1951 Hyalmobatrachium Ruiz-Carranza & Lynch, 1991 Familia Dendrobatidas Cope, 1865 (1850) Allohates Zimmermann & Zummermann, 1988 Aromobates Myers, Paolillo & Daly, 1991 Colostethus Cone, 1866 Cryosophyllobates Lötters, Jungfer & Widmer, 2000 Dendrohates Wagler, 1830 Epipedobates Myers, 1987 Mannophryne LaMarca, 1992 Nephelobates La Marca, 1994 Phyllobates Duméril & Bibron, 1841 Familia Hyunas Rafinesque, 1815 Subfamilia Hemphractinas Peters, 1862 Cryptohatrachus Ruthven, 1916 Flectonotus Miranda-Ribeiro, 1920 Gastrotheca Fitzinger, 1843 Hemsphractus Wagler, 1828 Stefania Rivero, 1968 Subfamilia Hyunae Rafinesque, 1815 Acres Dumeril & Bibron, 1841 Anotheca Smith, 1939 Aparasphenodon Miranda-Ribeiro, 1920 Aplastodiscus Lutz, 1950 Argenteohyla Trueb, 1970 Corythomantis Boulenger, 1896 Duellmanohyla Campbell & Smith, 1992 Hyla Laurenti, 1768

> Lysapsus Cope, 1862 Nycumanus Boulenger, 1882

11

Ostescenhalus Steindachner 1862 Ostsopilus Fitzinger 1843 Phrymahuas Fitzinger 1843 Phyllodytes Wagler, 1830 Plectrohyla Brocchi, 1877 + Progerit Holman, 1961 Pseudacris Fitzinger 1843 Pseudic Wagler 1830 Pternohyla Boulenger, 1882 Prychobula Taylor, 1944 Scarthyla Duellman & De Sá, 1988 Scongr Wagler, 1830 Smilisca Cope, 1865 Sphaenorhynchus Tschudi, 1838 Tenuhula Avarazaguena, Scharis & Gorzula, 1992 Trachycethalus Tschudi, 1838 Tribrion Cope, 1866 Xenohyla Izecksohn, 1998 Subfamilia Paronavanivas Günther, 1858 Cyclorana Steindachner, 1867 † Etnabatrachus Hochnull, 2003 Litaria Technidi 1838 Nucumusus Steineger, 1916 Pelodryas Gunther, 1859 Subfamilia Phyllomedusinae Günther, 1858 Agalychnis Cope, 1864 Hylomanus Peters, 1872 Pachymedusa Dueilman, 1968 Phasmahvia Cruz, 1991 Phrynomedusa Miranda-Ribeiro, 1923 Phyllomedusa Wagler, 1830 Familia Leptodactylidae Werner, 1896 (1838) Incorrae code † Esteviella Báez, 1995 Subfamilia Brachycephalinae Gunther, 1858 Adelophryne Hoogmoed & Lescure, 1984 Atopophrynus Lynch & Ruiz-Carranza, 1982 Barycholos Heyer, 1969 Brachycephalus Fitzinger, 1826 Craugastor Cope, 1862 Dischidodaervlus Lynch, 1979 Eleutherodactylus Dumeril & Bibron, 1841 Euparkerella Griffiths, 1959 Geobatrachus Ruthven, 1915 Holoaden Mıranda-Rıbeiro, 1920 Ischnocnema Reinhardt & Lütken, 1862 Phrynopus Peters, 1874 Phyllonastes Hever, 1977 Phyzelaphryne Heyer, 1977

Subformlin Geratophrymar Technoli, 1838 + Baurubatrachus Báez & Peri, 1990 Caratanheus Wied-Neumied 1824 Chacophrys Reig & Limeses, 1963 Letidohatrachus Budgett, 1899 † Wasselta Casamiquela, 1959 Subfamilia Cycloramphinas Bonaparte, 1850 Crossodaerylodes Cochran, 1938 Cucloramphus Tschudi, 1838 Paratelmatahus Lutz & Carvalho, 1958 Rubmana Hever 1999 Scuthrophrus Lynch, 1971 Thornto Cone 1865 Zachasnus Cope, 1866 Subfamilia Hylodinas Günther, 1858 Crossadactulus Duméril & Bibron, 1841 Hulodes Estrapaer 1826 Megaelosia Muranda-Ribeiro, 1923 Suhfamilia Leptodactylinae Werner, 1896 (1838) Adenomera Steindachner 1967 Edalorhma luménez de la Espada, 1870 Hydrolastars Gallardo, 1963 Lentodactulus Fitzinger, 1826 Limnomedusa Fitzmoer, 1843 Lithodytes Fitzinger, 1843 Physalaemus Fitzinger, 1826 Pleurodema Tschudi, 1838 Pseudopaludicola Miranda-Ribeiro, 1926 Vanzolimus Hever, 1974 Subfamilia Opontophryninae Lynch, 1969 Macrogemoglossus Carvalho, 1946 Odontophrynus Reinhardt & Lütken, 1862 Proceratophrys Miranda-Ribeiro, 1920 Subfamilia Termatorinas Fitzinger, 1843 Alsodes Bell, 1843 Atelognathus Lynch, 1978. Batrachophrynus Peters, 1873 Batrachyla Bell, 1843 Caudiverbera Laurenti, 1768 Euosophus Fitzinger, 1843 Hylorina Bell, 1843 Insuetophronus Barrio, 1970 † Neoprocoela Schaeffer, 1949 Somuncursa Lynch, 1978 Telmatobius Wiegmann, 1835 Telmatobufo Schmidt, 1952 Familia Myobatrachidae Schlegel, 1850

Incertae sedis

† Indobatrachus Noble, 1930

Drinors 13

Subfamilia Limnonymastricar I arach, 1969 Adelane Onithy 1907 Helesoporus Grav. 1841 Knorranus Moore 1958 Lechrodus Boulenger, 1882 Immadimaster Estringer 1843 Mixophus Gunther, 1864 Nanhatrachus Perers 1863 Motaden Gunther 1873 Philoria Spencer, 1901 Subfamilia Myobatrachinas Schlegel, 1850 Aronothrome Tyler, 1976. Assa Tvier, 1972 Bryohatrachus Rounsevell, Ziegeler, Brown, Davies & Littleichn, 1994 Crinia Tschudi, 1838 Geocrinia Blake, 1973 Metacrinia Parker, 1940 Manhatrachus Schlegel, 1850 Paracrinia Hever & Liem, 1976. Pseudonbrune Fitzinger, 1843 Rheobarrachus Liero, 1973 Spicospina Roberts, Horwitz, Wardell-Johnson, Maxson & Mahony, 1997 Taudactylus Straughan & Lee, 1966 Uperoleia Grav. 1841 Familia Rumonsematinas Bonaparte, 1850. Rhinoderma Duméril & Bibron, 1841 Superfamilia Rayotnea Rafinesone-Schmaltz, 1814 Incertae sedis † Ranomorphus Ratnikov, 1993 Familia Resiscierio de Ronanarte, 1850 Subfamilia ARTHROLEPTINAE Mivart, 1869 Artholeous Smith, 1849 Cardoplossa Boulenger, 1900 Subfamilia Astyrosterninae Noble, 1927 Astylosternus Werner, 1898 Lettodactylodon Andersson, 1903 Nyctibates Boulenger, 1904 Scotobleps Boulenger, 1900 Trichobatrachus Boulenger, 1900 Subfamilia Brevicipitinas Bonaparte, 1850 Balebrevicens Largen & Drewes, 1989 Bremcens Merrem, 1820 Callulina Nieden, 1910 Probreviceps Parker, 1931 Spelaeophryne Ahl. 1924 Subfamilia Hemisotinal Cope, 1867 Hemisus Günther, 1859 Subfamilia Hyperolinae Laurent, 1943 Tribus Hyperotiini Laurent, 1943

Acamhixalus Laurent, 1944

Afrixalus Laurent, 1944 Alexternan Petret, 1988

Alexteroon Perret, 1988
Arlanamus Perret, 1988

Callixalus Laurent, 1950 Chlorolus Perret, 1988

Chrosohatrachus I aurent 1951

Crystothulay Laurent & Combaz, 1950

Heterixalus Laurent, 1944

Hyperolius Rapp, 1842

Tachycnemis Fitzinger, 1843

Tribus Kassinini Laurent, 1972

Kasana Gurard, 1853

Opisthothylax Perret, 1966

Paracassina Peracca, 1907

Phlycumanus Laurent & Combaz, 1950 Semnodactylus Hoffman, 1939

Subfamilia LEPTOPELINAE Laurent, 1972

Leptopelis Gunther, 1859-1869
Familia Microsyttour Gunther, 1858 (1843)

Subfamilia Asterophrymae Günther, 1858
Incertae sedis

+ Australahatrachus Tyler, 1976

Tribus ASTEROPHRYINI Günther, 1858

Asterophrys Tschudı, 1838

Hylophorbus Macleay, 1878
Mantophryns Boulenger, 1897

Pherohaspis Zweifel, 1972

Tribus Barygenyini Burton, 1986

Barygenys Parker, 1936
Tribus Castus open Dubois, 1988

Callulops Boulenger, 1888

Tribus Xenorhinini Mivart, 1869

Xenobatrachus Peters & Doria, 1878 Xenorhina Peters, 1863

Subfamilia Callustelmae Fei, Ye & Jiang, 2005 Calluella Stoliczka, 1872

Subfamilia COPHYLINAE Cope, 1889

Anodonthyla Müller, 1892

Cophyla Boettger, 1880 Madecassophryne Guibé, 1974

Platypelis Boulenger, 1882

Plethodontohyla Boulenger, 1882 Rhombophryne Boettger, 1880

Stumpffia Boettger, 1881

Subfamilia Dyscophinal Boulenger, 1882

Dyscophus Grandidier, 1872

Subfamilia Genvorhryninge Boulenger, 1890 Albericus Burton & Zweifel, 1995 Dripore

Athantathrone Frv. 1917 Austrochateerna Frv. 1912 Chaerophryme Van Kampen 1915 Cophyalus Boetteer, 1892 Consula Mehelii, 1901 Genunhryne Boulenger, 1890 Lookeve Roulenger 1897 Openthrune Boettger, 1895 Oxydactyla Van Kampen, 1913 Sphenophryne Peters & Doria, 1878 Subfamilia Hoptopurymyar Noble 1931 Hoplophrune Barbour & Loveridge, 1928 Parhoplophryme Barbour & Loversdoe, 1978 Subfamilia Microsycinas Gunther, 1858 (1843) Tribus Gastrophrynna Fitzinger, 1843 Adelastes Zweifel, 1986 Altrones Wild, 1995 Arconomer Carvaiho, 1954 Chrasmacleis Mehelti, 1904 Ctenophrune Mocauard, 1904 Dasypops Miranda-Ribeiro, 1924 Dermatonotus Méhely, 1904 Elachistocleis Parker, 1927 Gastrophryne Fitzinger, 1843 Hamotophrone Carvalho, 1954 Hyophryne Carvalho, 1954 Hypopachus Keferstein, 1867 Muerciella Carvalho, 1954 Nelsonoohrune Frost, 1987 Otophryne Boulenger, 1900 Stereocyclops Cope, 1870 Synapturanus Carvalho, 1954 Syncope Walker, 1973 Tribus Microhylini Gunther, 1858 (1843) Chaperina Mocouard, 1892 Gastrophrynoides Noble, 1926 Glyphodossus Gunther, 1868 Kolonbronus Tschudi, 1838 Kaloula Grav, 1831 Melanobatrachus Beddome, 1878 Metaphrynella Parker, 1934 Microhyla Tschudi, 1838 Micryletta Dubois, 1987 Phrynella Boulenger, 1887 Ramanella Ran & Ramanna, 1925 Uperodon Dumeril & Bibron, 1841 Subfamilia Phrynomerinae Noble, 1931 Phrynomanus Peters, 1867 Subfamilia Scaphiophrymmae Laurent, 1946 Paradoxophyla Blommers-Schlösser & Blanc, 1991

Scaphiophryne Boulenger, 1882

15

Familia Rassous Rafinesque-Schmaltz 1814 Subfamilia Canazonarra curu se Roulangar 1984 Ranachylades Boulenger 1887 Cavatahamachus Boulenmer 1884 Descadoles Roulenger, 1918 Inggrang Dubois 1987 Palmatarappua Ahl. 1927 Planusautic Gunther 1859 Subfamilia Congatituae Dubois, 1992 Communa Nieden, 1908 Subfamilia Diceograssmus Anderson, 1871 Tribus Dicagos ocens Anderson 1871 Euchlycus Fitzinger, 1843 Feiernarya Bolkay, 1915 Honlohatrachus Peters, 1863 Americana Dubois, Ohler & But. 2001 Nannanhrus Gunther, 1869 Sphaerotheca Gunther, 1859 Tribus Linguistriai Dubois, 1992 Annandra Dubois, 1992 Elachyolossa Andersson, 1916 Limnonectes Fitzinger, 1843 Taylorana Dubois, 1987 Tribus Occinozycini Fei, Ye & Huang, 1991 Occidozyga Kuhl & Van Hasselt, 1822 Phrynaglassus Peters, 1867 Tribus Para Dubois, 1992 Chaparana Bourret, 1939 Nanorana Günther, 1896 Quasipaa Dubois, 1992 Subfamilia Lankanectinae Dubois & Ohler, 2001 Lankanectes Dubois & Ohler, 2001 Subfamilia Mantellinas Laurent, 1946. Tribus Boopensi Vences & Glaw, 2001 Baophis Tschudt, 1838 Tribus Laurostomini Vences & Glaw, 2001 Aglyptodactylus Boulenger, 1919 Laliostoma Glaw, Vences & Bohme, 1998 Tribus Mantellim Laurent, 1946 Mantella Boulenger, 1882 Mantidactylus Boulenger, 1895 Subfamilia Microxionar Dubois, Ohler & Bnu. 2001 Mucroxalus Boulenger, 1888 Subfarnilia Nycribatrachinae Blommers-Schlösser, 1993 Nyctibatrachus Boulenger, 1882 Subfamilia Petropenetinae Noble, 1931 Arthroleptides Nieden, 1910

Petropedetes Reichenow, 1874
Subfamilia Phrynoratrachinae Laurent, 1941
Dimorphograthus Boulenger, 1906

Dubois 17

Ericabatrachus Yargen, 1991 Phrynohatrackus Günther 1862 Phronadan Parker, 1935 Subfamilia Programmar Duboie 1987 Hildshoudts Nucley 1997 Langarana Clarke 1983 Prychadena Boulenger, 1917 Subfamilia Pyxicephalinae Bonaparte, 1850 Afrana Dubois, 1992 Annena Dubois, 1987 Anhydrophryne Hewitt, 1919 Aubria Boulenger, 1917 Arthroleptella Hewitt, 1926 Cacasternum Roulenger, 1887 Microhatrachella Hessntt 1926 Natalohatrachus Hewatt & Methuen, 1913 Nathankrung Pounton 1963 Pointonia Channing & Roycott, 1989 Postcephalus Tschudi, 1838 Strongylopus Tschudi, 1838 Tomopterna Duméril & Bibron, 1841 Subfamilia RANINAE Rafinesque-Schmaltz, 1814 Tribus Rannyi Rafinesque-Schmaltz, 1814 Amolotis Cope, 1865 Pseudoamoloos Fei, Ye & Jiang, 2000 Rana Linnaeus, 1758 Tribus STAUROINI nov. Staurous Cope, 1865 Subfamilia RANIKALINAE Dubois, 1987 Indirana I aurent, 1986 Subfamilia Rhacophorniae Hoffman, 1932 (1858) Incertae sedis Dendrobatorana Ahl, 1927 Tribus Buergeriini Channing, 1989 Buerperia Tschudi, 1838 Tribus PHILAUTINI Dubois, 1981 Aguszalus Delorme, Dubois, Grosjean & Ohler, 2005 Kuraxalus Fei, Ye & Dubois, 1999 Nyctixalus Boulenger, 1882 Philautus Gistel, 1848 Theloderma Tschudi, 1838 Tribus Rhacophorini Hoffman, 1932 (1858) Chrixalus Boulenger, 1893 Chiromantis Peters, 1855 Polypedates Tschudi, 1838 Rhacophorus Kuhl & Van Hasselt, 1822 Superfamilia Sooglossoidea Noble, 1931

Familia Nasikabatrachidat Biju & Bossuyt, 2003 Nasikabatrachus Biju & Bossuyt, 2003

Familia Soogrossmas Noble, 1931 Mecamanice Boulanour 1909 Sanglassus Bautenger, 1906 Epifamilia + Trianoratrachomia Kuhn, 1962 Superfamilia + Teraposatracuomsa Kuhn, 1962 Familia + Terenoperpecuras Kubn 1962 + Triadohatrachus Kuhn, 1962 Ordo Ligoput a Duméril 1806 Incertae sedie + Apricouren Evans & McGowan 2002 + Richard Nessoy 1997 + Busseltta Nessay 1981 + Commentumedee Hacht & Fotos 1060 † Galverneton Estes & Sanchiz, 1982 † Hylasobarrachus Dollo, 1884 † Vehalatritan Wang, 2000 † Knigtriton Averianov & Voronkeyich, 2002 + Laccotroton Gao et al., 1998. † Marmoneroston Evons, Milner & Mussett 1988 + Ramanellus Nevo & Estes, 1969 + Smerneson Gao & Shubin 2001 Familia † BATRACHOSAUROIDIDAE Auffenberg, 1958 † Batrachosauroides Taylor & Hesse, 1943 † Mynhulakia Nessoy, 1981 † Onisthatritan Auffenberg, 1961 † Palasoproteus Herre, 1935 † Parrisia Denton & O'Neill, 1998. + Peratosauroides Naylor, 1981 + Prodesmodon Estes, 1964 Familia + Prospeninas Feres, 1969 † Prostren Goin & Auffenberg, 1958 Familia † Scapherperontidae Auffenberg & Goin, 1959 + Eascapherpeton Nessov, 1981 + Horezma Nessov, 1981 † Lisserpeton Estes, 1965 † Picenerpeton Mesznelv, 1967 + Scapherpeton Cope, 1877 Epifamilia Cryptobrancholdia Fitzinger, 1826 Superfamilia CRYPTOBRANCHOIDEA Fitzinger, 1826 Familia CRYPTOBRANCHIDAS Fitzinger, 1826 Andrias Tschudi, 1837 † Avuurus Gubin, 1991 † Chunerpeton Gao & Shubin, 2003 Cryptobranchus Leuckart, 1821 † Ulanurus Gubin, 1991 Familia Hynoridae Cope, 1859 (1856) Subfamilia Hynobinae Cope, 1859 (1856)

Batrachuperus Boulenger, 1878 Hynobius Tschudi, 1838 † Liaoxitriton Dong & Wang, 1998 DUBOIS 19

Live Theo & Mr. 1002 Onuchodaersky: Tschudi 1838 Pachyhynohus Fei, Ou & Wu, 1983 + Parahomahus Venezel 1999 Proudohymohuu Eas & Vo. 1983 Ranadan Kessler, 1866 Salamandrella Dubowski 1870 Subfamilia Paorozoonogovas Fei & Ve. 2000. Protohynobius Fei & Ye. 2000 Epifamilia † Karatirotnia Ivachnenko, 1978 Superfamilia + Kapauroussa Iuschnenko, 1978 Familia + Kapanamas Ivachnenko 1978 † Karaurus Ivachnenko, 1978 + Kokartus Nessov, 1981 Emfamilia Saramanonomia Goldfuss, 1820 Incertae sedis + Iridotriton Evans, Lally, Chure, Elder & Maisano, 2005 + Valdotraton Evans & Milner, 1996 Superfamilia Augustonia Tomas Gray 1850 Familia AMBYSTOMATINAE Grav. 1850. Ambustama Tschudi, 1838 + Amphirriton Rogers, 1976 Familia DICAMPTODONTIDAE Tihen, 1958 † Ambystomichnus Peabody, 1954 † Bargmanma Herre, 1955 + Chrysotraton Estes, 1981 Dicampiodon Strauch, 1870. † Geversella Herre, 1950 † Wolterstorfhella Herre, 1950 Superfamilia Amphilimoidea Gray, 1825 Familia Ampuniminas Grav. 1825 Ambhuma Garden, 1821 † Paleoamphiuma Rieppel & Grande, 1998 + Proambhiuma Estes, 1969 Familia Perruonovenas Grav. 1850 Subfamilia Hemidactylinnae Hallowell, 1856 (1850) Tribus Borrogrossini Hallowell, 1856 Batrachosens Bonaparte, 1841 Balitaglassa Dumeril, Bibron & Duméril, 1854 Bradviruon Wake & Elias, 1983 Chiropterotriton Taylor, 1944 Cryptotriton García-Paris & Wake, 2000 Dendrotriton Wake & Elias, 1983 Ixalotriton Wake & Johnson, 1989 Lineatriton Tanner, 1950 Nototriton Wake & Elias, 1983 Nyctanolis Elias & Wake, 1983 Oedinina Keferstein, 1868

Parvimolge Taylor, 1944

Pseudoeurycea Taylor, 1944

Thorius Cope, 1869

Tribus Hengpactytung Hallowell, 1856 (1850)

Hemidactylum Tschudi, 1838

Tribus Spelerpini Cope, 1859

Eurycea Rafinesque, 1822

Gyrınophilus Cope, 1869

Pseudotraton Tschudi, 1838

Stereochilus Cope, 1869

Subfamilia PLETHODONTINAE Gray, 1850

Tribus Desmognathini Grav. 1850

Anesdes Baird, 1849

Desmognathus Baird, 1850

Ensatina Gray, 1850

Hydromantes Gistel, 1848

Karsensa Min, Yang, Bonett, Vieites, Brandon & Wake, 2005

Leurognathus Moore, 1899 Phaeograthus Highton, 1961

Tribus PLETHODONTNI Grav. 1850

Plethodon Tschuch, 1838

Superfamilia PROTEOIDEA Gray, 1825

Familia Proteidae Grav, 1825

† Mioproteus Estes & Darevsky, 1978

Necturus Rafinesque, 1819

† Orthophyra Meyer, 1845

Superfamilia Repacorrettovomea Tiben, 1958

Familia RHYACOTRITONIDAE Tihen, 1958

Rhyacotrum Dunn, 1920

Superfamilia SALAMANDROIDEA Goldfuss, 1820

Familia Salamandridae Goldfuss, 1820

† Archaeotrston Meyer, 1860

† Brachycornus Meyer, 1860

† Chelotriton Pomel, 1853

Chioglossa Bocage, 1864 Cynobs Tschudi, 1838

Echmotruon Nussbaum & Brodie, 1982

Eutroctus Gené, 1838

† Koalhella Herre, 1950

Lissotriton Bell, 1839

Lyciasalamandra Veith & Steinfartz, 2004

† Megalotruon Zittel, 1888 Mertensiella Wolterstorff, 1925

Mesotraton Bolkay, 1927 Neurergus Cope, 1862

Notophthalmus Rafinesque, 1820

† Oligosemia Navas, 1922

Ommatotriton Gray, 1850

Pachytruon Boulenger, 1878

† Palaeopleurodeles Herre, 1941

Durois 21

Parametateran Chang 1935 Pleumdeles Michahelles, 1830 + Procynops Young, 1965 Salamandra I aurenti 1768 Salamandema Eurzinger 1826 Tarscha Grav. 1850 Terrorus Dofinecone 1915 Tulotoreton Anderson 1871 Enifamilia Sirenoidia Grav. 1825 Superfamilia SIRENOIDEA Grav. 1825 Familia Sireninas Grav. 1825 † Habrosaurus Gilmore, 1928 + Kahabisha Evans, Milner & Werner, 1996 + Noterneton Rage, Marshall & Gauet, 1993 Pseudohranchus Gray 1825 Sinen Österdam, 1766 Superordo Gymnopulona Rafinesque-Schmaltz 1814 Ordo Gymnophiona Rafinesque-Schmaitz, 1814 Incertse sedie † Rubricacascilia Evans & Sigogneau-Russell, 2001 Epifamilia Cascusoma Rafinesone-Schmaltz, 1814 Superfamilia Carcinionea Rafinesone-Schmaltz, 1814 Familia Carcuinar Rafinesone-Schmaltz, 1814 + Anadons Estes & Wake, 1972 Raulengerula Tornier, 1897 Braulapoblius Taylor 1968 Caecilia Linnaeus, 1758 Dermophis Peters, 1879 Gegeneaphis Peters, 1879 Geotropetes Peters, 1880 Grandsoma Taylor, 1968 Gymnams Peters, 1874 Hernele Perers, 1879 Hypogeophis Peters, 1879 Idocranum Parker, 1936 Indotyphlus Taylor, 1960 Luetkenotyphlus Taylor, 1968 Microcascula Taylor, 1968 Mimosiphonops Taylor, 1968 Oscascilia Taylor, 1968 Parvicaecilia Taylor, 1968 Praslima Boulenger, 1909 Schustometopum Parker, 1941 Stphonops Wagler, 1830 Sylvacaeciha Wake, 1987 Familia Ichthyophubae Taylor, 1968 (1843) Candacaecilia Taylor, 1968 Ichthyophis Fitzinger, 1826 Familia Scot ecostorentose Taylor, 1969 Crotaphatrema Nussbaum, 1985

Scolecomorphus Boulenger, 1883

Familia Typus ovections Taylor, 1968

Atretochoana Nussbaum & Wilkinson, 1995

Chthonerpeton Peters, 1879 Nectocaeciha Taylor, 1968

Potomotyphlus Taylor, 1968
Typhlonectes Peters, 1879

Familia Uraeotyphlidae Nussbaum, 1979

Superfamilia RHINATREMATOIDEA Nussbaum, 1977

Familia RHINATREMATIDAE Nussbaum, 1977

Rhnatrema Duméril & Bibron, 1841

Epifamiha † Eocascilloidu Jenkins & Walsh, 1993 Superfamilia † Eocascilloidus Jenkins & Walsh, 1993

Familia † Eocaeciliidae Jenkins & Walsh, 1993

#### ACKNOWI EDGMENTS

For helpful comments, suggestions and information that allowed to improve this paper, I am graffell to Lauren E. Brown, Ronald I. Crombie, Frank Glaw, Jean-Claude Rage, Borja Sanchiz, Miguel Vences, Nicolas Vidal and David B. Wake.

#### LITERATURE CITED

- ALTIG, R. & McDlarmin, R. W., 1999 Diversity Familial and generic characterizations. In: R. W. McDlarmin & R. ALTIG (ed.), Tadpoles The biology of amount larvae, Chicago & London, Univ. Chicago Press. 295-337.

  Bill., S. D. & BOSSAYT, F. 2001. New Yor family from India reveals an ancient bioecographical link with the
- Seychelles Nature, 425 711-714.

  Bossuvt, F & Dubois, A, 2:001 A review of the frog genus Philaurus Gistel, 1848 (Amphibia, Anura, Randae,
- Rhacophorinae). Zeylanica, 6 (1): 1-112.

  CANNATELIA, D & HILLIS, D M, 2004. Amphibians. Leading a life of slime. In J Cracraft & M. J Donounte.
- (ed.), Assembling the tree of life, New York, Oxford University Press. 430-450.
  Chippinale, P. T., Bonett, R. M. Balsin, A. S. & Wiens, J. J., 2004. Phylogenetic evidence for a major reversal of life-bistory evolution in plethodomad salamanders. Evolution, 58 (12): 2809-2822.
- CRAWFORD, A. J. & SMITH, E. N., 2005. Cenozoic biogeography and evolution in direct-developing frogs of Central America (Leptodactylidae. Eleutherodacivla) as inferred from a phylogenetic analysis of nuclear and mito chondrial genes. Molecular Phylogenetics & Ecolumn, 35: 536-551.
- DARST, C. R. & CANNATELLA, D. C., 2004. Novel relationships among hyoid frogs inferred from 12S and 16S mitochondrial DNA sequences. Molecular Phylogenetics & Evolution, 31, 462, 475.
- DELORME, M., DUBOIS, A., KOSTCH, J. & VENCES, M., 2004. Molecular phylogenetic relationships of Lanka endemism of South Asian frogs and the concept of mone phylogenetic studies. Advas. 22 (12-2), 33-64.
- DUBOIS, A. 1981. Liste des genres et sous-genres nomanaux de Ranoidea (Amphibiens, Anoures) du monde, avec identification de œurs especes types, consequences nomenclaturales. Membre 2000 grap indiana. (n.s., 15, suppl., 252-284.
- 1983 Classification et nomenciature supragenersque des Amphibiens Anoures Butienn mensuel de la Sancte Innoenne de Lyon, 52: 270-276.
  - 1984 La nomenclature suprageneraque des Amphibiens Anoures. Memores du Museum naturnal d'Histoire naturelle, (A) 131: 1-64.
- --- 1985 Miscellanea nomenciatorica batrachologica (VII). Alvies, 4 (2): 61-78.
  1987a. Miscellanea taxinomica batrachologica (D. Alvies, "1986", 5 (1-2): 7-95.

Directs 23

---- 1987b Living amphibians of the world a first step towards a comprehensive checklist. Alytes, 5 (3) 99-149

1987c. - Again on the nomenclature of frogs. Alysis, 6 (1-2): 27-55

- --- 1988 The genus in zoology: a contribution to the theory of evolutionary systematics. Memores du Museum national d'Histoire naturelle, (A), 140: 1-123
- 1992. Notes sur la classification des Ranidae (Amphibiens, Anoures). Bulletin mensuel de la Societé Innéevine de Lyon, 61 (10), 305-352
- 1999 Miscellanea nomenclatorica batrachologica. 19 Notes on the nomenclature of Ranidae and related groups Alytes, 17 (1-2): 81-100
- ---- 2000 Synonymics and related lists in zoology general proposals, with examples in herpetology Dumenha, 4 (2)
  33-98
  303 True from (Ranidae) In: M. HUTCHINS, W. E. DUELLMAN & N. SCHLAGER (ed., Grannels's animal life
- 2003 True frogs (Ranidae) In: M. HUTCHNS, W. E. DUELLMAN & N. SCHLAGER (ed., Gramek's animal life encyclopedra, 2<sup>rd</sup> edition, Volume 6, Amphibians, Farmington Hill, Michigan, Gale Group' 245-264 — 2004a - Amphibia Mundi, call for contributions, Alvas, 21 (3.4b): 171-173.

— 2004a. – Ampaina Muna: call for contributions, Aigus, 21 (3-4); 171-175.
— 2004b. – The higher nomenclarure of recent amphibians. Alvier, 22 (1-2): 1-14

- 2004a. "The higher nomenciature of recent amphibians. Alytes, 22 (1-2): 1-14.
   2005a. Proposed Rules for the incorporation of nomina of higher-ranked zoological taxa in the International
- Code of Zoological Nomenciature | Some general questions, concepts and terms of biological nomenclature Zoosystema, 27 (2): 365-426.

   2005b. Proposed Rules for the incorporation of nomina of busher-ransed zoological taxa in the International
- Code of Zoological Nomenclature 2 The proposed Rules and their rational Zoological taxis in the international

  Code of Zoological Nomenclature 2 The proposed Rules and their rational Zoological taxis in the International

  2006 Proposed Rules for the incorporation of nomina of higher-ranked zoological taxis in the International Code
- of Zoological Nomenclature 3. A detailed example the higher nomina of recent Amphibia. Zootystema, in press
  DUELLMAN, W. E., 1993. Amphibian species of the world additions and corrections. University of Kausai Museum of
  natural Hustors operad Pathiorance, 21, Eural to him. 4, 1-272.
- natural History special Publications, 2.1. [:-ii] + p-iii + [-372.
  2003 Leptodactylid frogs (Leptodactylidae) In M HUTCHINS, W E DUELLMAN & N SCHLAGER (ed.), Gramek's animal life encyclopedia, 2nd edition, Volume 6, Amphibbans, Farmington Hill, Michigan, Gale Group.
- EMERSON, S. B., RICHARDS, C., DREWES, R. C. & KJER, K. M., 2000 On the relationships among ranoid frogs. a
- review of the evidence. Herpetologica, 56 (2): 209-230

  EVANS, B. J., Kelley, D. B., Melnick, D. J. & Cannatella, D. C., 2005

  Evolution of RAG-I in polyploid clawed froes. Molecular Biology & Feolution, 22 (5): 1193-1207
- Evans, B. J., Kellers, D. B., Tinnsley, R. C., Mellinck, D. J. & Cannatella, D. C., 2004. A mitochondial DNA phylogeny of African clawed frogs. phylogeography and implications for polyploid evolution. Molecular
- Phylogeneura & Ecolution, 33: 197-213
  Eviss, S. E. Latty, C., Chitag, D. C., Ellipse, A. & Maissito, J. A., 2005. A late Jurissis: salamander (Amphibia Caudata) from the Morrison formation of North America. Zooogical Journas of the Linnocon Society, 143: 690-616.
- Fel, L, Ye, C & Huang, Y, 1991 Key to Chinese Amphibia Chongqing, Editions of Sciences and Techniques, "1990" [1-10] + 1-2 + 1-364. [In Chinese]
- FEI, L., YE, C., JIANG, J., XIE, F. & HUANG, Y., 2005 An illustrated key to Chinese amphib.ans. Sichuan Publishing Group, Sichuan Publishing House of Science & Technology: 1-v + 1-340, pl. 1-12
- FORD, L. S. & CANNATELLA, D. C., 1993. The major clades of frogs. Herpetological Monographs, 7 94-117.
  FROST, D. R., (ed.)., 1985. Amphipus species of the world. Lawrence, Allen Press & Assoc. Syst. Coll. In:v1 + 1 v. +
- FROST, D. R., (ed.), 1985 Amphibian species of the world. Lawrence, Allen Press & Assoc. Syst. Coll. [I-IV] + 1 V + 1-732.
- GARCIA-PARIS, M., BUCHHOLZ, D. R. & PARRA-OLEA, G. 2003 Phylogenetic relationships of Pelobatoidea re-examined using mtDNA, Molecular Phylogenetics & Evolution, 28: 12-23
- GARCIA PARIS, M., MONTORI, A. & ALONSO ZARRAGA, M. A., 2004. Aperdice: I. Nomenciatura Lisa de sinonamos in promotivamentos. In M. AGRICEI PARIS, A MONTORI & P. PERERRO, vol. 244, Amplitha Larramphilia, in: M. A. RAMOS et al. (ed.), Fouria abstrac, Madrid, Museo Nacional de Ciencias Natarales & Consejo Superior de Investigaciones Citentificaes: 550-602.
- Brivestigaciones Cientificas: 589-602
  GLAW, F. KÖHLER, J. LÖTTI RS S & VENCES, M., 998
  Vorlaufige Liste und Bibliographie neubeschriebener
  Amoh, bienarten und unterarten von 1993 bis 1997. Elaphe, 6 (1): 1-xxiv
- Hans, A., 2003 Physogeny of frogs as inferred from primarias sarval characters (Amphiba Anura Cladistics, 19 23-89
- HARDING, K. A., 1982. Coutship display in a Bornean frog. Proceedings of the biological Society of Washington, 95 621-624.
- HILLIS, D. M., CHAMBERGAIN, D. A., WILCOS, T. P. & CHIPPINDALE, P.T., 2001. A new species of subterranean blind salamander (Plethodontsiae Herndart) Inn. Eurosca. Typhhomoles from Austin, Pesas, and a systematic revision of central Tesas paedomorphic salamanders. Heppelogina, 57 (3), 266-263.
- HILLS, D. M. & WILCOX, T. P. 2015. Physogeny of the New World true fregs. (Rana). Molecular Physogenius & Evolution, 34, 299-314.
  HOSGG, S. VENESS, M. BRINSMANN, H. & MEYER, A. 2004. Physogeny and comparative substitution rates of frogs.

- KAPLAN, M., 2002 Histology of the anteroventral part of the breast-shoulder apparatus of Brachycephalus ephippinan (Brachycephaluse) with comments on the validity of the genus Pryllophryne (Brachycephaluse). Amphibia-Republ. 23 (2), 235-23.
- Repnint, Z. E., 1980 Esquisse d'une phylogenèse des Anoures. Bulletin de la Societé zoologique de France, 104
- —— 1986. Sous-classe des Lissamphibiens (Lissamphibia) Systematique In P.-P Grasse & M. Delsol (ed.), Traite de Zooloria, 14, Amphibiens, fasc I-B, Paris, Masson, 594-796.
- MAGLIA, A. M., 2003 Fire-billed toads and barbourulus (Bombinatoridae) In: M. Huttehins, W. E. Duellman & N. Schlager (ed.), Gramek's animal life encyclopedia, 2nd edition, Volume 6, Amphibiani, Farmington Hill, Michigan, Gile Group 83-88
- MAYR, E., 1981 Biological classification toward a synthesis of opposing methodologies. Science, 214, 510-516.

  McGowan, G. & Evans, S. E. 1995. Albanemetroring amphibians from the Createcous of Spain. Nature, 373 (6510).
- 143-145
  Min, M. S., Yang, S. Y., Bonett, R. M., Vieltes, D. R., Brandon, R. A. & Wake, D. B., 2005
  Discovery of the first
- MIN, M. S., YANG, S. Y., BONETT, R. M., VIETTES, D. R., BRANDON, R. A. & WAKE, D. B., 2005 Discovery of the first Asian plethodomid salamander. Nature, 435, 87-90

  MUSILER P. I. MACEY, J. P. LEFER, M. WARE, D. B. & BOODE, L. L. 2004 Morphological homology, life history
- MUELLER, R. L., MACEY, J. R., JAEREL, M., WARF, D. B. & BOORE, J. L., 2004. Morphological homplasy, life history evolution, and historical biogeography of plethodoniud salamanders inferred from complete mitochondrial genomes. Proceedings of the national Academy of Sciences of the USA, 101 (38): 13820–13825.
- ROELANTS, K & Bossuvr, F, 2005. Archaeobatrachian paraphyly and Pangacan diversification of crown-group frogs. Systematic Biology, 54 (1): 111-126.
- ROELANTS, K., JIANG, J. & BOSSUYT, F. 2004. Endemic ranid (Amphibia Anura) genera in southern mountain ranges of the Indian subcontinent represent ancient frog lineages evidence from molecular data. Molecular Phylogemuce & Foodation. 31, 730-740.
- San Mauro, D., Vences, M., Alcobendas, H.M., Zarboya, R. & Meyer, A., 2005. Initial diversification of living amphibians predated the breakup of Pangaea. The American Naturalist, 165: 590-599.
- SANCHIZ, B., 1998. Salienna fir P. WELLISHOFER (ed.), Handburk der Palaoherpetologye, Teil 4, München, Friedrich Pfeil 1-xu. +1-275.

  Van der Meijnen, A., Veness, M., Hoege, S. & Meyer, A., 2005. A previously unrecognized radiation of rand
- frogs in Southern Africa revealed by nuclear and mitochondrial DNA sequences Molecular Phylogenetics of Evolution, in press.

  Van der Merinen, A. Vences, M. & Meyer, A. 2004 Novel phylogenetic relationships of the enternation
- VAN DER MEIDEN, A., VENCES, M. & MEYER, A., 2004 Novel phylogenetic relationships of the enigmatic brevicipitine and scaphiophrynine toads as revealed by sequences from the nuclear Rag-i gene. Proceedings of the royal Society of London, (B) (suppl.), 271 S378-S381.
- Vences, M. & Graw, F. 2001 When molecules caim for taxonomic changes new proposals on the classification of Old World treefrogs. Spaxiana, 24: 85-92.
- WARE, D. B., 2003 Lungless salamanders (Pfethodonudae) In M. HUTCHIRS, W. E. DUELLMAN & N. SCHLAGER (ed.), Grazumk's animal life encyclopedia, 2<sup>nd</sup> edition, Volume 6, Amphibians, Farmington Hill, Michigan, Gale Grotup: 389–404.

### Amphibia Mundi. 1.2. Recent amphibians: generic and infrageneric taxonomic additions (1981-2002)

Alain Durous\* Ronald I Crowrie\*\* & Frank Graw\*\*\*

\*Verrèbres: Repriles et Amphibrens, USM 0602 Taxonome and Colections, Departement de Systematique and Evolution, Museum national d Histoire naturelle, 25 rue Cuvier, 75005 Paris, France Salubins@mbn fr>

\*\* Cal.forma Academy of Sciences,
875 Howard Street, San Francisco, CA, 94103-3098, USA

<rombie@calacademy org>

\*\*\* Zoologische Stattssammlung,
81247 Munchen, Germany

<franc Glauszera munc de>

The present list concerns additions in the raxionity of Neonatracisi (e., recent amphibians, taxa represented by at least one species in the currently living fluuna of our planet; see Disons, 2004, for taxa at raink genus and below, published before 2003 after the three lists of recent amphibians taxa of Froot (1985), DUBLEAUN (1993) and GLAW et al. (1998) and the two lists of fossil taxa of this group of Estras (1981) and Saxotric (1998), or absent from these five hists The period covered by these additions starts in 1981 for taxa of lossil gymnophiones and trodeles, in 1993 for taxa of recent amphibians, and in 1998 for taxa of lossil animans. It ends on 31 December 2002 for all three groups. We med to include all new nomina that had been overlooked in the lists cited above, or for which we identified errors in these lists. However, nomina of lower recent taxa anterior to 1993 not considered in Paosity's (1985) and DUBLEAUNS's (1993) checklists (i.e., most synonyms and most nomina of valid subgenera and subspectively and the present lists by bundreds, if not thousands, of nomina Most of these nomina anterior to 1<sup>31</sup> January 1970 are to be found in GORHAM (1974), but a gare assists for the nereof 1970-1992.

Only new nomina are listed, and taxonomic or nomenclatural changes other than addition (e.g., sympassition or revalidation of nomen, change of rains for higher taxonomic allocation of taxon, subsequent type designation, first reviers action, orthographic emendation) are not considered here. The new nomina are listed below by alphabetical order under families and subfamilies according to the general taxonomic frame of Dismost (2005a).

New nomma of the species-series (e. species and subspecies, Disons, 2000, 2009-6-c) are printed in longer case Italies, followed by the comitry of the type-locality of the toxon. Although many species are described on the basis of specimens collected in a single locality or a few neighbouring localities (see Dubois, 2004-24), this is not a general rule, and at any rate mention of the country of the type locality is not to be contrived as the known or inferred geographical distribution of the taxon. In most cases, only the name of the country is given, but for a few countries that are either very large. Australia, Braal, Canada, China, India, USA) or that cover several important land masses (Indonesia, Malaysia), the first-level administrative division (province, state, etc.) is also given. Names of countries are given in English, but those of first-level administrative divisions are in the language of the country, even when a common English translation casts.

New nomina of the genus-series (i.e., genus or subgenus, DuBois, 2000, 2005b-c) are printed in lower case bold Haites, followed by the nomina of their type-species and the country of the type locality of the latter (nor the known or inferred generabhical distribution of the Ixpon).

The nomina of fossil taxa are preceded by the sign †. For such taxa, beside the country of the typic-locality, the transgraphical level of the latter (i.e., not the known or inferred stratigraphical distribution of the traven) is provided.

Nomenclaturally unavailable nomina (i.e., nomina nuda and other kinds of anoplonyms, as defined by Durots, 2000) are presented below "between quotation marks".

In zoological taxonomy, among two synonymous nomins, the valid one is the first published (rule of property as improvement of the control of

We did our best to provide the complete files of publications and the names of administrative divisions of countries in their original languages, as well as the names of authors, with proper accents and other discritic marks, e.g., using "o" and not "oe" or "o", "a" and not "n", or "2" and not "z". Such a respect for persons and languages other than English is becoming rare in many journals and databases, even major ones. We would apprectate receiving corrections from readers finatakes in this respect remain in the present document. Titles of works were presented under their English translation only when the title in the original languages was not written in Roman alphabet.

This list only provides information on new nomina published in the period 1981-2002 for amphibian task then considered new. Since their original description, some of these nomina have already been synonymized, or have had a change of nomenclatural rank (subspecies raised to species rank, or the reverse, etc.), or have been shown to apply to taxa that were wrongly allocated to higher taxa e.g., Scattiger mokokiningeriss Das & Chanda, 2000 (Peloderates, Mascoriment), which was later shown to be a member of the Rashma Directorial to the list below, only the original combination (including its original mispellings if present) is given, not the subsequent synonymisation or change of status. However, as nomina are listed under family series taxa, a few taxa, for which wrong taxonomised indications to extrain, were listed under their proper taxon, about in their original combination, in order not to create any new combination in the present work. Reference to evidence supporting the taxonomist transfer, when relevant, is provided as a "Comment" after the nomen In a few cases, no previous published statement is known to exist, so the responsibility of the transfer is acknowledged between square brackets (e.g., for Rana charledaramen).

A few nomma were untially published with "incorrect original spellings" as defined by Art. 32.4 of the Code. For such nomma, we provide the "correct original spellings" according to Art. 32.5 of the Code, with reference to the first user of flus spelling, if the latter has altready been corrected. This applies to species-series nomma imspelled because of wrong agreement in gender with the generic nomen (Art. 31.2), but not nomma unusually formed from personal names (Art. 31.3), for essons explained in detail by Cincorter & DUDOS (34.4 496). A few other nomma were initially published with "multiple original stellings" as defined by Art. 19.3 of the Code in such cases, we provide information of the

"correct original spelling" chosen by the first-reviser (Art. 24 2 3 and 32 2 1), and, if no such first-reviser action has yet been taken, we provide it.

The present list will be regularly followed by updates published in Amphibia Mundi. Although we did not best to collect all the available information on amphibian taxonomic novelries published from 1981 to 2002 that had not been provided in the five lists mentioned above, no doubt we overlooked a number of published provided in the five lists mentioned above, no doubt we overlooked a number of published provided in the five lists mentioned. Record, with an experience of one and a half century, still overlooks a large proportion of publications and new normal (BOUGHER & ROCKOI, 1992, 1993). Readers and users of this first list are therefore encouraged to send us corrections and additions. This new information will be included in our subsequent lists Furthermore, in order to avoid our overlooking their forthcoming works, all amphibian taxonomists worldwide are strongly encouraged to send spontaneously a copy of each of their publications (books and reprints) having taxonomic, nomenclatural or distributional contents to the coordinator of Amphibia Mundi, Allain Dunots (Reputes & Amphibiens, Mussim national d'Histoire naturelle, 25 ruc Curver, 75005 Pans, Franco, The works on received will be deposted in the public herpetological library of the Paris Mussim authority users and library users.

Classis Amphibia De Blainville, 1816

Subclassis Neobatrachi Sarasin & Sarasin, 1890

Superordo † Allocaudata Fox & Naylor, 1982

Ordo † Allocaudata Fox & Navior, 1982

Emfamilia + ALBANGREETONTOIDIA Estes & Hoffstetter, 1976

Superfamilia † Albanerperontoidea Estes & Hoffstetter, 1976

Familia † ALBANGREGONTIDAE Estes & Hoffstetter, 1976

- † Albanerpeton arthridion Fox & Navlor, 1982. USA (Texas), Cretaceous,
- † Albanerpeton cifella Gardner, 1999. USA (Utah), Cretaceous.
- † Albanerpeton galaktion Fox & Navlor, 1982. Canada (Alberta) Cretaceous.
- † Albanerpeton graculis Gardner, 2000. Canada (Alberta), Cretaceous,
- † Celtedens McGowan & Evans, 1995 Type-species, by original designation † Triton megacephalus
- Coltadone there we McGowan & Evans, 1995. Spain, Cretaceous.
- † Nukusurus Nessov, 1981 Type-species, by original designation † Nukusurus misuenus Nessov, 1981. Uzbekistan. Cretaceous.
- † Nukusurus insuetus Nessov, 1981. Uzbekistan Cretaceous.
- Nukusurus sadalis Nessov, 1997. Uzbekistan, Cretaceous

Superordo Batrachia Brongniart, 1800

Ordo Anura Duméril, 1806

Incertae sedis

† Avitabatrachus Baez, Trueb & Calvo, 2000 · Type-species, by original designation † Avitabatrachus uhana Báez, Trueb & Calvo, 2000. - Argentina Cretaceous

- + Animhamachus uhana Baez, Trueb & Calvo, 2000 Argentina, Cretaceous,
- † Mesophryne Gao & Wang, 2001. Type-species, by original designation: † Mesophryne bespiacensis
- † Mesophryne hennagensis Gan & Wang, 2001. China (Liaoning), Mesozoic
- [ viesopintylie nephaterials Vata or wang, 2001. china (Latening), recession: Type-species, by original designation: † Neepercus dodom Blob, Carrano, Rogers, Forster & Espinoza, 2001. USA (Montran) Circarcensus dodom Blob, Carrano, Rogers, Forster & Espinoza, 2001. USA (Montran) Circarcensus.
- † Nezbercus dodson Blob, Carrano, Rogers, Forster & Espinoza, 2001 USA (Montana), Cretaceous
- † Sunnybatrachus Evans & McGowan, 2002 Type-species, by onginal designation. † Sunnybatrachus purbackensis Evans & McGowan, 2002. - England. Cretaceous.
- Sunnyhatrachus purheckensis Evans & McGowan, 2002. England Cretaceous
- † Thaumastasaurus mardi Holman & Harrison, 2002. England Focene

#### Enifamilia Bomeniatoromia Grav. 1825

Superfamilia Romeina Topoinea Gray, 1825

#### Familia Bombinatoridae Grav. 1825

#### Incertae sedis

- † Callobatrachus Wang & Gao, 1997. Type-species, by original designation: † Callobatrachus sanyanensis Wang & Gao, 1997 China (Luaoning) Turassic-Cretaceous boundary.
- † Callobarrachus sanyaneusis Wang & Gao, 1997 China (Liaoning). Jurassic-Cretaceous boundary. † Latoglossus Hossini, 2000. Type-species, by original designation: † Latoglossus graus Hossini.
- 2000. Morocco. Miocene.

  † Langlassus graus Hassini. 2000. Morocco. Miocene.

#### Subfamilia ALYTINAE Fitzinger, 1843

Alvies obstetricans pertinax García-Paris & Martinez-Solano, 2001. - Spain.

#### Subfamilia Bombinatorinae Grav. 1825

Bombran Ichinamentus Ye & Fei m YE, Fei & Yu, 1993 China (Fluber). Comment. Species redescrabed as new by Ye & Fiz (1994a), with the same nome and authors (see YL, Fei & Hu, 1993 364), but nomen is available as from Ye. Fei & Hu (1993-113) Not being mentioned in the original publication of the nomen, the "biolotype" designated by Ye & Fei (1994a-22, 25) is in fact the lectorype of this normal species.

#### Subfamilia † GOBIATINAE Roček & Nessov, 1993

- † Cretasalia Gubin, 1999 Type-species, by original designation. Cretasalia tsybini Gubin, 1999
  Mongolia. Cretaceous.
- † Cretasalia tsvbnu Gubin, 1999. Mongolia, Cretaceous,
- † "Gobiates" Spinar, 1983 Mongolia Cretaceous Comment. Nomenclaturally unavailable genus-series nomen, as published without designation of a type species. Nomen made nomenclaturally available in Spirian & Tatakinov (1986).

Enifamilia Leiopei matoinia Miyart, 1869

Superfamilia I Eroper Marromea Margare 1869

Familia I. FIOREI MATTIDAE MIVARY, 1869.

Subfamilia Leighei Matinas Miyart, 1869

Letopelma pakeka Bell, Daugherty & Hay, 1998. - New Zealand.

Enifamilia Pri orazoitia Bonanarte, 1850.

Superfamilia Pelobatoinea Bonaparte, 1850

Familia PRI ORATIDAS Bonanarte, 1850.

#### Incertae sedis

† Liaobatrachus J. Shu'an & J. Quang, 1998 Type-species, by original designation † Liaobatrachus grabau J. Shu'an & J. Quang, 1998. China (Liaoning). Mesozoic † Liaobatrachus grabau ii Shu'an & H. Quang, 1998. – China (Liaoning) Mesozoic.

Subfamilia Megopheymas Noble, 1931 (1850)

Tribus LEPTOBRACHINI Dubois, 1983

Leptobrachum banae Lathrop, Murphy, Orlov & Ho, 1998a. Vietnam. Leptobrachum hamanensty & Fei my Ys, Fei & Hu, 1993. – Chma (Hainan). Leptobrachum sunth Matsus, Mabhiabhata & Panha, 1999. – Thallard and Leptobrachum vanthospidum Lathrop, Murphy, Orlov & Ho, 1998a. – Vietnam Leptobrachum (Vibrissanhon) a Ghenaum Dhobio & Ohler, 1998. – Vietnam

Leptolalax alpunus Fet, Ye & Li m Fet, Ye & Huang, 1991. China (Yunnan). Comment Species redescribed as new, with the same nomen, authors and holotype, in Fet, Ye & Li (1992), but nomen is available as from Fet, Ye & Huang (1991).

Leptolalax luu Fei & Ye m Fei, Ye & Huang, 1991. – China (Fujian).
Leptolalax nahangensis Lathrop, Murphy, Orlov & Ho, 1998b. – Vietnam.
Leptolalax pinenalis Ohler, Marquis, Swan & Grospean, 2000. – Vietnam.
Leptolalax junn Lathron, Murphy, Orlov & Ho, 1998b. – Vietnam.

Leptolalax tuberosus Inger, Orlov & Darevsky, 1999. - Vietnam.

Leptolaka: veutripunctuus Fei, Ye & Lu m Fei, Ye & Huang, 1991 China (Yunnan) · Comment.

Species redescribed as new, with the same nomen, authors and holotype, in Fei, Ye & Li (1992), but nomen is available as from Fei, Ye & Huang (1991).

Oroslaiax granulosus Fet, Ye & Chen m Fei, Ye & HUANG, 1991 China (Yunnan) Comment Species redescribed as new, with the same nomen, authors and holotype, in Fei, Ye & CHEN (1992), but nomen is available as from Fei, Ye & HUANG (1991)
Oroslaiax namunaensis Fei & Ye m Fei. Ye & Li, 1999. – China (Yunnan).

Scuttger (Aelurophryne) bhutanensis Delorme & Dubois, 2001. – Bhutan.

Source MINI-IN Paris

Scuttger (Aelurophryne) nulongensis Fet, Ye & Jiang in Fet, Jiang, Ye & Chen, 1996. - China (Sichuan)
Scuttger (Orcalalax) manachengensis degenicus Yang & He, 1990. - China (Yunnan)

#### Tribus MEGOPHRYINI Noble, 1931 (1850)

Brachutaraphrus chuamananus Fei Ve & Yang in FEI & VE 2001a - China (Sichuan)

Brachytarsophrys planyparietus Rao & Yang, 1997h. - China (Yunnan).

Mesophrys caudoprocia Shen, 1994. - China (Hunan).

Megophrys daweimonts Rao & Yang, 1997a - China (Yunnan).

Megophrys glandulosa Fet, Ye & Huang, 1991 China (Yunnan). Comment. Species redescribed as new, with the same nomen, authors and holotype, in Fet, Ye & Huang (1992), but nomen is available as from Fet Ye & Huang (1991).

Megophrys mangihanensis Fei & Ye in Fei, Ye & Huang, 1991 - China (Hunan) Comment: Species redescribed as new, with the same nomen, authors and holotype, by Fei, Ye & Huang (1992), but nomen is available as from Fei. Ye & Huang (1991).

Meanthrus minor hinchuanensis Ve & Fei, 1995 - China (Vinnan)

Megaphrys chackengeness Tian, Gu & Sun, 2000. – China (Guzhou).

Megophrys wavenesis Fci, Jiang & Zheng in Fei & Ye, 2001a. China (Sichuan). Comment: Species redescribed in detail by Jiang, Fei, Zheng, Ye, Xie & Chen (2002).

Megophrys syuhangshanensis Ye & Fei, 1995. - China (Yunnan).

Megophrys wushanensis Ye & Fei, 1995. - China (Sıchuan).

Megophrys zhangi Ye & Fei, 1993. - China (Xizang).

Megophrys (Xenophrys) ourglenss Ohler, Swan & Daltry, 2002 - Cambodia

Panophrys Rao & Yang, 1997 Type-species, by original designation Megophrys omemoniss Lau, 1950. – China (Suchuan).

#### Subfamilia PELODYTINAE Bonaparte, 1850

Pelodytes thericus Sánchez-Herraiz, Barbadillo, Machordom & Sanchiz, 2000 Spain

Epifamilia Pipoinia Grav. 1825

Superfamilia PIPOIDEA Gray, 1825

Familia † PALAEOBATRACHIDAE Cope, 1865

† Palasobatrachus robustus Hossini & Rage, 2000. France. Miocene.

#### Familia PIPIDAE Grav. 1825

#### Subfamilia Dactylethrinae Hogg, 1838

- † Pachybatrachus Baez & Rage, 1998 Type-species, by original designation: † Pachybatrachus taqueti Baez & Rage, 1998. Niger, Cretaceous.
- + Pachybatrachus taqueti Baez & Rage, 1998. Niger, Cretaceous

- † Shelama laurents Baez & Pugener, 1998. Argentina, Palaeogene.
- † Xenopus arabiensis Henrici & Báez, 2001. Yemen, Oligocene.

#### Familia Rhinophrynidae Günther, 1858

- † Rhadinosteus Henrici, 1998. Type-species, by original designation: † Rhadinosteus parvus Henrici, 1998. - USA (Utah), Jurassic.
- † Rhadmosteus parvus Henrici, 1998. USA (Utah), Jurassic.

#### Epifamilia Ranoidia Rafinesque-Schmaltz, 1814

#### Superfamilia Hyloidea Rafinesque, 1815

#### Familia BUFONIDAE Gray, 1825

Adenomus dass Manamendra-Arachchi & Pethiyagoda, 1998. - Sri Lanka Ansonia anous Inger, Tan & Yambun, 2001. - Malaysia (Sabah) Ansoma inthanon Matsui, Nabhitabhata & Panha, 1998. Thailand. Ansonia kambles Ravichandran & Pıllas, 1996. India (Maharashtra). Atelopus angelito Ardila-Robavo & Ruiz-Carranza, 1998. - Colombia

Atelopus guanuso Coloma, 2002. - Ecuador

Atelopus guttarraensis Osorno-Muñoz, Ardila-Robavo & Ruiz-Carranza, 2001. - Colombia.

Atelopus lozanos Osorno-Muñoz, Ardila-Robayo & Ruiz-Carranza, 2001. Colombia Atelopus mandingues Osorno-Muñoz, Ardila-Robayo & Ruiz-Carranza, 2001. - Colombia.

Atelopus mono-hernandezu Ardila-Robayo, Osorno-Muñoz & Ruiz-Carranza, 2002 - Colombia Comment The original spelling of the epithet of this new species is incorrect and should be emended into monohernandezn according to Art. 32.5.2.3 of the Code.

Atelopus nanay Coloma, 2002. - Ecuador.

Atelopus petriruzii Ardila-Robavo, 1999. - Colombia

Atelopus reticularus Lötters, Haas, Schick & Bohme, 2002. - Peru.

Atelopus stranus Lotters & Henzl, 2000. - Peru Atelopus sonsonensis Vélez-Rodriguez & Ruiz-Carranza, 1997. - Colombia.

Bufo amieti Tandy & Perret, 2000. - Ivory Coast,

Bufo chavm Lehr, Kohler, Aguilar & Ponce, 2001. - Peru.

Bufo cristinge Vėlez-Rodriguez & Ruiz-Carranza, 2002. - Colombia Bufo danatensis taxkorensis Fei, Ye & Huang in Fei, Ye, Huang & Chen, 1999 China (Xinjiang).

Bufo 11mi Stevaux, 2002. - Brazil (Bahia).

Bufo kumquat Das & Lim, 2001. - Malaysia (West Malaysia).

Bufo leucomyos McCranie & Wilson, 2000. - Honduras. Bufo melanosticius hazarensis Khan, 2001. - Pakistan.

Bufo noellerti Manamendra-Arachchi & Pethiyagoda, 1998. - Sri Lanka

Bulo pseudoraddei baturae Stock, Schmid, Steinlein & Grosse, 1999. - Pakistan,

Bufo scierocephalus Mijares-Urruna & Arends, 2001. - Venezuela

Bufo stanlan Lötters & Kohler, 2000 - Bolivia. Bufo tasensis Rodel & Ernst, 2000. Ivory Coast.

Bujo zamdaensis Fei, Ye & Huang in Fei, Ye, Huang & Chen, 1999 - China (Xizang)

Churamiti Channing & Stanley, 2007 Type-species, by original designation Churamiti maridadi Channing & Stanley, 2002 - Tanzania

Churamiti maridadi Channing & Stanley, 2002. - Tanzania.

Melanophryniscus klappenbachi Prigioni & Langone, 2000 - Argentina

Melanophryniscus simplex Caramaschi & Cruz, 2002. Brazil (Santa Catarina),

Melanophryniscus speciabilis Caramaschi & Cruz, 2002. Brazil (Santa Catarina).

Nectophrynoides aspergins Poynton, Howell, Clarke & Lovett, 1999. - Tanzania.

Rhamphophryne ruszi Grant, 2000. - Colombia

Stephopaedes howells Poynton & Clarke, 1999. - Tanzania.

Stephopaedes usambarae Povnton & Clarke, 1999. - Tanzania

"Torrentophryne" Rao & Yang, 1994 China (Yunnan). Comment Nomenclaturally unavailable genus-series nomen, as published without designation of a type-species.

Torrentophryne Yang in Yang, Liu & Rao, 1996 Type-species, by original designation Torrentophryne aspinia Yang & Rao, 1996. - China (Yunnan).

Torrentophryne aspima Rao & Yang, 1994. China (Yunnan). - Comments: (1) Although published combined with a nomenclaturally unavailable genus-series nomen, this specific nomen is available as the Code expressly states that the generic nomen with which a new specific nomen must be combined "need not be valid or even available" (Anonymous, 1999: Art, 11.9.3.1) (2) Species redescribed as new by YANG & RAO in YANG, LIU & RAO (1996), with the same nomen but with a different order of names of authors, but nomen is available as from RAO & YANG (1994). Not being mentioned in the original publication of the nomen, the "holotype" designated by Yang & Rao in YANG, LIU & RAO (1996) is in fact the lectotype of this nominal species.

"Tforrentophrynef tuberculous" Rao & Yang, 1994. - Nomen nudum

Torrentophryne tuberospinia Yang & Liu in Yang, Liu & Rao, 1996. China (Yunnan). Comment: Specific nomen misspelled tuberospina in GLAW et al. (1998). Wolterstorffina chirsos Boistel & Amiet, 2001. - Cameroon.

Familia CENTROLENIDAE Taylor, 1951

Centrolene papillahallicum Noonan & Harvey, 2000. - Guyana.

Cochranella rosada Ruiz-Carranza & Lynch, 1997. - Colombia

Cochranella spilota Ruiz-Carranza & Lynch, 1997. - Colombia

Hyalinobatrachium crurifasciatum Myers & Donnelly, 1997. - Venezuela

Hyalinobatrachium eccentricum Myers & Donnelly, 2001. - Venezuela,

Hyalinobairachium esmeralda Ruiz-Carranza & Lynch, 1998. - Colombia.

Hyalinobatrachium guarrarepanensis Señaris, 2001. - Venezuela,

Hyalmobatrachium ibama Ruiz-Carranza & Lynch, 1998. - Colombia

Hyalinobatrachium mondolfu Señaris & Avarzagúena, 2002a. - Venezuela

Hyalinobairachium nouraguensis Lescure & Marty, 2000. - French Guyana.

Hyalinobatrachium ruedai Ruiz-Carranza & Lynch, 1998. - Colombia.

#### Familia Dendrobatidas Cope, 1865 (1850)

Colostethus alessandrot Grant & Rodriguez, 2001. - Peru

Colostethus atopoglossus Grant, Humphrey & Myers, 1997. - Colombia.

Colostethus avarzaguenas La Marca, 1996. - Venezuela

Colostethus borias Rivero & Serna, 1995. - Colombia

Colostethus cacerensis Rivero & Serna, 1995. - Colombia.

Colostethus caeruleodactylus Lima & Caldwell, 2001. - Brazil (Amazonas).

Colostethus cepedai Morales, 2002. - Colombia.

Colostethus conspicuus Morales, 2002. - Peru.

Colostethus crombiei Morales, 2002. - Brazil (Para).

Colostethus dysprosium Rivero & Serna, 1995. - Colombia,

Colostethus erasmos Rivero & Serna, 1995. - Colombia.

Colostethus excisus Rivero & Serna, 1995. - Colombia.

Colostethus fascianterus Grant & Castro, 1998. - Colombia.

Colostethus fratisenescus Morales, 2002. - Ecuador.

Colostethus fuscellus Morales, 2002. – Brazil (Amazonas).

Colostethus gasconi Morales, 2002. - Brazil (Amazonas)

Colostethus guanayensis La Marca, 1996. - Venezuela.

Golostethus insperatus Moraies, 2002. – Ecuador.

Colostethus larandinus Yústiz, 1991. - Venezuela.

Colostethus lynchi Grant, 1998. – Colombia.

Colostethus masniger Morales, 2002. - Brazil (Pará)

Colostethus melanolaemus Grant & Rodriguez, 2001. - Peru

Colostethus murisipanensis La Marca, 1996. - Venezuela.

Colostethus ornatus Morales, 2002. - Peru

Colostethus parimae La Marca, 1996. - Venezuela.

Colostethus picachos Ardila-Robayo, Acosta-Galvis & Coloma, 2000. - Colombia

Colosiethus praderios I.a Marca, 1996. - Venezuela.

Colostethus preudonalmatus Rivero & Serna 1995 - Colombia

Colostethus ramures Rivero & Serna 1995. – Colombia

Colostethus roranna La Marca, 1996. - Venezuela

Colostethus saltuarius Grant & Ardila-Robavo, 2002. - Colombia

Colostethus sumtuosus Morales, 2002. - Brazil (Pará).

Colosterbus tomacuarensis Myers & Donnelly, 1997 - Venezuela

Colossethus tenunensis I a Marca, 1996 - Venezuela

Colostethus undulatus Myers & Donnelly, 2001. - Venezuela.

Colostethus vanzolinius Morales, 2002 - Brazil (Amazonas).

Colostethus wayuu Acosta, Cuentas & Coloma, 2000. - Colombia.

Cryptophyllobates Lotters, Jungfer & Widmer, 2000. Type-species, by original designation: Phyllobates azurwiwnits Kneller & Henle, 1985. – Peru.

Dendrohates amazonicus Schulte, 1999. - Peru

Dendrobates claudiae Jungfer, Lötters & Jörgens, 2000. - Panama.

Dendrobates duellmans Schulte, 1999. - Peru.

Dendrobates flavovittatus Schulte, 1999. - Peru.

Dendrobates imitator intermedius Schulte, 1999. - Peru

Dendrobates imitator vurimaguensis Schulte, 1999. – Peru.

Dendrobases rubrocethalus Schulte, 1999. - Peru.

Empedohates planipaleae Morales & Velazco, 1998. - Peru

Epipedobates piampaleae Morales & Velazco, 1998. - Per

Epipedobates pongoensis Schulte, 1999. - Peru.

Epipedobates simulans Myers, Rodriguez & Icochea, 1998. - Peru.

Mannophryne caquetto Mijares-Urrutia & Arends R., 1999b. - Venezuela.

Mannophryne lamarcai Mijares-Urrutia & Arends R., 1999a. – Venezuela.

Familia HYLIDAE Rafinesque, 1815

Subfamilia Hemphractinae Peters, 1862

Gastrotheca stictopleura Duellman, Lehr & Aguilar, 2001. – Peru Hemiphractus helioi Sheil & Mendelson, 2001. – Peru

Stefania ackawaio MacCulloch & Lathrop, 2002. Guvana

Stefama avangannae MacCulloch & Lathron 2002 - Guyana Stefama cora MacCulloch & Lathron, 2002 - Guyana Stefama aculosa Señaris Avarzagiena & Gorzula, 1996 - Venezuela Stefama percristata Señaris, Avarzaguena & Gorzula, 1996. - Venezuela, Stefama reversi Señaris, Avarzagiena & Gorzula, 1996 - Venezuela Stefama catallas Sañaris Avarrantiana & Gorzula 1006 - Vanezuela Stefama schuherri Señaris, Avarzaguena & Gorzula, 1996. - Venezuela, Stefania tamacuarma Muero & Donnelly 1997 - Venezuela

#### Subfamilia Hyuwas Rafinesone, 1815

Hyla abdwita Campbell & Duellman, 2000 - Mexico

Hyla amerikathalame Canseco-Marquez, Mendelson & Gutterrez-Mayen, 2002. Mexico.

Hula amicarum Muares Urristia, 1998. - Venezuela.

Hyla annecians chuanxiensis Ye & Fei in YE, Fet, LJ & LJ, 2000, - China (Sichuan),

Hyla annecians unadangensis Ye & Fei in YE, FEI, LL& LL, 2000. China (Yunnan). Comment This new nomen appears under two different spellings in the original publication; ungdongensis (once in n 88, twice in n 89, twice in n 91, twice in n 93) and undongenus (once in n 89). These spellings are "multiple original spellings" according to the Code Acting as first revisers, we hereby choose the spelling unadangensis as "correct original spelling" of this namen

Hyla annectans tengchongensis Ye, Fci & Li in YE, FEI, Li & Li, 2000 China (Yunnan). Comment This new names appears under three different snellings in the original publication: tenechongeness (once in p. 88, twice in p. 89, once in p. 90, once in p. 91, once in p. 93), tangchongensis (once in n 91) and tenchingeness (once in p 93). These spellings are "multiple original spellings" according to the Gode Acting as first revisers, we hereby choose the spelling tengchongensis as "correct original spelling" of this nomen.

Hyla annectans wulmpensis Shen, 1997. - China (Hunan).

Hyla graguaya Napoli & Caramaschi, 1998 - Brazil (Mato Grosso)

Hyla burin Caramaschi & Cruz, 1999. - Brazil (Minas Gerais).

Hyla cachimbo Napoli & Caramaschi, 1999b. - Brazil (Para).

Hyla calthula Ustach, Mendelson, McDiarmid & Campbell, 2000, - Mexico.

Hyla cerradensis Napoli & Caramaschi, 1998. - Brazil (Mato Grosso do Sul)

Hyla cruzi Pombal & Bastos, 1998 - Brazil (Goiás)

Hyla cyclada Campbell & Duellman, 2000. - Mexico.

Hyla delarmas Kohler & Lötters, 2001b. - Bolivia.

Hyla dendrophasma Campbell, Smith & Aceyedo, 2000 - Guatemala.

Hyla elianeae Napoli & Caramaschi, 2000. - Brazil (Mato Grosso do Sul)

Hyla ericae Caramaschi & Cruz, 2000. - Brazil (Goias). Hyla gaucheri Lescure & Marty, 2000. - French Guyana.

Hyla nnn Napoli & Caramaschi, 1999a. Brazil (São Paulo).

Hyla 10annas Köhler & Lotters, 2001a. - Bolivia.

Hyla nephila Mendelson & Campbell, 1999. - Mexico. Hyla palaestes Duellman, De la Riva & Wild, 1997. - Peru

Hyla phaeopleura Caramaschi & Cruz, 2000. - Brazil (Goiás).

Hyla psarosona Campbell & Duellman, 2000. - Mexico.

Hyla pseudomeridiana Cruz, Caramaschi & Dias, 2000. - Brazil (Rio de Janeiro).

Hyla ravida Caramaschi, Napoli & Bernardes, 2001. - Brazil (Minas Gerais).

Hyla rhea Napoli & Caramaschi 1999a. - Brazil (São Paulo)

Hyla rhythmicus Señaris & Ayarzaguena, 2002b Venezuela Comment: The original spelling of the epithet of this new species is incorrect and should be emended into rhythmica according to Art. 31.26 the Code.

Hula cumpley harmaneurs: First & Ve. 2000h - China (Hainan)

Hula stenocephala Caramaschi & Crisz, 1999. - Brazil (Minas Gerais).

Hyla yaracuyana Mijares-Urrutia & Rivero, 2000 - Venezuela.

Osteocephalus avarzaguenas Gorsula & Señaris, 2000. - Venezuela.

Osteocephalus deridens Jungfer, Ron, Seipp & Almendáriz, 2000. - Ecuador.

Osteocethalus exothihalmus Smith & Noonan, 2001. - Guyana

Osteocephalus fuscifacies Jungfer, Ron, Seipp & Almendariz, 2000. - Ecuador

Osteocephalus heyer: Lynch, 2002. - Colombia.

Osteocephalus leomae Jungfer & Lehr, 2001. - Peru.

Osteocephalus mutabor Jungfer & Hodi, 2002. – Ecuado Osteocephalus vasum Ron & Pramuk, 2000. – Ecuador.

Plectrohyla exausua McCranie & Wilson, 1998. - Honduras.

Plectrohyla puladerma McCranie & Wilson, 1999a – Honduras.

Pseudis cardosor Kwet, 2000. – Brazil (Rio Grande do Sul)

Pseudis tocanuns Caramaschi & Cruz, 1998 - Brazil (Tocantins)

Ptychohyla acrochorda Campbell & Duellman, 2000. - Mexico.

Ptychohyla zophodes Campbell & Duellman, 2000. - Mexico.

Scinax arduous Peixoto, 2002. - Brazil (Espírito Santo)

Scinax jolyi Lescure & Marty, 2000. - French Guyana.

Tepuihyla Ayarzaguena, Señaris & Gorzula, 1993 - Type-species, by original designation Hyla rodriguezi Rivero, 1968. - Venezuela.

Tepunhyla celsae Mijares-Urrutia, Manzanilla-Puppo & La Marca, 2000 Venezuela.

Xenohyla Izecksohn, 1998. Type-species, by original designation Hyla truncata Izecksohn, 1959 - Brazil (Rio de Janeiro)

Xenohyla eugenio: Caramaschi, 1998. - Brazil (Bahia).

#### Subfamilia Peropayannas Gunther, 1858

Litoria andurrmalin McDonald, 1997. - Australia (Queensland).

Litoria daviesae Mahony, Knowles, Foster & Donnellan, 2001 Australia (New South Wales)

Litoria elkeae Gunther & Richards, 2000. – Indonesia (Irian Jaya) Litoria macki Richards, 2001. – Indonesia (Irian Jaya)

Litoria wapogaensis Richards & Iskandar, 2001. - Indonesia (Irian Jaya).

## Subfamilia Phyllomedusinae Gunther, 1858

Phyllomedusa camba De la Riva, 2000. - Bolivia

Phyllomedusa oreades Brandão, 2002. - Brazil (Goiás).

# Familia Leptodactylidas Werner, 1896 (1838)

#### Incertae sedis

† Estesiella Baez, 1995 — Balivia Paleocene — Comment, Nomen novum pro Estesius Baez, 1995 [nec Estesius Wallach, 1984].

#### Subfamilia Reactive annual mail Compler, 1858

Brachycephalus permx Pombal, Wistuba & Bornschein, 1998. Brazil (Paraná) Brachycethalus vertebralis Pombal, 2001. - Brazil (Rio de Janeiro). Eleutherodactylus actinolasmus Lynch & Rueda-Almonacid, 1998. - Colombia. Fleutherodactylus ammscola Camphell & Savage, 2000. – Guatemala Eleutherodactylus anemerus Duellman & Pramuk, 1999 - Peru Eleutherodactulus angustilmeatus I vnch. 1998a - Colombia Fleutherodactulus anthray I ynch 2001h - Colombia Eleuthendactylus araudactylus Duellman & Pramyk, 1999 - Peru Floutherodocrolus ardalonychus Duellman & Pramuk, 1999. - Peru. Eleutherodactulus askhahava Kohler 2000h - Bolivia Eleutherodactylus atrabracus Duellman & Pramuk, 1999. - Peru Eleutherodactylus asucuporum Duellman & Pramuk, 1999 - Peru Eleutherodactylus annus Myers & Donnelly, 1997 - Venezuela Eleutherodactylus basatis I smch. 1998a - Colombia Fleutherodactulus blambedges Estrado, Diaz & Rodnauez 1998 - Cuba Flourhendacedus capitanis I vinch 1998a - Colombia Eleutherodactylus catalinae Campbell & Savage, 2000. - Costa Rica Eleutherodactylus capermbardus Myers & Donnelly, 1997. - Venezuela Eleutherodactvlus charadra Campbell & Savage, 2000 - Guatemala. Eleutherodactulus coffeus McCranie & Köhler, 1999b. - Honduras. Eleutherodactylus cunerostris Duellman & Pramuk, 1999 - Peris Eleutherodactulus duende Lynch, 2001 a - Colombia Eleutherodactylus dundees Hever & Muñoz, 1999. - Brazil (Mato Grosso). Fleutherodoctulus etacrus I vnch & Sugrez-Mayorga 2000 - Colombia Eleutherodactylus exoristus Duellman & Pramuk, 1999. - Ecuador. Eleutherodactylus factiosus Lynch & Rueda-Almonacid, 1998a - Colombia Eleutherodactylus fallax Lynch & Rueda-Almonacid, 1999 - Colombia. Eleutherodactylus fetosus Lynch & Rueda-Almonacid, 1998a. - Colombia Eleutherodactylus glamyrus Estrada & Hedges, 1997c. - Cuba. Fleutherodactylus helvolus Lynch & Rueda-Almonacid, 1998b. - Colombia Eleutherodactylus ibischi Reichle, Lötters & De La Riva, 2001. - Bolivia. Eleutherodactylus machus Campbell & Savage, 2000. - Guatemala Eleutherodactylus mfraeuttatus Duellman & Pramuk, 1999. - Peru Eleutherodactylus saumet Estrada & Alonso, 1997. - Cuba. Eleutherodactylus kelephus Lynch, 1998a. - Colombia. Eleutherodactylus lemur Lynch & Rueda-Almonacid, 1998b. - Colombia. Eleutherodactylus llassintuta Kohler & Lötters, 1999. - Bolivia. Eleutherodactylus melanogaster Duellman & Pramuk, 1999. - Peru Eleutherodactylus memorans Mycrs & Donnelly, 1997. - Venezuela Eleutherodactylus metabates Duellman & Pramuk, 1999. - Peru. Eleutherodactylus mnionaetes Lynch, 1998b. - Colombia Eleutherodactylus muscosus Duellman & Pramuk, 1999 - Peru. Eleutherodactylus myllomyllon Savage, 2000 - Guatemala Eleutherodactylus myots Lynch, 1998a - Colombia. Eleutherodactylus nephophilus Duellman & Pramuk, 1999. - Peru Eleutherodactylus olanchano McCranie & Wilson, 1999b - Honduras Eleutherodactylus olivaceus Kohler, Morales, Lotters, Reichle & Aparicio, 1998 Bolivia Eleutherodactylus operosus Savage, McCranie & Wilson, 1999. - Honduras.

Eleutherodactylus opimus Savage & Myers, 2002. - Colombia.

Eleutherodactylus passa Lynch & Ardila-Robayo, 1999. - Colombia.

Eleutherodactylus parangensus Langone & Segalla, 1996. – Brazil (Paraná)

Eleutherodactylus paranaensis Langone & Segalla, 1990. – Brazii (Parana)

Fleutherodactylus parenaus Lynch & Rueda-Almonacid, 1998. – Colombia

Eleutherodactylus pataikos Duellman & Pramuk, 1999. - Peru.

Eleutherodactylus pechorum McCranie & Wilson, 1999b. - Honduras.

Eleutherodactylus pelorus Campbell & Savage, 2000. - Mexico.

Eleutherodactylus penelopus Lynch & Ruedas-Almonacid, 1999. - Colombia.

Eleutherodactylus percnopierus Duellman & Pramuk, 1999. – Peru.

Eleutherodactylus pinaurus Lynch, 1998a. - Colombia

Fleutherodactylus pinauris Duellman & Pramuk 1999 - Peru

Eleutherodactylus principalis Estrada & Hedges, 1997a. - Peru.

Eleutherodactylus prochus Lynch, 1998a. - Colombia

Eleutherodactylus quantus Lynch, 1998a. - Colombia.

Eleuthsrodactylus quadditus Lynch, 2001b. - Colombia.

Eleutherodactylus rennforum Lynch, 2000. – Colombia.
Eleutherodactylus rhodostichus Duellman & Pramuk, 1999. – Peru,

Fleutherodactylus rhygophatrachus Campbell & Sayage, 2000 - Costa Rica

Eleutherodactylus rhyacobatrachus Campbell & Savage, 2000. – Costa Ric

Eleutherodactylus rsparsus Estrada & Hedges, 1998. - Cuba.

Eleutherodactylus rivularis Diaz, Estrada & Hedges, 2001 - Cuba.

Eleutherodactylus rufioculis Duellman & Pramuk, 1999. – Peru

Eleuherodactylus rupinus Campbell & Savage, 2000. - Guatemala.

Eleutherodactylus sabrinus Campbell & Savage, 2000. – Guatemala

Eleutherodactylus sambaqui Mendes Castanho & Haddad, 2000. Brazil (Paraná).

Eleutherodactylus sangumeus Lynch, 1998a. - Colombia.

Eleutherodactylus serendinitus Dueliman & Pramuk, 1999. - Peru.

Eleutherodactylus semulans Diaz & Fong, 2001. – Cuba.

Eleutherodactylus suetus Lynch & Rueda-Almonacid, 1998b. - Colombia.

Eleutherodactylus tinker Lynch, 2001b. - Colombia.

Eleutherodactylus tonys Estrada & Hedges, 1997b. – Cuba.

Eleutherodactylus torrenticola Lynch & Rueda-Almonacid, 1998a. - Colombia

Eleutherodactylus turpmorum Hardy, 2001. – Trimidad & Tobago

Eleutherodactylus viejas Lynch & Ruedas-Almonacid, 1999. – Colombia.

Eleutherodactylus xentolum Lynch, 2001a - Colombia.

Eleutherodactylus zophus Lynch & Ardila-Robayo, 1999. - Colombia.

Phrynopus adenopieurus Aguayo, Rodrigo & Harvey, 2001. - Bolivia.

Phrynopus barthlenae Lehr & Aguilar, 2002. - Peru.

Phrynopus carpish Lehr, Rodriguez & Córdova, 2002. Peru.

Phrynopus dagmarae Lehr, Aguilar & Köhler, 2002. - Peru.

Phrynopus fallaciosus Dueliman, 2000 - Peru

Phrynopus heimorum Lehr, 2001. - Peru

Phrynopus horstpault Lehr, Köhler & Ponce, 2000. – Peru

Phrynopus satamasi Aguayo, Rodrigo & Harvey, 2001. - Bolivia Phrynopus kaunsorum Lehr, Aguslar & Köhler, 2002. - Peru.

Phrynopus pinguis Harvey & Ergueta, 1998. - Bolivia

Phrynopus spectabilis Duellman, 2000. – Peru.

Phrynopus thompson: Duellman, 2000. - Peru

Phyllonastes carrascotcola De la Riva & Köhler, 1998. – Bolivia.

Phyllonastes ritarasquinae Kohler, 2000a. – Bolivia.

Psyllophryne hermogenest Gjaretta & Sawaya. 1998. – Brazil (São Paulo).

## Subfamilia Cerazopur vivas Tschudi, 1838

Cerotophrus amealunarum Fernicala, 2001 - Argentina Neogene

## Subfamilia Cycropenaniuse Bonaparte 1850

Paratiematobus cardoso Pombal & Haddad, 1999. – Brazil (São Paulo).

Paratiematobus maniqueura Pombal & Haddad, 1999. – Brazil (São Paulo).

Rupirana (Heyer, 1999. – Type-species, by original designation: Rupirana cardoso Heyer, 1999.

Brazil (Bahna).

Paratiema cardosoi Heyer, 1999. – Brazil (Bahia).

# Subfamilia Hyrophus Gunther, 1858

Hylodes ammcola Pombal, Feio & Haddad, 2002. – Brazil (Minas Gerais). Hylodes dactylocmus Pavan, Narvaes & Rodrīgues, 2001. Brazil (São Paulo). Hylodes uai Nascumento, Pombal & Haddad, 2001. – Brazil (Minas Gerais) Megaelosia boricariana Giraretta & Aguiar, 1998. – Brazil (São Paulo).

#### Subfamilia Leptodactylinae Werner, 1896 (1838)

Adunomera araucaria Kwet, 2003. – Brazil (Ruo Grande do Sul).
Physalaemus maxmus Feto, Pombai & Caramaschi, 1999. Brazil (Minas Gerais).
Pseudopaludoola mirandae Mercadal de Barrio & Barrio, 1994. – Argentina.
Pseudopaluducola ropsedadenis Mercadal de Barrio & Barrio, 1994. Brazil (São Paulo).

## Subfamilia Opontophryninae Lynch, 1969

Odontophrymus cordobae Mattuno & Sinsch, 2002. – Argentina
Proceratophrys braum Kwet & Faivovich, 2001. – Brazil (Rio Grande do Sul).
Proceratophrys concastiympanum Giaretta, Bernarde & Kokubum, 2000 Brazil (Rondoma)
Proceratophrys currum Eterovick & Sazima, 1998. – Brazil (Minss Gerans).

## Subfamilia Telmatobunae Fitzinger, 1843

Alsodes australis Formas, Ubeda, Cuevas & Nuñez, 1998. – Chile. Alsodes hugor Cuevas & Formas, 2001. – Chile. Alsodes kaweshkari Formas, Cuevas & Nuñez, 1998. – Chile. Alsodes valdwiensis Formas, Cuevas & Brieva, 2002. – Chile. Atelognathus cen Basso, 1998. - Chile.

Telmatobius dankoi Formas, Northland, Capetillo, Nuñez, Cuevas & Brieva, 1999. Chile.

Telmatobius fronteriensis Benavides, Ortiz & Formas, 2002. - Chile. Telmatobius huavra Lavilla & Ergueta, 1995. - Bolivia.

Telmatobius ifornoi Lavilla & Ergueta Sandoval, 1999. - Bolivia.

Telmatobus philippis Cuevas, 2002. - Chile.

Familia Myobatrachidae Schlegel, 1850

Subfamilia Limnodynastinas Lynch, 1969

Neobatrachus albipes Roberts, Mahony, Kendrick & Majors, 1991. Australia (Western Australia)

Superfamilia RANOIDEA Rafinesque-Schmaltz, 1814

Familia BREVICIPITIDAE Bonaparte, 1850

Subfamilia ASTYLOSTERNINAE Noble, 1927

Leptodactylodon blancs Ohler, 1999. Gabon.

Leptodactylodon wildi Amiet & Dowsett-Lemaire, 2000. - Cameroon.

Subfamilia Hentsotinas Cope, 1867

Hemisus barotseensis Channing & Broadley, 2002. Zambia.

Subfamilia Hyperolinae Laurent, 1943

Tribus Hyperoliini Laurent, 1943

Alexteroon hypsiphonus Amiet, 2000 - Cameroon

Alexteroon ivnx Amiet, 2000, - Cameroon,

Heterixalus carbones Vences, Glaw, Jesu & Schimmenti, 2000. - Madagascar

Hyperolius kihangensis Schiøtz & Westergaard in Schiøtz, 1999 Tanzania Comment Species redescribed in detail by Schiøtz & Westergaard (2000).

redescribed in detail by Schibiz & Wastakon

Hyperolius menokouensis Rödel, 1999. - Ivory Coast.

Hyperolus pseudargus Schiøtz & Westergaard in Schiøtz, 1999 Tanzania Comment: Species redescribed in detail by Schiøtz & Westergaard (2000)

Tribus Kassinini Laurent, 1972

Kassma schoetzt Rödel, Grafe, Rudolf & Ernst, 2002. – Ivory Coast

Subfamilia LEPTOPELINAE Laurent, 1972

Leptopelis zebra Amiet, 2001. Cameroon

Familia Microhylidae Gunther, 1858 (1843)

Subfamilia ASTEROPHRYINAE Gunther, 1858

Tribus ASTEROPHRYINI Gunther, 1858

Hylophorbus nyrimus Gunther, 2001. – Indonesia (Irian Jaya). Hylophorbus picinde Gunther, 2001. – Indonesia (Irian Jaya). Hylophorbus pichardi Günther, 2001. – Papua New Guinea. Hylophorbus isextus Gunther, 2001. – Indonesia (Irian Jaya). Hylophorbus isexaphonus Günther, 2001. – Indonesia (Irian Jaya). Hylophorbus isexaphonus Günther, 2001. – Indonesia (Irian Jaya).

Tribus XENORHININI Mivart, 1869

Xenobatrachus zweifelt Kraus & Allison, 2002. – Papua New Guinea. Xenorhma arboricola Allison & Kraus, 2000. – Papua New Guinea.

Subfamilia COPHYLINAE Cope, 1889

Stumpffia helenae Vallan, 2000. - Madagascar

Subfamilia Genyophryninas Boulenger, 1890

Albericus brunhildae Menzies, 1999. - Papua New Guinea. Albericus fafnırı Menzies, 1999. - Papua New Guinea. Albericus gudrunge Menzies, 1999. - Papua New Guinea Albericus gunnari Menzies, 1999. - Papua New Guinea Albericus laurim Gunther, 2000. - Indonesia (Irian Jaya). Albericus rhenaurum Menzies, 1999. - Papua New Guinea. Albericus siegfriedi Menzies, 1999. - Papua New Guinea. Albericus swanhildae Menzies, 1999. - Papua New Guinea Albericus valkuriarum Menzies, 1999. - Papua New Guinea. Austrochaperina adamantina Zweifel, 2000. - Papua New Guinea. Austrochaperina aguilonia Zweifel, 2000. - Papua New Guinea. Austrochaperma archbold: Zweifel, 2000. - Papua New Guinea Austrochaperina blumi Zweifel, 2000. - Indonesia (Irian Jaya) Austrochaperina derongo Zweifel, 2000. - Papua New Guinea Austrochaperina guttata Zweifel, 2000. - Papua New Guinea. Austrochaperina kosarek Zweifel, 2000. - Indonesia (Irian Java). Austrochaperina novaebritanniae Zweifel, 2000. - Papua New Guinea Austrochaperina parkeri Zweifel, 2000. - Papua New Guinea. Austrochaperina rivularis, Zweifel, 2000. - Papua New Guinea. Austrochaperina yelaensis Zweifel, 2000. - Papua New Guinea. Choerophryne longirostris Kraus & Allison, 2001, - Papua New Guinea. Cophixalus bewamensis Kraus & Allison, 2000. - Papua New Guinea

Cophixalus pudohullus Kraus & Allison, 2000. – Papua New Guinea.
Cophixalus waregamus Richards, Johnston & Burton, 1992. Papua New Guinea.
Cophixalus warefel Davies & McDonald, 1998. – Austraha (Queensland).
Copulae sepicataa Guinter, 2002. – Indonesia (Irian Jaya).
Copulae sovici Gonther, 2002. – Indonesia (Irian Jaya).
Copulae obrii Gonther, 2002. – Indonesia (Irian Jaya).
Copulae obrii Gonther, 2002. – Papua New Guinea.
Luophryne allimiz Tweeftel, 2000. – Papua New Guinea.
Luophryne simiti Zweeftel, 2000. – Papua New Guinea.
Liophryne minuta Zweifel, 2000. – Papua New Guinea.
Corophryne mariae Students & Islandar, 2001. – Indonesia (Irian Jaya).
Orophryne minuta Richards & Islandar, 2001. – Indonesia (Irian Jaya).
Orophryne minuta Richards & Islandar, 2001. – Indonesia (Irian Jaya).
Orophryne und Students & Islandar, 2001. – Indonesia (Irian Jaya).
Orophryne doga Gonther, Ruchards & Islandar, 2001. Indonesia (Irian Jaya).
Orophryne und Papua Papua New Guinea.

## Subfamilia Microhylinas Gunther, 1858 (1843)

## Tribus Gastrophrynini Fitzinger, 1843

Chiasmodest alagoanus Cruz, Caramaschi & Freire, 1999. – Brazil (Alagoas).
Chiasmodesi juni Caramaschi & Cruz, 2001. – Brazil (Amazonas).
Elachistoclesi crythrogaster Kwet & Di-Bernardo, 1998. Brazil (Rio Grande do Sul)
Otophryne pyburni Campbell & Clarke, 1998. Colombia.

Oxydactyla stenodactyla Zweifel, 2000. - Papua New Guinea.

#### Tribus Microhylini Günther, 1858 (1843)

Kalophrymus orangenius Dutta, Ahmed & Das, 2000. – India (Assam). Kaloula walieri Diesmos, Brown & Alcala, 2002. – Philippimes (Luzon). Microhyla shohgari Dutta & Ray, 2000. – India (Karnataka). Ramanella nagaoi Manamendra-Arachchi & Pethiyagoda, 2001a. – Sri Lanka.

# Familia RANIDAE Rafinesque-Schmaltz, 1814

#### Subfamilia Ceratobatrachinae Boulenger, 1884

Playmantis homaculata Gunther, 1999. – Indonessa (Irian Jaya)
Playmantis bromn Allison & Kraus, 2001 – Papua New Guinea.
Playmantis cagiyariensis Brown, Alcala & Diesmos, 1999. – Philippines (Luzon).
Playmantis crypteris Gunther, 1999. – Indonessa (Irian Jaya).
Playmantis mideprensus Brown, Alcala & Diesmos, 1999. – Philippines (Luzon).
Playmantis unteg Brown, Brown, Alcala & Fosta, 1997. Philippines (Luzon).
Comment Nomen

novum pro Platymants reticulatus Brown, Brown & Alcala, 1997 [nec Platymants reticulatus Zhao & Li, 1984]

Platymantis Iuzonensis Brown, Alcala, Diesmos & Alcala, 1997 Philippines (Luzon) † Platymantis megabotominu Worthy. 2001. – Fin. Quaternary.

Platymantis banahao Brown, Alcala, Diesmos & Alcala, 1997 - Philippines (Luzon)

Source MINI-IN, Paris

Platymantis naomii Alcala, Brown & Diesmos, 1998. Philippines (Luzon). Comment: Although this species was dedicated to a woman (Naomi Alcala), according to Art. 31-1.1 of the Code its nomen does not have to be empled for reasons explained by CROCHET & DIERIOS (2004. 496).

Platymantss negrosensis Brown, Alcala, Diesmos & Alcala, 1997. Philippines (Negros).

Platomantis novidodorsalis Brown, Alcala & Diesmos, 1999. - Philippines (Luzon).

Platymanus pygmaeus Alcala, Brown & Diesmos, 1998. - Philippines (Luzon).

Platymantis rabori Brown, Alcala, Diesmos & Alcala, 1997 Philippines (Bohol).

Platymanus sterramadrensis Brown, Alcala, Ong & Diesmos, 1999. Philippines (Luzon).

Planmanus toulori Brown, Alcala & Diesmos, 1999. – Philippines (Luzon)

# Subfamilia Dicrogrossivas Anderson, 1871

### Tribus Dickogt ossivi Anderson, 1871

Feiervarya iskandari Veith, Kosuch, Ohler & Dubois, 2001. - Indonesia (Java)

Minervarya Dubois, Ohler & Biju, 2001 Type-species, by original designation. Minervarya sahvadris Dubois. Ohler & Biju, 2001. – India (Karnataka).

Minervarya sahyadris Dubois, Ohler & Biju, 2001. - India (Karnataka).

Tigrina Fei, Yc & Huang, 1991 [nec Tigrina Greve, 1894]. Type-species, by original designation: Rana tigerina Daudin, 1802. – India (West Bengal).

Tomopterna maskey Schleich & Anders, 1998 – Nepal – Comment: The nomen Tamopterna is now applied only to an African genus referred to the Private massace, (Dunois, 2003, 2005, 2005,); the Asian species formerly placed in this genus are now referred to the genus Sphaerokea, which is related with Royertorya (Visicis et al., 2000) and therefore considered a member of the Dictioalismio (Dunois, 2003).

#### Tribus Limnonectini Dubois, 1992

Lomonectes figuraness: Ye & Fei m Ye, FFi & Hu, 1993 - China (Fujian) Comment: Species redescribed as new by Ye & Ffi (1994b), with the same nomen and authors (see Ye, Fit & Hu, 1993 370), but nomen is avaible as from Ye. Fix & Hu (1993 113). Not being mentioned in the original publication of the nomen, the "biolotype" designated by Ye & Fit (1994b 494, 4995) is in fact the lectorype of this normal species.

Lurana alnımıs Huang & Ye. 1997. - China (Xizang).

Liurana medogensis Fei, Ye & Huang, 1997. - China (Xizang).

Rana charlesdaranm Das, 1998a India (Andamans & Nicobars). Comment: This species with forked omosterium is clearly not a member of the genus Rana. let alone of the RANDARS pending examination of speciments, it is here referred to the LAUN NA TAS, without generic allocation [Alain Dissois].

#### Tribus Paina Dubois, 1992

- Paa (Fernana) tailiangmin to Chen & Jiang, 2002 China (Henan) Comment: The original spelling of the epithet of this new species is incorrect and should be emended into tailianguine a according to Art. 31.2 of the Code, a pustified emendation which was first used by Jiano et al. (2005).
- Paa (Ferrana) yet Chen, Qu. & Jiang, 2002 China (Henan) Comments (1) Species redescribed as new, with the same nomen, authors and holorype, in CHEN, JIANG & QU (2004), but nomen is

available as from Chen, Qu & Jiang (2002). (2) Although this species was dedicated to a woman (Ye Changyuan), according to Art 31 1 for the Code its nomen does not have to be emended for reasons explained by Cocycler & Demois (2004: 496).

Pag (Pag) medogeness Fes & Ye. 2001h - China (Xizang)

Paa (Paa) rarca Dubois, Matsui & Ohler, 2001. Nepal. Comment: Nomen novum pro Rana (Paa) rara Dubois & Matsui, 1983 [nec Rana danubina var. rara Fraas, 1903].

Rana robertingeri Wu & Zhao, 1995. China (Sichuan). Comment Referred to the genus Paa by Jiang & Zhou (2005) and to the genus Quasipaa by Jiang et al. (2005).

Scutiger mokokchungensis Das & Chanda, 2000 - India (Nagaland) Comment: Referred to the genus Paa by Dubors (2002).

Unculuana Fei, Ye & Huang, 1991. Type-species, by original designation: Rana unculuana Liu, Hu & Yang, 1960. - China (Yunnan). Comment: Created as a subgenus of Pag Dubois, 1975.

#### Subfomilia Laurangerman Dubois & Oblar 2001

Lankanectes Dubois & Ohler, 2001. Type-species, by original designation: Rana corrugata Peters, 1863. - Sri Lanka.

## Subfamilia Manter i mas Laurent, 1946

## Tribus Boogenini Vences & Glaw, 2001

Boophis bottae Vences & Glaw, 2002. – Madagascar.

Boophis fromwida Glaw, Vences, Andreone & Vallan, 2001. – Madagascar.

Boophis hammoppes Glaw, Vences, Andreone & Vallan, 2001. – Madagascar.

Boophis hichmodes Vallan, Glaw, Andreone & Cadle 1998. – Madagascar.

Boophis pruturatus Glaw, Vences, Andreone & Vallan, 2001. Madagascar.

Boophis synthubosa Glaw & Vences, Andreone & Vallan, 2001. – Madagascar.

Boophis synthubosa Glaw & Vences, 2002b. – Madagascar.

Boophis town Vences & Glaw. 2002. – Madagascar.

Tribus Laliostomini Vences & Glaw, 2001

## TIDUS EMESOS COMINI VOIDOS CO CHAN, 20

Boophis vittatus Glaw, Vences, Andreone & Vallan, 2001. - Madagascar,

Aglyptodactylus lattceps Glaw, Vences & Bohme, 1998. - Madagascar
Aglyptodactylus securifer Glaw, Vences & Bohme, 1998. - Madagascar

Laliostoma Glaw, Vences & Bohme, 1998 Type-species, by original designation Tomopterna labroia Cope, 1868 Madagascar Comment Created as a subgenus of Tomopterna Durnéril & Bibron, 1841

#### Tribus Mantellini Laurent, 1946

Chonomantis Glaw & Vences, 1994 Type-species, by original designation Rana albofrenata
Muller, 1892 Madagascar Comment: Created as a subgenus of Manudacydus Boulenger,
1895

Mantella aurantiaca milotympanum Staniszewski, 1996. - Madagascar

Mantella aurantiaca rubra Staniszewski, 1996. - Madagascar.

Mantella manery Vences, Glaw & Bohme, 1999. – Madagascar,

Mantidactylus ambohura Vences & Glaw, 2001b. - Madagascar.

Mantidactylus brunae Andreone, Glaw, Vences & Vailan, 1998. - Madagascar,

Manudactylus enks Glaw & Vences, 2002c. - Madagascar.

Mantidactylus kathrinae Glaw, Vences & Gossmann, 2000. - Madagascar.

Mantidaciylus madinika Vences, Andreone, Glaw & Mattioli, 2002. - Madagascar

Manudactylus moseri Glaw & Vences, 2002d. – Madagascar.

Mantidactylus schilfi Glaw & Vences, 2002a. – Madagascar

Manudactulus striatus Vences, Glass Andreone, Jesu & Schummenti, 2002 - Madagascar

Mantidactylus tandroka Glaw & Vences, 2001. - Madagascar.

Manudactifus tehanbi Glaw & Vences, 2001. – Madagascar.

Ochthomantis Glaw & Vences, 1994 - Type-species, by original designation: Rana femoralis
Boulenger, 1882. - Madagascar. Comment: Created as a subgenus of Manudactylus Boulenger,

Pandanusicola Giav & Vences, 1994 Type-species, by original designation: Rhacophorus bualcaratus Boctiger, 1913. Madagascar. Comment: Created as a subgenus of Manudacylus Boulenger, 1895.

Phylacomantis Glaw & Vences, 1994. Type-species, by original designation: Mantidactylus corvus Glaw & Vences, 1994. Madagascar. Comment Created as a subgenus of Mantidactylus Roulenoer, 1805.

Subfamilia Microscovas Dubois, Ohler & Biju, 2001.

Micrixalus gadgili Pillai & Pattabiraman, 1990. - India (Kerala).

Subfamilia Nyctibatrachinae Blommers-Schlosser, 1993

Nycttbatrachus hussami Krishnamurthy, Reddy & Gururaia, 2001. India (Karnataka).

Subfamilia Petropenetinae Noble, 1931

Arthroleotides vakusini Channing, Mover & Howell, 2002. - Tanzania.

Subfamilia Phrynosatrachinas Laurent, 1941

Phrynobatrachus mexpectatus Largen, 2001. - Ethiopia.

Phrynobatrachus trangi Drewes & Perret, 2000. - Kenya.

Phrynobatrachus phyllophilus Rodel & Ernst, 2002. - Ivory Coast.

Subfamilia PTYCHADENINAE Dubois, 1987

Ptychadena filwoha Largen, 1997. - Ethiopia.
Ptychadena harenna Largen, 1997. - Ethiopia.

Ptychadena wades Largen, 2000 - Ethiopia.

## Subfamilia Pyvicepharinae Bonaparte, 1850

Arthrolopalla drasesu Channung, Hendricks & Dawood, 1994. – South Africa.
Arthrolopalla landdrosia Dawood & Channung, 2000. – South Africa
Cacastemun kanoocum Boycott, de Villiers & Scott, 2002. – South Africa
Srongylopus kutumbeure Channing & Davenport, 2002. – Tanzania.
Timonoterna damarust Dawood & Channing. 2002. – Namubu.

## Subfamilia RANINAE Rafinesque-Schmaltz, 1814

#### Tribus Ranini Rafinesque-Schmaltz, 1814

Amolops bellulus Liu, Yang, Ferrarıs & Matsui, 2000. - China (Yunnan).

Amolops chakrataensis Ray, 1999. - India (Uttar Pradesh).

Amolops cremnobatus Inger & Kottelat, 1998. - Laos.

Amolops taunsart Ray, 1999. - India (Uttar Pradesh).

Amolops mengyangensis Wu & Tian, 1995. - China (Yunnan).

Amolops spinapectoralis Inger, Orlov & Darevsky, 1999. - Vietnam.

Amolops tuberodepressus Liu & Yang, 2000. - China (Yunnan).

Amolops (Hura) modighann Doria, Salvidio & Tavano, 2001 - Indonesia (Sumatra)

Odorrana exilversabilis Fei, Ye & Li, 2001b. China (Fupan).

Odorrana hamanensis Fei, Ye & Lt., 2001a. China (Hainan).

Odorrana ungdongensis Fei, Ye & Li, 2001a. - China (Yunnan)

Odorrana jungaongensis Pei, te & Ei, 2001a. - China (Hilliam)

Odorrana junhanensis Huang, Fei & Ye in Fei & Ye, 2001a. - China (Sichuan).

Odorrana nasuta Fei, Ye & Li, 2001b. China (Haman).

"Pseudoamolops" Jiang, Fei, Ye, Zeng, Zhen, Xie & Chen, 1997. - Taiwan. Comments (1) Created as a subgenus of Amolops Cope, 1865 (2) Nomenclaturally unavailable genus-series nomen, as published without desuration of a type-species.

Pseudoamolops Fei, Ye & Jiang, 2000 Type-species, by original designation: Rana sauteri Boulenger, 1909. – Taiwan.

Rana attiqua Inger, Orlov & Darevsky, 1999. - Vietnam

Rana balcanua Schneider & Sinsch, 1992 [nec Rana balcanua Schneider, Sinsch & Sofianidou, 1993]
Greece. - Comment: See DUBOIS & OHLER (1995).

Rana bannanica Rao & Yang, 1997c - China (Yunnan).

Rana chitwanensis Das, 1998b - Nepal.

Rana dhakuriensis Ray, 1997. India (Uttar Pradesh)

Rana epeirotica Schneider, Sofianidou & Kyriakopoulou-Sklavounou, 1984. Greece

Rana Imarenceura Liu, Zhang & Liu, 1993 China (Laoning). Comment As noted by Dulliaman (1993 162), the nomen of this species was made available by its publication in a key in Fist, 198 at Husass (1991-181). The nomen Rana Imarenceus introduced by Liu, Zistass & Liu (1993) in their formal description of the species can be regarded either as a brand new nomen or as an unjustified emendation of Rana Imarenceus Fei, 198 & Haing, 1991 (see below). In both cases it is a distinct available nomen and an invaled union of species of the results of the species of th

Rana Institution: Fet, Ye & Huang, 1991. China Liaoning). Comment: The original spelling. Institution and prepara three times in the original publication (Fist, Ye & Huang, 1991. 131, 298, 447), so it cannot be considered an "inadvertent error", and it does not have to be corrected because of so-called "incorrect latinization" as the latter is not a case of "incorrect original spelling" according to the Code (Noswiwous, 1999-4, tr. 32.5).

Rana hummeness I y & I i 2002 - China (Shandona)

Rana lessonae bergeri Günther, 1985. - Italy.

Rana lui Chou 1999 - China (Yunnan)

Rana manguanum Brown & Guttman, 2002. - Philippines (Mindoro).

Rana multadenticulata Chou & Lin, 1997. Taiwan Comments (1) Nomen mispelled Rana multadentiata in Graw et al. (1998 xxii) (2) Species referred to the genus Pseudoamolops by Fet, YE & Hawa (2000).

Rana omemonus Ye & Fei in Yr. Fr & Htt. 1993. - China (Sichuan)

Rana osca Paolucci, Fuhn & Bruno, 1993. - Italy.

Rana ridibunda caralitana Arikan, 1988. – Turkey.

Rang manan Brown, McGuire & Diesmos, 2000. - Philippines (Luzon)

Rana zhengi Zhao, 1999. - China (Sichuan)

Rana zhenhasensis Ye, Fei & Matsui, 1995. - China (Zhejiang).

Rana (Sylvarana) faher Ohler, Swan & Daltry, 2002. - Cambodia

Tenuirana Fei, Ye & Huang, 1991. Type-species, by original designation: Rana taipphensis Van Denburgh, 1909. – Taiwan – Comment Created as a subgenus of Hylarana Tschudi, 1838

# Subfamilia Rhacophorinae Hoffman, 1932 (1858)

## Tribus Philautini Dubois, 1981

Kurixalus Fe., Ye & Dubois in Fet, 1999. Type-species, by original designation: Rana eiffingeri Boettger, 1895. – Japan.

Philautus abdutus Inger, Orlov & Darevsky, 1999. -- Vietnam.

Philautus cardamonus Ohler, Swan & Daltry, 2002. - Cambodia.

Philautus erythrophthalmus Stuebing & Wong, 2000. - Malaysia (Sabah).

Philannus greet Bossnyr, 2002. - India (Kerala).

Philautus odontotarsus Ye & Fei in YE, FEI & Hu, 1993. - China (Yunnan)

Philautus terebrans Das & Chanda, 1998. – India (Andhra Pradesh).

#### Tribus Rescornorum Hoffman, 1932 (1858)

Chraxalus dudhwaensis Ray, 1999. - India (Uttar Pradesh).

Polypedates fasneo Manamendra-Arachchi & Pethiyagoda, 2001b. - Sri Lanka

Polypedates pingbianensis Kou, Hu & Gao, 2001. – China (Yunnan).

Polypedates pseudocruciger Das & Rayichandran, 1998 – India (Tamil Nadu)

Polypedates puereusis He, 1999. - China (Yunnan).

Rhas thorus achantharrhena Harvey, Pemberton & Smith, 2002 Indonesia (Sumaira)

Rhacophorus balogaster Inger, Orlov & Darevsky, 1999. – Vietnam.

Rhacophorus barisanı Harvey, Pemberton & Smith, 2002. - Indonesia (Sumatra).

Rhacophorus catamitus Harvey, Pemberton & Smith, 2002. - Indonesia (Sumatra).

Rhacophorus cyanopunctatus Manthey & Steiof, 1998. - Thailand.

Rhacophorus duboisi Ohler, Marquis, Swan & Grosjean, 2000. - Vietnam

Rhacophorus exechopygus Inger, Orlov & Darevsky, 1999. - Vietnam.

Rhacophorus hoanghenensis Orlov, Lathrop, Murphy & Cuc. 2001 - Vietnam

Rhacophorus orlovi Ziegler & Kohler, 2001. - Vietnam.

Rhacophorus pseudomalabaricus Vasudevan & Dutta, 2000. – India (Tamil Nadu)

## Superfamilia Social occurred Noble 1931

## Familia Soccossinas Noble 1931

Socialistus tutuladmus Gerlach & Willi 2002 - Seuchelles

## Ordo Unoper a Dumáril 1906

## Incertse sadu

- † Apricosiren Evans & McGowan, 2002 Type-species, by original designation: † Apricosiren eusem Evans & McGowan, 2002. England Cretaceous.
- † Apricosiren ensomi Evans & McGowan, 2002. England, Cretaceous
- † Bishara Nessov, 1997. Type-species, by original designation. Bishara backa Nessov, 1997.

  Kazakhistan Cretaceous
- † Bishara backa Nessov, 1997. Kazakhstan, Cretaceous,
- † Galverpeton Estes & Sanchiz, 1982 Type-species, by original designation. † Galverpeton iberusum Estes & Sanchiz, 1982. Spain. Cretaceous.
- † Galveroston ibericum Estes & Sanchiz, 1982. Spain, Cretaceous.
- † Jeholotriton Wang, 2000. Type-species, by original designation † Jeholotriton paradoxus
  Wang, 2000. China (Nei Mongol). Cretacrous.
- † Yeholotrston paradoxus Wang, 2000. China (Nei Mongol). Cretaceous.
- † Kiyatriton Avenanov & Voronkevich, 2002 Type-species, by original designation † Kiyatriton leshchiiskivi Avenanov & Voronkevich, 2002. Russia. Cretaceous
- † Kivatruon leshchinskivi Averianov & Voronkevich, 2002. Russia, Cretaceous,
- † Laccotriton Gao, Cheng & Xu, 1998. Type-species, by original designation † Laccotriton subsolanus Gao et al., 1998. China (Hebet). Mesozoric.
  † Laccorriton subsolanus Gao, Cheng & Xu, 1998. China (Hebet). Mesozoric.
- † Sinerpeton Gao & Shubin, 2001. Type-species, by original designation † Sinerpeton fengshanensis
- † Sinerpeton Gao & Shubin, 2001. Type-species, by original designation † Sinerpeton fengshanensi. Gao & Shubin, 2001. China (Hebei). Jurassic.
- † Sinerpeton fengshanensis Gao & Shubin, 2001. China (Hebei). Jurassic.

# Familia † BATRACHOSAUROIDIDAE Auffenberg, 1958

- † Mynbulakia Nessov, 1981. Type-species, by original designation. † Mynbulakia surgayi Nessov, 1981. Uzbekistan. Cretaceous.
- † Mynbulakia nongratis Nessov, 1981. Uzbekistan. Cretaceous
- † Mynbulakia surgayi Nessov, 1981. Uzbekistan Cretaceous
- † Parrisia Denton & O'Neill, 1998. Type-species, by original designation: † Parrisia neocesariems Denton & O'Neill, 1998. USA (New Jersey). Cretaceous † Parrisia neocesariems Denton & O'Neill, 1998. USA (New Jersey). Cretaceous
  - Turrista netrosarieras Detiton & O Tent, 1776. Con (Tew Jersey). Cretaceous
- † Peratosauroides Naylor, 1983 Type-species, by original designation † Peratosauroides proble matica Naylor, 1983. – USA (California). Miocene
- † Pératosauroides problematica Naylor, 1983 USA (California). Miocene.

# Familia † SCAPHERPYTONTIDAE Auffenberg & Gom, 1959

†Eoscapherpeton Nessov, 1981 Type-species, by original designation † Eoscapherpeton assancium Nessov, 1981. – Uzbekistan, Cretaceous.

- † Eoscapherpeton assaticum Nessov, 1981. Uzbekistan, Cretaceous.
- + Eoscapherbeton superum Nessov, 1997. Taiikistan, Cretaceous,
- †Horezmia Nessov, 1981. Type-species, by original designation † Horezmia gracile Nessov, 1981 - Uzbekistan, Cretaceous.
- † Horezmia gracile Nessov, 1981. Uzbekistan. Cretaceous

## Epifamilia Cryptobranchoidia Fitzinger, 1826

## Superfamilia CRYPTOBRANCHOIDEA Fitzinger, 1826

# Familia Cryptobranchidas Fitzinger, 1826

- † Andrias karelcapeks Ckhikvadze, 1982. Kazakhstan, Miocene
- † Aviturus Gubin, 1991. Type-species, by original designation: † Aviturus exsecratus Gubin, 1991. Mongolia. Paleocene.
- † Aviturus exsecratus Gubin, 1991. Mongolia, Paleocene.
- † Ulanurus Gubin, 1991. Type-species, by original designation: † Ulanurus fractus Gubin, 1991. Mongolia Paieocene.
- † Ulanurus fractus Gubin, 1991. Mongolia. Paleocene.

## Familia Hynobiidae Cope, 1859 (1856)

## Subfamilia Hynobinae Cope, 1859 (1856)

Batrachuperus taibaiensis Song, Zeng, Wu, Liu & Fu, 2001. - China (Shaanxi).

Hynobius ampensis Gu, 1992. - China (Zhejiang).

Hynobius yunanicus Chen, Qu & Niu, 2001. - China (Henan).

- † Liaoxitriton Dong & Wang, 1998. Type-species, by original designation: † Liaoxitriton zhongjiani Dong & Wang, 1998 - China (Liaoning) Cretaceous
- † Liaoxuruon zhonguani Dong & Wang, 1998. China (Liaoning). Cretaceous.
- † Parahynobius Venczel, 1999 Type-species, by original designation: † Parahynobius betfianus Venczel, 1999 – Romania. Pleistocene.
- † Parahynobius beifianus Venczel, 1999. Romania. Pleistocene.
- † Parahynobius kordosi Venezel, 1999. Hungary, Miocene.
- Pseudorisobus simulongenus Tian, Gu, Sun & Li, 1998. China (Guzhou). Comment This new nomen appears under three different spellings in the original publication shaukongenus (twice in p. 7, whee in p. 12, once in p. 13, snakongenus (once in p. 11) and sunchemists (once in p. 12). These spellings are "multiple original spellings" according to the Code. Acting as first reviews, we hereby choose the spelling shaukongusis as "correct original spellings" of this normal.

## Subfamilia Protohynorinae Fei & Ye, 2000

Protohynobius Fei & Ye. 2000a Type-species, by original designation Protohynobius pixxongeusis Fei & Ye, 2000. - China (Sichuan).

Protohynobius puxiongensis Fei & Ye, 2000a. - China (Sichuan).

Epifamilia † Karauroidia Ivachnenko, 1978

Superfamilia † Karauroidea Ivachnenko, 1978

Familia † Karauridae Ivachnenko, 1978

† Kohartus Nessov, 1988. Type-species, by original designation † Kohartus honorarius Nessov, 1988. – Kirgiztan. Jurassic.

† Kokartus honorarius Nessov, 1988. - Kırgıztan, Jurassıc.

Epifamilia Salamandroidia Goldfuss, 1820

#### Incertae sedis

†Valdotriton Evans & Milner, 1996. Type-species, by original designation. † Valdotriton gracilis Evans & Milner, 1996. Spain. Cretaceous.

† Valdotriton gracilis Evans & Milner, 1996 - Spain. Cretaceous

Superfamilia Ambystomatoidea Grav, 1850

Familia Ambystomatidae Gray, 1850

Familia Dicamptodontidae Tihen, 1958

† Dicamptodon antiquus Naylor & Fox, 1993. - Canada (Alberta). Paleocene.

Superfamilia Amphiumoidea Grav, 1825

Familia Amphiumidae Gray, 1825

† Paleoamphiuma Rieppel & Grande, 1998 Type-species, by original designation: † Paleoamphiuma tetradactylum Rieppel & Grande, 1998. USA (Wyoming), Eocene.

† Paleoamphiuma tetradactylum Rieppel & Grande, 1998 USA (Wyoming) Eocene.

Familia PLETHODONTIDAE Gray, 1850

Subfamily Hemidactyllinas Hallowell, 1856 (1850)

Tribus BourtogLossini Hallowell, 1856

Barochoosp dahohacu Jockusch, Wake & Yanev, 1998. – USA (Califorma). Barachoosp gautanensi Jockusch, Yanev & Wake, 2001. – USA (Califorma). Barachoseps programs Jockusch, Wake & Yanev, 1998. – USA (Califorma). Barachoseps incognius Jockusch, Yanev & Wake, 2001. – USA (Califorma) Barachoosp husua Jockusch, Wake & Yanev, 1998. – USA (Califorma). Barachoosp lucua Jockusch, Wanev & Wake, 2001. – USA (Califorma). Barachoosp incom Jockusch, Yanev & Wake, 2001. – USA (Califorma). Batrachosets ressus Tockusch, Wake & Yanev, 1998. - USA (California).

Batrachoseps robustus Wake, Yanev & Hansen, 2002. - USA (California).

Bolitoglossa anthracina Brame, Savage, Wake & Hanken, 2001. - Panama.

Bolitoglossa decora McCranie & Wilson, 1997. - Honduras.

Bohtoglossa guaramacalensis Schargel, García-Perez & Smith, 2002. - Venezuela

Boltoplossa humalis Lynch, 2001a. - Colombia

Boluoglossa lozanoi Acosta-Galvis & Restrepo, 2001. - Colombia.

Bolttoglossa nombachoensis Kohler & McCranie, 1999. – Nicaraona.

Bolitoglossa oaxacensis Parra-Olea, García-Paris & Wake, 2002. — Mexico-

Bohtoglossa spongai Barrio Amorós & Fuentes Ramos, 2001.

Bolitoglossa synoria McCranie & Köhler, 1999a. - Honduras.

Cryptotriton Garcia Paris & Wake, 2000. - Type-species, by original designation: Oedipus nasalis

Lineatriton orchileucos Brodie, Mendelson & Campbell, 2002. - Mexico.

Lineatriton orchimelas Brodie, Mendelson & Campbell, 2002. - Mexico.

Nototriton brodies Campbell & Smith, 1998. - Guatemala.

Notoriton gamezi García-Paris & Wake, 2000. - Costa Rica.

Nototriton limnospectator McCranie, Wilson & Polisar, 1998. - Honduras

Nototriton monzoni Campbell & Smith, 1998 - Guaternala.

Nototriton saslava Köhler, 2002. - Nicaragua.

Nototriton stuarti Wake & Campbell, 2000. - Guatemala

Nototriton waker Campbell & Smith, 1998. - Guatemala

Oedipina maritima Garcia-Paris & Wake, 2000. - Panama

Oedipina savagei García-Paris & Wake, 2000. – Costa Rica.

"Pseudounycea amuzgo" Perez-Ramos & Saldana de la Riva, 2000 Mexico - Comment Nomenclarurally unavailable nomen, as having not been published on a "permanent support". Nomen made nomenclaturally available in Perez-Ramos & Saldana De La Riva (2003)

Pseudoeurycea aquanca Wake & Campbell, 2001, - Mexico.

Pseudoeurycea lynchi Parra-Olea, Papenfuss & Wake, 2001. - Mexico.

Pseudoeurycea naucampatepeil Parra-Olea, Papenfuss & Wake, 2001. - Mexico.

Thornus grandus Hanken, Wake & Freeman, 1999 - Mexico

Thorsus infernalis Hanken, Wake & Freeman, 1999. - Mexico.

Thorsus lunaris Hanken & Wake 1998. - Mexico.
Thorsus magnipus Hanken & Wake 1998. - Mexico.

Thorius magnipes Flanken & Wake 1998. – Mexico.

Thorius minvdenius Hanken & Wake 1998. – Mexico.

Thorus munificus Hanken & Wake 1998. – Mexico.

Thorius omiliem Hanken, Wake & Freeman, 1999. - Mexico.

Thorrus papaloas Hanken & Wake, 2001. - Mexico.

Thorsus spilogaster Hanken & Wake 1998. - Mexico.

# Tribus SPELERPINI Cope, 1859

Blepsimolge H.llis, Chamberlam, Wilcox & Chippindale, 2001. Type-species, by original designation: Eurocca name Bishop, 1941 USA (Texas) Comment: Created as a subgenus of Eurocca Grav. 1850.

Eurycea chisholmensis Chippindale, Price, Wiens & Hillis, 2000. - USA (Texas).

Eurycea naufragia Chippindale, Price, Wiens & Hillis, 2000 – USA (Texas).

Eurycea ionkawae Chippindale, Price, Wiens & Hillis, 2000 – USA (Texas).

Source MNERY Paris

Europea materiogeness Hillis, Chamberlain, Wilcox & Chinnindale, 2001 - USA (Tevas)

Notiomolge Hillis, Chamberlain, Wilcox & Chippindale, 2001. - Type-species, by original designation: Eurysea neotene Bishop & Wright, 1937. - USA (Texas) - Comment Created as a "division" of Eurysea Texas 1830.

Paedomolge Hillis, Chamberfain, Wifcox & Chippindale, 2001. Type-species, by original designation: Europea tomketnae Chippindale, Price, Wiens & Hillis, 2000. USA (Texas). - Comment Created as a "section." of Europea Grav. 1850.

Septentriomolge Hills, Chamberlain, Wilcox & Chippindale, 2001. Type-species, by original designation. Eurocae chisholmenus Chippindale, Price, Wiens & Hillis, 2000. USA (Texas).
Comment, Created as a subpenue of Eurocoe Gray 1850.

#### Subfamilia Pertuonostrisas Grav. 1850

## Tribus Desmognathini Grav. 1850

Anades vagrans Wake & Jackman in Jackman, 1998. – USA (California).

Desnognatus jolkeris Carnj, Tilley, Austin & Marshall, 2002 – USA (Georgia).

Speleomatus imperialis sarrabisensis Lanza, Leo, Forto, Cimmaruta, Caputto & Nascetti, 2001. Italy.

### Tribus PLETHODONTINI Grav. 1850

Plehodon antworth Lazell, 1998. – USA (Mississippi). Plehodon amplut Highton & Peabody, 2900. – USA (North Carolina). Plethodon ehoad Highton & Peabody, 2000. USA (North Carolina). Plethodon electromorphus Highton, 1999. – USA (West Vingma). Plethodon mentamus Highton & Peabody, 2000. – USA (North Carolina) Plethodon montamus Highton & Peabody, 2000. – USA (North Carolina) Plethodon montamus Highton & Peabody, 2000. – USA (North Carolina) Plethodon mentamus Highton, 1992. — USA Virumpia.

#### Superfamilia Proteoidea Grav, 1825

#### Familia Proteinas Grav. 1825

† Mioproteus wezei Młynarski, Szyndlar, Estes & Sanchiz, 1984. - Poland. Pliocene.

#### Superfamilia SALAMANDROIDEA Goldfuss, 1820

## Familia SALAMANDRIDAE Goldfuss, 1820

† Chelotriton phocemeus Bailon, 1989. - France. Phocene.

"Clinglossa lusmunca breeuligitata": Ferrand de Almeida, Ferrand de Almeida, Gonçalves, Sequetra, Texerra & Ferrand de Almeida, 2001. Portugal Comment: Nomenchaturally unavallable nomen, as having been published without type-specimen designation and without explicit statement of the intention to establish a new taxon (CROCHET & DURROLS) 2004-496)

Paramesotriton lagensis Stuart & Papenfuss, 2002. - Lags

Truturus karelinii arnizani Livinchuk, Borkin, Dzukić & Kaležić in Litvinchuk, Borkin, Džukić, Kaležić, Khaliturin & Rosanov, 1999. – Serbia.

Telescotraton asperranus mensionensis Fei, Ye & Yang, 1984. - China (Gansu).

Tylotoruton hamanensis Fei, Ye & Yang, 1984. – China (Hainan) Comment: Authorship of nomen wrongly credited to "Fei & Yang." by FROST (1985, 617) and DUELLMAN (1993: 310).

Epifamilia Sirenoidia Gray, 1825

Superfamilia Supplomes Gray 1825

Familia Steenman Grav 1825

- † Kababisha Evans, Milner & Werner, 1996. Type-species, by original designation: † Kababisha humarensis Evans, Milner & Werner, 1996. Sudan, Cretaceous.
- † Kababisha humarensis Evans, Milner & Werner, 1996. Sudan. Cretaceous.
- + Kababisha sudanensis Evans, Milner & Werner, 1996. Sudan, Cretaceous,
- † Noterpeton Rage, Marshall & Gayet, 1993. Type-species, by original designation: † Noterpeton holtmanum Rage, Marshall & Gayet, 1993. Bolivia, Cretacrous
- † Noterpeton bolivianum Rage, Marshall & Gavet, 1993. Bolivia Cretaceous.

Superordo Gymnophiona Rafinesque-Schmaltz, 1814

Ordo Gymnophiona Rafinesque-Schmaltz, 1814

Incertae sedis

† Rubricacaecilia Evans & Sigogneau-Russell, 2001. Type-species, by original designation: † Rubricacaecilia monbarom Evans & Sigogneau-Russell, 2001. Morocco. Cretaceous.

+ Rubricacaecilia monbaroni Evans & Sigogneau-Russell, 2001 Morocco Cretaceous

Epifamilia Caecilioidia Rafinesque-Schmaltz, 1814

Superfamilia Caecilioidea Rafinesque-Schmaltz, 1814

Familia CAECILIDAE Rafinesque-Schmaltz, 1814

Boulengerula fischen Nussbaum & Hinkel in Fischer & Hinkel, 1994 [nec Boulengerula fischen Nussbaum & Hinkel, 1994]. – Rwanda. – Comment. See Lötters (2003).

Gegeneophis krishm Pillar & Ravichandran, 1999. - India (Karnataka).

Familia Ichthyophubae Taylor, 1968

Ichthyophis garoensis Pillai & Ravichandran, 1999. – India (Meghalaya), Ichthyophis husanu Pillai & Ravichandran, 1999. – India (Meghalaya).

## Familia Scorpconoggunas Taylor 1969

Crotathatrona tchahalmhahamar Louron, 2000 - Carneroon

# Familia Typer ovections Taylor, 1968

Atretochoana Nussbaum & Wilkinson, 1995. Type-species, by original designation: Typhionectes eiselfi Taylor, 1968. – "South America".

Pseudotyphlonectes Lescure, Renous & Gasc, 1986. Type-species, by original designation: Caeciha natans Fischer, 1879, - Colombia.

Familia Uparcovermore Nusshaum, 1979

Uraeotyphlus interruptus Pillai & Rayichandran, 1999 - India (Kerala)

Enifamilia † Focascutaoura Jenkins & Walsh, 1993

Superfamilia + Eocasculacionsa Jenkins & Walsh, 1993

Familia + Rocasculainas Tenkins & Walsh, 1993

- † Eocaecilia Jenkins & Walsh, 1993. Type-species, by original designation: † Eocaecilia micropodia lenkins & Walsh, 1993. USA (Arizona), lurassic
- + Eccaecilia micropadia Jenkins & Walsh, 1993 USA (Arizona), Jurassic

## ACKNOWLEDGMENTS

For helpful comments, suggestions and information that allowed to improve this paper, we are grateful to Lauren E. Brown, Jean Claude Rage, Borja Sanchiz, Miguel Vences and David B. Wake

## LITERATURE CITED

Anonymous [International Commission on Zoological Nomenclature], 1999 International code of zoological nomenclature i-xxix + 1-366

Accora, A. R., Questras, D. A. & Cotoons, L. A., 2000. Una nueva especie de Guiendoia (Amphina: Anura Demortoandee, de la region del Carbe de Colombia. Reta ned de la Auforna committana de Comette cuartar, fritas y naturales, "1909", 23 (Supermento especial), 225-230. Pranting finalised in February 2009 according to late page of fascoile).

ACOSTA GALVIS, A. R. & RESTREPO, A. E., 2001. Una nueva especie de Boltogiossa (Caudata Piethodontidae) de las selvas del Magdalena medio en Colombia. Caldasia, 23 (2): 467-413.

AGUAYO V., RODRIGO, C. & HARVEY, M. B., 2001. Dos nuevas especies de *Phrynepus* (Anura Leptodaciylidae de los bosques nublados de Bolivia. *Revusa de Biologia tropical*, 49 (1): 333-345.

los bosques nublados de Bolivia. Rensta de Biologia tropical, 49 (1): 535-543.
ALCALA, A. C., BROWN, W. C. & DIESMOS, A. C., 1998. – Two new species of the genus Platymanus (Amphibia Ramidae, from Luzon Island Philippines Procedures of the California Academy of Science, 50, 17): 381-388.

ATTISON A & KNAIS F 2000 (S Sentember) A new spaces of frog of the genus Xenerium (Anura Murrohyludae) from the north coast ranges of Papua New Guinea Herbitologica, 56 (3) 285 294 [Exact publication date Humanologica 2000 66 (4): \$161

2001 New species of Plan mount (Anura Rangae) from New Ireland Copies 7001 (1) 194-202

AMIET, J. L., 2000 [30 June]. Les Alexieronn du Cameroum (Amphibia, Anura, Hypernindae) Alvies, 17 (3.4) 125-164. [Exact publication date obtained directly from publisher] 2001 [31 May] Un nouveau Legraphic de la zone forestrere camerounaise (Amphibia Anura Hyperoli dae)

Abuss. 19 (1), 29-44. [Exact publication date obtained directly from publisher].

AMIET, J.-L. & DOWSETT LEMAIRE, F., 2000 [15 November] Un nouveau Leptodactylodon de la Dorsale camerouna.se (Amph.ba, Anura) Alyses, 18 (1-2) 1-14. [Exact publication date obtained directly from publisher]

Andreone, F., Giaw, F., Vences, M. & Vallan, D., 198 [15 July]. A new Mandactylus from south-eastern Madagacar, with a review of Manudachia terricae (Randae Mante, hose). The herbidge of demand. 8(3)

149-159 [Eyect publication date: The hernetology of Surreal 1998 8 (4): back cover! ARDILA-ROBAYO, M. C., 1999 Una nueva especie de Atelopus A. M. C. Dumeril & Bipron 1841 (Amphibia Anura

Rufondae) de la Cord. Jera Oriental Colombiana Resista de la Academia colombiana de Ciencias evactas fiscas u naturales 73 (86): 139-147

- ARDILA-ROBAYO, M. C., ACOSTA-GALVIS, A. R. & COLOMA, I., A., 2000. Una nueva esnecia de Golosiathus Cone. 1867. (Amphibia Anura Dendrobatidae) de la Cordilera Oriental colombiana Revista de la Academa colombiana de Gencias evactas, fisicas y naturales, "1999", 23 (suo) especial) 239-244. [Printing finished in February 2000 according to last page of fascicle)
- Ardila-Robayo, M. C., Osorno-Muñoz, M. & Ruiz Carranza, P. M., 2002. Una nueva especie del genero
  Ardila-Robayo, M. C. Durneril & Bibron 1841 (Amphibia Bufonidae) de la Cordillera Oriental Colombiana. Remita de la Academia colombiana de Giencias exactas, fisicas y naturales, 26 (98): 133-139
- ARDHA-ROBAYO, M. C. & RUIZ-CARRANZA, P. M., 1998 Una nueva especie de Atalonis Dumeril & Bibron 1841 (Amphibia Bufanidae) de la Cardillera Central Colombiana Resigna de la Academia colombiana de Currera
- exactas, fisicas y naturales, 21 (83): 281-285 ARIESM H. 988. On a new form of Rana additional (Anura Ranadae) from Turkey, Istanbul Flore Fee Fak Buolon Der., 53: 81 87
- AVERIANOV, A. O. & VORONKEVICH, A. V. 2002. A new crown-group salamander from the early Cretaceous of
- western Siberia. Russian Journal of Herpetology, 9 (3) 209-214

  Ayarzadbria, J. Sriaris, J. C. & Gorzula, S. 1993 Un nuevo genero para las especies del "grupo Ontocepnans rodriguezi" (Anura Hylidae) Memorias de la Sociedad de Ciencias naturales La Salle, ", 992 ', 53 (139) 127 146. Publication date: Zoological Record, 1996, 132 (16): 31
- BAEZ, A. M., & PUGENER, L. A., 1998 A new Paleogene pipid frogs from northwestern Patagonia. Journal of vertebrate Paleontology, 18 (3) 511 524
- BAEZ, A. M. & RAGE, I C., 1998. Papid frogs from the Upper Cretaceous of In Beceten, Niger Palaeontology, 41 (4)
- BAEZ, A. M., TRUER, L. & CALVO, L. O., 2000. The earliest known pinoid from South America, a new genus from the middle Cretaceous of Argentina, Journal of versebrate Paleontology, 20 (3): 490-500.
- Batton, S. 1989 Les Amphibens et les Rentiles du Plincene superieur de Balaric II (Herault, France) Palasmersebrasa, 19 (1), 7-28. BARRIO AMOROS, C. L. & FUENTES RAMOS, O., 2001 Bolitoglossa spongas, una nueva especie de salamandra (Caudata
- Plethodontidae) de los Andes Venezolanos, con comentarios sobre el genero en Venezo ela Acia biologica seneruelica, "1999", 19 (4), 9-19. Ilsuse received at the Smuthsonian Library on 22 February 2(d)11
- Basso, N. G., 1998 [9 June] A new telmatobine leptodactylid frog of the genus Arelognathus from Patagonia Herpetologica, 54 (1): 44-52 [Exact publication date: Herpetologica, 2003, 59 (3) 299]
- BELL, B., DAUGHERTY, C. H. & Hay, J. M., 1998 Leropelina pakeka n. sp. (Anura Leroplematidae), a cryptic species of frog from Maud Island, New Zealand, and a reassessment of the conservation status of L. manitoni from Stephens Island. Journal of the royal Society of New Zealand, 28 (1): 39-54
- BENAUDES, E., ORTE, J. C. & FORMAS, J. R., 2002 [2 May]. A new species of Telmatobus (Anura Leptodact) independent from northern Chile Herpetologia, 58 (?) 2 0-220 [Exact publication date Herpetologia, 302, 58 (3, 3)].

  BLOS R. W., CARRANO, M. T., ROGESS, R. R., FORSTER C. A. & ESPINOZA, N. R., 2001 A new foosil frog from the
- upper Cretaceous Judith river formation of Montana Journal of vertebrate Paleontology, 21 (1): 190-194 BOISTEL, R & AMIET, J. L., 2001, [3] January | Une nouvelle espece de Willergorffina (Amphibia, Anura, Bafon, dae)
- de l'etage afro-subalpin du Mont Oxou (Cameroun) Alyres, 18 (3-4): 127-140. [Exact publication date obtained directly from publisher] BOSSUYT, F. 2002 A new species of Phyanties Anura Ranidae, from the Western Ghats of India Tournal of
- Herpetology, 36 (4) 656-661
- BOUCHET, P & ROUROL, J. P., 1992 Supraspecific names of melluses: a quantitative review. Molaconogra, 34 (17) 1993. - The lottery of bibliographical databases a reply to Edwards & Thorne Malacalogia, 35 (2): 407-410
- BOYCOTT, R. C., DE VILLERS, A. L. & SCOTT, E., 2002. A new species of Cacoterium Bounger, 1887 (Anura Randae) from the Karoot region of South Africa. Journal of Herpealogy, 3c; 6x; 333-341.

  BROME, A. H. F., SAMAEL, J. M., WARL, D. B. A. HANKEN, J., 2019. New species of large black halamander, genus
- Bolitogiossa (Plethodontidae) from western Panama Copeia, 2001 (3): 700-704
- BRANDÃO, R. A. 2002. A new species of Physimic trig Wagter, 1830. (Anura. Hyudae, from central Brazil Townslay Herperology, 36 (4) 571 578

- BRODIE, E. D. Jr., MENDELSON, J. R. III & CAMPBELL, J. A., 2002. [23 May]. 'Taxonomic revision of the Mexican plethodorud salamanders of the genus Linearizon, with the description of two new species. Herpetologica, 58 (2): 194-204. [Exact publication date: Herpetologica, 2002. 58 (3): 3907.
- Brown, R. M. & GUTTMAN, S. 1, 7002. Phylogenetic systematics of the Rana ngnata comp.ex of Phil.ppine and Bornean stream frogs: reconsideration of Huxley's modification of Wallace's Line at the Oriental Australian
- faunal zone interface. Biological Journal of the Linnean Society, 76 (3): 393-461

  BROWN, R. M., McGuire, J. A. & Dissaos, A. C., 2000 [29 February] Status of some Philippine frogs referred to Range several (Annue). Rendeed, description of a new species and resurrenting of Pana second Technol 1932.
- Anna events (vinita Rainase), usex-piton of a new spears and resurrection of raina germa layor 1922. Herpetologica, 56 (1), 81-104, [Exact publication date: Herpetologica, 2000, 56 (2), 288] BROWN, W. C., Alcalad, A. C. & Dissnos, A. C., 1999. Four new species of the genus Playmontis (Amplication and Raindae) from Lucon Island, Philippines Proceedings of the California Academy of Sciences, 51, 12), 449.
- 460

  BROWN, W. C., ALCALA, A. C., DIESMOS, A. C. & ALCALA, E., 1997. Species of the guenthers group of Platymania.

  Brown, W. C., AlcALA, A. C., DIESMOS, A. C. & ALCALA, E., 1997. Species of the guenthers group of Platymania.
- Academy of Sciences, 50 (1): 1-20

  Brown, W. C., AlcAld, A. C., ONG, P. S. & Diesmos, A. C., 1999. A new species of Playmantis (Amphibia Randae) from the Sterra Madre Mountains. Luzon Island, Philippines, Proceedings of the hologood Society of
- Ramadae) from the Sierra Madre Mountains, Luzon Island, Philippines. Proceedings of the biological Society of Washington, 112 (3): 510-514.

  BROWN, W. C., BROWN, R. M. & ALCALA, A. C., 1997. Species of the hazelae group of Platymantis (Amiphibia).
- Ranidae) from the Philippines, with descriptions of two new species Proceedings of the Collorina Academy of Sciences, 49 (11): 405-421.

  Benny, W. C. Benny, B. M. Alexan, A. C. & Front, D. 1997. Purple among page for Plan months introduction.
- Brown, W. C., Brown, R. M., Alcala A. C. & Frost, D., 1997. Replacement name for Platymantis reticulatus. Brown, Brown, and Alcala, 1997. Herpetological Review, 28 (3): 131
- CAMP, C. D., TILEY'S G., ALSTIN, R. M. Jr. & MARSHALL J. L., 2002 [24 October]. A new species of black beilled salamander (genus Desmographus) from the Appalachian Mountains of northern Georgia. Herpetologica, 58 (4): 471–484. [Exact publication date: Herpetologica, 2003, 59 (1): 143.
- CAMPBELL, J. A. & CLARKE, B. T., 1998 (8 September) A review of frogs of the genus Otophryne (Microbylidse) with the description of a new species. Herpetologica, 54 (3) 301-117 [Exact publication date. Herpetologica, 1998, 54 (4) 543].
- CAMPBELL, J A & DUFI1 MAN, W E , 2000 New species of stream breeding hylid frogs from the northern versant of the Highlands of Oaxaca, Mexico. Scientific Papers, Natural History, Museum, The University of Kansas, 16
- 1-20
  CAMPBELL J A & SANAGE J M , 2000 Taxonomic reconsideration of Middle American frogs of the Eleutherodactylus rigulosus group (Anura Leptodactylidae) a reconnaisance of subtle nuances among frogs. Herperological
- Monographs, 14, 186-292. N., 1998. New species of Notoriton, Caudata. Plethodont.dae) from eastern Gusternal Scientific Paters, Natural History Museum, The University of Komas, 6, 1-8.
- Custernals Scientific repen, vacual History Influentia, In Ourvering of Kamasa, w. 1-6.
  CAMPBELL JA, SMITH, F. N. & ACEVEDO, M. 2000 II June J. A new species of fringe-lumbed treefing (Hylidae from the Sterra Los Cuchumatanes of northwestern Guatemala Herpenboura, 56 (2) 250-256 [Exact publication date: Herpenboura, 2000, 56 (3), 411].
- CANSECO MARQUEZ, L. MENDELSON, J. R. III. & GUTIERREZ-MAYEN, G., 2002 [23 May] A new species of Hyla (Anura Hylidae, from the Mixtees Alia, Oaxaea, Mexico Herpetal-gr.a, 58 (2) 266-269 [Exact publication date: Herpetaloriza, 2002, 58 (3) 393].
- CARAMASCHI, U., 1998 [1 December] Description of a second species of the genus Xenohyla (Anura Hylidae)
  Amphibia Repulia, 19 (4) 377-384. [Exact publication date Amphibia-Repulia, 1999, 22 (... aside front cover]
- CARAMASCHI U & CRUZ C A G DA, 1998 Notas taxonomicas sobre Pseudis fusus Garman e Pondoducista A Lutz com a descrição de uma nova especie correlata (Anura, Pseudidae). Revista brasileira de Zeologia, 15 (4)
- 1999 Duas especaes novas do grupo de Hria pelysaema Cope, 1870 do Estado de Minas Gerais, Brasil (Amphibia, Anura, Hylidae). Boleum do Museu Nacional, Zoologia, Rio de Janeiro, (n.s.), 403 1-10.
- Will. Duar especies novas de Hwa Laurenti, 1768 do Estado de Goras, Brasil Amphibia, Anara Hyhdae Boletim do Museu Nacional, Zoologia, Rio de Janeiro, (n.s.), 422: 1-12.
- transforms Boulenger, 1985), and descriptions of two new species of M.lanaphras scan from the State of Santa Catarina, Brazil (Amphibia, Anura, Bufonidae). Arqueous do Mineu Nacional Rio de Janeiro, 60 (4): 303-314
- CARMASCHI, U., NAPOLE M. F. & BERNARDES, A. T., 2001. Nova especie do grupo de Histarin indicata (Cope, 820) do Estado do Minas Geros, Brasil (Amphibia, Anura, Hyldae). Boleino de Maria Nacional, Zoologo, Rio de Isaneiro, (n. 8), 457, 1-11.
- CHANNING, A & BROADLES, D. Gr. 2012. A new snout burrower from the Barotse floodplain. Amera Hemisonetae Hemisus), Journal of Herpetology, 36 (3): 367-372.
- Channell, A& Davenbert, T. R. B.; 2002. A new stream frog from Tanzaria (Anura' Ranidae Strongylopus) African Journal of Herpetology, 51 (2), 135-142
- CHANNING A., HENDRIGKS D. & DAWOOD, A., 994. Description of a new mess freg from the scuth-western Cape (Anura Ranidae Arthroleptella) South African Journal of Zoology, 29 (4) 240-243.

CHANNING, A., MOYER D. C. & HOWELL, K. M., 2002 [19 December] Description of a new torrent frog in the genus Arthrologistis from Tanzania (Amphibia, Anura, Ramidae) Alpriss, 20 (1-2) 13-27 [Exact publication date obtained directly from publisher].

CHANNING, A & STANLEY, W T, 2002. – A new tree toad from the Ukaguru mountains, Tanzania African Journal of Herestology, 51 (2), 121-128.

CHEN, X. & Itang, I., 2002. - A new species of the genus Paa from China Hernetologica smca. 9: 231

CHEN, X., JIANG, J. & Qu, W., 2004. Description of Paa (Ferana) yes (Anura, Ranidae) from China Acta zootaxonomica smica, 29 (2): 381-385.

Chen, X , Qu, W & Jiang, J , 2002 A new species of the subgenus Paa (Feirana) from China Herpetologica sinica, 9 230

Chen, X.-H., Qu, W.-Y. & Niu H.-X., 2001. A new species of the genus Hynobius from Henan Province, China (Caudata: Hynobiudae). Acta gootaxonomica amica, 26 (3): 383-387. [In Chinese]

CHIPPINDALE, P. T., PRICE, A. H., WIENS, J. J. & HILLIS, D. M., 2000. Phylogenetic relationships and systematic revision of central Tryan hemidactiviting pitchedonics salamanders. Herbiological Management, 14, 1200.

revision of central lexis nemioactyline prethodolitic sammanders. Perpetholytical Monographs, 14: 1-80

Chou, W, 1999 [.1 October] A new frog of the genus Rana (Anura Ranidae) from China. Herpetologica, 55 (3).

389-400. Exact publication date: Herpetologica, 1999, 55 (4): 5731

Chot, W. H. & & Lin, J.-Y., 1997. Description of a new species, Rana multidenticulata (Anura Ranidae) from Taiwan. Zoological Studies, 36 (3), 222-229.

CKHIKVADZE, V M, 1982. On the finding of fossil Cryptobranchidae in the USSR and Mongoha. Veriebrata hungarica, 21: 63-67.

COLOMA, L. A., 2002 [23 May] - Two new species of Atelopus (Anura Bufonidae) from Ecuador Herpetologica, 58 (2) 229-252. [Exact publication date: Herpetologica, 2002, 58 (3): 393]

CROCKER, P.-A, & DUIGOS, A. 2004 Recent changes in the taxonomy of European amphibiants and reptiles. In J. P. GASC, A. CARLEA, J. CHOSCARD, I-SALECCE, D. DOLMEN, K. GROSSBRACHER, P. HAPPINER, J. LESCOR, H. MARTINES, P. MARTINEZ, R.C.A, H. MARINS, M. E. OLLVIELL, T. S. SOFRAINDOL, M. VILTIE & A. ZUDEPHING, Allen of amphibiation and regions in Binops, Second editions, Parts, SEH & MNSTHY, Collection Partmoners.

CRUZ, C. A. G. DA, CARAMASCHI, U. & FRFIRE, F. M. X., 1999. Occurrence of the genus Chasmoclets (Anura Microhylidae) in the State of Alagoas, north eastern Brazil, with a description of a new species. Journal of Zeolovy. London. 249: 123-126.

CRUZ, C. A. G. DA, CARAMASCHI U. & DIAS, A. G., 2000 Especie nova de Hyla Laurenti, 1768 do Estado do Rio de Janeiro, Brasil (Amphibia, Anura, Hylidae) Boletum do Museu Nacional, Zaologia, Rio de Janeiro, (n. s.), 434, 1-8.

CUEVAS, C. C. & FORMAS, J. R. 2001. [7 June] A new species of Alsodes (Amphibia, Anara, Leptodactylidae, from central Chile. Amphibia. Repulsa, 22 (2) 187–198. [Exact pubacation date. Amphibia-Repulsa, 2001, 22 (2) usual front rowel.]

Das, I., 1998a. A remarkable new species of ranid (Anura. Ranidae), with phytote-monous larvae from mount. Harriet, Andaman Island. Hamidroad. 23 (1): 41–49.

---- 1998b. - A new species of Rana from the Terai of Nepal. Journal of Herpetology, 32 (2): 223-229

Das, I & CHANDA, S K., 1998 A new species of Philauus (Anura Rhacophoridae) from the Eastern Ghats, south-eastern India Journal of South Asian natural History, 3 (1): 103-112.

— 2000 (\* May] A new species of Sunger (Anura Megophryslae) from Nagaland, north-eastern India The herperlological Journal, 10 (2) 69-72 [Exact publication date The herperloogical Journal, 2000, 10 (3) back cover!

DAS, I & LIM, K. K. P., 200. A new Bufo (Anura Bufondae) from the peat swamps of Selangor, West Malaysia The Rafflet Bulletin of Zoology, 49 (1): 1-6

Das, I. & RAVICHANDRAN, M. S., 1998. A new species of Poispedates (Anura. Rhacophoridae) from the western. Ghats, India, allied to the Sri Lankan P. cruciper Blyth, 1852. Hamadryad, 22 (2): 88-94.

DAVIES, M. & MCDONALD, K. R., 1998. A new species of frog Anura Microhylidac) from Cape Melville, Queensland. Transactions of the royal Society of South Australia, 122 (3-4): 159-165.

Dawoon, A. & CHANNING, A., 2000. A molecular phylogeny of moss frogs from the Western Cape, South Africa, with the description of a new species Journal of Herpetology, 34 (3): 375-379.

2002 Description of a new cryptic species of African sand frog, Tomopterna damarenso (Anura Ranidae), from Namibia African Journal of Herpetology, 51 (2): 129-134.
DE LA RIVE J. (2008) A new Phyllomediate from Southwestern Amazonia (Amphibia Anura Hylidae). Revisia

cepanida de Herpetosagua, "1990", 13 123-131 [Year of publication according to personal communication of I De la Riva to R. I. Crombie]
DE LA Riva, 1 & KOHLEB, J. 1998 — A new minute leptodacty lid frog, genas Phillonasies, from humid montaine forests

of Bolivia Journal of Herpetology, 32 (3), 325-329.

Delorme, M. & Dubots, A., 2001 [20 December]. – Une nouveile espèce de δεμίησε du Bhutan, et quelques

remarques sur la classification subgenerique du genre Scanger (Megophyndae, Leptobrachimae). Aprie, 19 (2-4): 141-153. [Exact publication date obtained directly from publisher]
DENTON, R. R. P. R. & O. NEILL, R. C. 1998. Pairsia nowskin nists a new battachosaurosid salamander and other

amphibians from the Campanian of eastern North America. Journal of vertebrate Paleomology, 18 (3): 484-494

- Diaz, L. M., Estrada, A. R. & Hedges, S. B., 2001. A new riparial frog of the genus Eleutherodactylus (Anura. Lentedactylulae) from eastern Cuba. Caribbean Journal of Science, 37(1-2): 63-71.
- Diaz, L. M. & Fong, A, 2001. A new mortled frog of the genus Eleutherodactylus (Anura Leptodactylidae) from eastern Cuba. Solemodon, 1, 76-84
- DIESMOS, A. C., BROWN, R. M. & ALCALA, A. C., 2002. New species of narrow mouthed frog (Amphibia: Anura Microhylidae, genus Kaloula) from the mountains of southern Luzon and Polillo Island, Ph.lippanes. Copeta, 2007 (4), 1023-1031.
- DONG, Z. & WANG, Y., 1998. A new urodele (Liacxitruon zhongiam gen et sp. nov.) from the early Cretaceous of western Liaouing Province. China. Verebrata colangian. 36 (2): 159-172.
- Dorsk, G., Satzvinoi, S. & Tavakos, M. I., 2001 Description of Amology (Huo) modighous, new species from Sumatra (Amphibia, Anura, Ranidae). Dorsana, "1999", 7 (317) 1.9 [Printing finished in February 2001 according to last rase of fascicle!
- Drewes, R. C. & Perrer, J.-L., 2000. A new species of giant, montane Phrymobarrachus (Anura Ranidae) from the
- central mountains of Kenya. Proceedings of the California Academy of Sciences, 52 (3), 55-64.
  DUBOIS, A., 2000 [.3] July]. Synonymies and related lists in zoology, general proposals, with examples in herpetology.
  Dumerika, 4 (2): 33-98. [Exact publication date obtained directly from publisher].
- Dumeritia, 4 (2): 33-98 [Exact publication date obtained directly from publisher].
  —2002 [24 January] The taxonomic status of Scutiger mokohchungensis Das & Chanda, 2000 (Amphibia, Anura)
  Amphibia Repuba, "200.", 22 (4) 499-506. [Exact publication date Amphibia-Republa, 2003, 23 (1) unside
- Amphibia Repnita, "200,", 22 (4) 499-506, [Exact publication date Amphibia-Repnita, 2002, 23 (1) inside from cover]

  True from (Namidae) Jr. M. Hurchins, W. F. Durillian & N. Schlager (ed.), Grundel's animal life.
- encyclopedia, 2<sup>rol</sup> edition, Volume 6, Amphibians, Farmington Hill, Michigan, Gale Group 245-264.

  2004 Deve, opinental pathway, speciation and supraspecific taxonomy in amphibians. I Why are there so many
- 20)4 Deve.opmental pathway, speciation and supraspecific taxonomy in amphibians. 1 Why are there so mar frog species in Sri Lanka? Alyses, 22 (1-2): 19-37
- 2005a. Amphibia Mundi. 1 An ergotaxonomy of recent amphibians. Alytes, 23 (1-2): 1-24.
  2005b. Proposed Rules for the incorporation of normal of higher-ranked zoological taxa in the International Code of Zoological Numericature. I Some general questions. Concepts and terms of bio-ogical normenclature.
- Zoosystema, I (2): 365-426

   2005: Proposed Rules for the incorporation of nomina of higher ranked zoological taxa in the *International Code of Zoological Nomenclature 2*. The proposed Rules and their rationale. Zoosystema, in press.
- DUBOIS, A., MATSU, M. & OHLER, A. 2001 [31 May] A replacement name for Rana (Paa) rura Dubois & Matsus, 1983 (Amphibia, Anura, Ranidae, Raninae). Alyres, 19 (1) 2.4 [Exact publication date obtained directly from nublisher].
- Dublisherj.

  Frogs of the subgenus Pelophylax (Amplubia, Anura, genus Rama) a catalogue of awalable and valid scientific names, with comments on name bearing types, complete synonymies, proposed common names and mass showing all two localities. Zoolorica Polimae, "1994", 39 (3-4): 139-204.
- common names, and maps snowing an type occurines. Zoologica rounnes, 1999; 39 (3-4): 139-209.

  1998 [7 October] A new species of Leptobrachini (Vibrissaphora, from northern Vietnam, with a review of the taxonomy of the genus Leptobrachium (Pe,obatidae, Megophrymae). Diumenha, 4 (1) 1-32. [Exact publication
  - date obtained directly from publishers.

    3999 Asian and Oriental toads of the Bufo melanosussus, Bufo scaber and Bufo stepnegeri groups (Amphibia, Anura) a list of available and valid names and redescription of some name bearing types. Journal of South
  - Assum natural History, 4 (2): 133-180

     2001 [20 December] A new genus for an aquatic ranid (Amphibia, Anura) from Sri Langa. Alytes, 19 (2.4)

    8. 106 [Exact publication date obtained directly from publisher]
- DUBOIS, A., OHLER, A. & BJU. S. D., 2001 [20 December] A new genus and species of Ranidae (Amphibia, Anura) from south-western India. Alyses, 19 (2.4). 53-79. [Exact publication date obtained directly from publisher].
- descriptions of three new species. Herpatologia, 56 (3), 273-285. [Exact publication date. Herpatologia, 2000, 56 (4): 516].

  DEBLAMAN, W. E., DE LA RIVA, I. & WILD, E. R., 1497. Frogs of the Hyan armata and Hyda publically arroups in the
- Andes of South America, with definitions and analyses of phylogeneur relationships of Andean groups of Hyla, Scientific Papers, Natural History Mitseum, The University of Kansas, 3 1-41
- DUELLMAN, W. E., Lehr, E. & AGULAR, C., '2601. Å new speces of marsupual frog (Anum Hildae Gattrathera) from the Corficare Acul in Peru Scientific Papers, Namura History, Musician, The University of Kanasa. 22.1. DUELLMAN, W. E. & PRAMOR, J. B., '999. Frogs of the genus Eletherosia, Chick (Anaita Leptodacty), dae, in the Andes
- of northern Peru Scientific Papers, Natural History Massam, The University of Kaniza, 13 1-78
  DUTHS, S. FIROZ AHMED, M. & DAS, 1, 3000 K.Josphysma (Anura Microbylidae, a new genus for India with the description of a new species, Kalophysmia orangous, from Assam State Hamadoyad, 25 (2) 67-74
- Dt 774, S. K. & Ray, P. 2000 Microbina shoigari, a new species of microhyad frog. Anura. Microhyadae, from Karnataka, India. Hamadryad, 25 (1): 38-44
- ESTIS, R. & SANCHIE, B., 1827 Early Cretaceous lower vertebrates from Galve (Teruel), Spain Journal of lerichnate Paleontology, 2 (1), 21-39

  ESTRADA, A. R. & ALONSO, R., 1997 Naeva especie del grupo un batus. Leptodactylidae. Eleutromatactivus) de la
- PSTROMA, A. R. & ALLONSO, R. 1977. "Nelson explore their graphs in brain." Leptonacytimae Entometrating from a region criental de Cubia Carabbeari format of Science, 33 (1–2) et 41–41.

  FSTROMA, A. R., DIAY, L. M. & RODRIGLEY, A., 1988. A Neuron especie de Eletationata, refue, Anura Leptodactylidae del Istorial morte de Eu Habansa, Cubia. Resunta española de Hepetologia, "1997", 11: 19–24.

ESTRADA, A. R. & HEDGES, S. B., 1997a. Nueva especie de Eleutherodactylus (Anura Leptodactylidae) del macizo Sagua Baracoa. Cuba Carabbean Sugrand of Science, 33 (3-d), 222-226.

Sagua Bailcoit, Cuba. Carabean Journal of Science, 35 (594), 222-220.
1997b. A new species of frog from the meseta de Cabo Cruz, eastern Cuba (Leptodactylidae, Eleutherodactylis).
Carabbaan Journal of Science, 33 (3-4): 277-232

1977. A new species of free from the Serra Maestra, Cuba (Leptodacrandae, Floutheradacralus), Journal of

especie nueva. Caribbean Journal of Science, 34 (3-4): 218-230.

ETEROVICK, P. C. & SAZIMA, I., 1998. New species of Proceratophrys (Anura. Leptodactylidae) from southeastern.

ETEROVICE, P. C. & SAZIMA, I., 1998. New species of Proceratophrys (Anura Leptodactylidae) from southeastern Brazil Copera, 1998 (1): 159-164.

FLANS. S. F. & McGOMAN, G. I., 2002. Liscamphilipan remains from the Purbeck Limestone group, southern

EVANS, S. E. & MCGOWAN, G. J., 2002. Lissampholoan remains from the Purpeck Limestone group, southern England. Special Papers in Palacontology, 68, 103-119.

EVANS, S. E. & MILNER, A. L., 1996. A metamorphosed salamander from the early Cretaceous of Las Hoyas, Spain Royal Society philosophical Transactions, Biological Sciences, 351 (1340): 627-646.

Evans, S. E., Milner, A. L. & Werner, C., 1996 Strend salamanders and a gymnophionan amphibian from the Cretacous of the Sudan, Palesontology, Durham, 39 (1), 77-95.

Evans, S. E. & Sigogneau Russell, D., 2001 - A stem group caecilian (Lissamphibia Gymnophiona) from the lower Cretaceous of North Africa. Palaeontology, Oxford, 44 (2): 259-273

Fal, L. (ed.), 1999. Attas of amphibians of China. Zhengzhou (China), Henan Press of Science and Technology [i-ii] + 1-432. [In Chinese]

FEI, L., JIANG, J., YE, C. & CHENG, S., 1996 Electrophoresis analyses of crystalline [s.c] lens protein of twenty-one species (subspecces) of four genera of Peelobaudae [s.c]. Acta herpetologica sinica, (n.s.), "1995-1996", 4-5: 230-237, In Chineses.

FEI, L. & YE, C., 2000a A new hynobud subfamily with a new genus and new species of Hynobudae from west China (Amphibia: Caudata). Cultum herpetologica sinica, 8: 64-70. [In Chinese]

2000b - A new subspecies of Hyla simpley Boettger from China (Amphibia Hyhdae) Gultum herpetologica sinica, 8: 71-73. [In Chinese]

---- 2001a The colour handbook of the amphibians of Sichman Chengdu, Chengdu Institute of Biology [i-xv] + 1-263 [in Chinese].
---- 2001b A new species of the genus Paa from southeast Xizang, China (Amphibia Ranidae) Acia zoologica sinica,

47 (2): 476-478. [In Chinese]
Fel, L, Ye, C & Chen, H, 1992 A new pelobaud toad of genus Oreolalux (Amphibia, Anura) from Yunnan-

Guizhou plateau of China. Acta biologica Plateau smca, 11: 39-44. [In Chinese].

Fis. L. Ys, C. & Huano, V. 1991. Ke, to Chinese Amphinia Chongqing, Editions of Sciences and Techniques, "1990" [s-v] + 1-2 + 1-36-4. [In Chinese]. Diblication date: Zino & Angles, 1993; 3671.

--- 1992 Two new species of the genus Megophrys, Pelobatidae (Amphibia, Anura) from China Zoological Research,
13 (1): 5-12 [In Chinese].

Ramdae). Cultum herpetologica simea, 6-7, 75-80. [In Chinese]
Fei, L., Ye, C., Huane, Y. & Chen, X., 1999
Taxonomic studies on Bulo sards from west China (Amphibia Anura). Zoological Research, 20 (4): 294-300. [In Chinese]

Fei, L., YE, C. & JIANG, J., 2006. A new genus of subfamily Amologanae. Pseudoamologs, and us relationship to related genera. Acta evologica. sim.a., 46 (c. 19-26. [In Chinese]. [Received on 16 May 2000 in the Paris Museum Central Library].

Fei, L., Ye, C., Jiang, J. & Chen, S., 1999 Description of a new Stanger from Mt. Gongga in Stahuan Province of China. Zeological Research, 20 (3): 172-177. [In Chinese] Fei, L., Ye, C. & Lt. C. 1999. Description of a new elobrated toad of senus Orgolalay. On alalay manuaments from

Daba mountain region of China. Acta zootaxonomica sinca, 24 (1): 107-113 [In Chinese]

"Inla" Descriptions of two new species of the genus Odornina in China (Anura Randae) Acta zootaxonomica

smca, 26 (1) 108-114. [In Chinese]
----- 2001b Taxonomic studies of Odornina versabilis in China II Descriptions of two new species (Amphibia

Ranidae), Acia zonaxonomica sinica, 26 (4): 601-607. [In Chinese]
Fet L, Yi, C. & Li, S. 993 "You new species of pelobatad toads of genus 1/2 publics, from Yunnan province of China (Amphibia, Anura). Acia biologica Plateau inica, 11 45-54. [In Chinese].

(Amphibia, Anura) Acta biologica Plateau unica, 11 45-54. [In Chinese].
Fit, L., YE, C. & Yang, R., 1984 - A new species and a new subspecies of the genus Tylototriton (Caudata Salamandridae). Acta woolonica unica, 30 (1): 85-91. [In Chinese].

Feto, R. N., POMBAL, J. P. Jr. & CARAMASCHI, U., 1999. New Physalacmus. Anura. Leptodactylidae, from the Atlantic brorest of Minas Gerais, Brazil. Copena, 1999 (1), 141-145.

FERNICOLA, J. C., 2001. Una nueva especie de Caracophres (Anura, Leptodactylidae, en el Neogeneo de la provincial de Buenos Aires, Argentina. Ameghinana, 38 (4): 385-391.

FERRIAN DE ALMEIDA, N. ÉTRIMAND DE ALMEIDA, P. CANÇALVIN, H. SOQUERRA, F. TERAIRRA J. & FERRIAND DE ALMEIDA, F. 301 - JAIROSAU, REPLETA BENEROI PETER, PAPAS & CHIRAR MIRICIPAL OF RECO, CIUNE L'ADRE FEY, B. 1988 DE ADMENTIAINA aus de l'Entersteade ven Una (Ostpanier), Red Georgie Able, Rothe, A. G. & Palacomol, 103-1-99

FINCHER, E. & HINKEL, II. 1964. Zur Flora und Franna der Walder Ruondas Zontraiofrusa. 2. Der Gishwatt Wald. Mamzer Naturwissenschaftliches Archiv, 32. 39-85.

- FORMAS, J. R., CUEVAS, C. C. & BRIEVA, L. M., 2002. A new species of Alsodes (Anura Leptodacty.dae) from Cerro Mirador, Cordillera Polada, southern Chile. Proceedings of the hologoid Society of Witchington. 115 (4), 708, 719.
- FORMAS, JR, CUEVAS, C & NUNEZ, J, 1998 A new species of Alloudes (Amphibia Anura Leptodacrylidae) from southern Chile, Proceedings of the biological Society of Washington, 111 (3): 521-530.

  ROBING L. PROPERTIES D. L. CAPPETTE D. HUNGE J. J. C. VILLES C. C. & R. REPLES L. M. 1000. Talkanahur dankar
- FORMAS, J. R., NORTILLAND, I., CAPETILLO, J., NUNEZ, J. J., CUEVAS, C. C. & BRIEVA, L. M., 1999 Telmatobius dankoi, una nueva especie de rana acuatica del norte de Chile (Leptodactylidae). Revista chilena de Historia natural, 72 (2): 427-445
- FORMAS, J. R., ÜBEDA, C., CUEVAS, C. & NUÑEZ, J., 1998 Alsodes australus, a new species of leptodactylid frog from the temperate Nothologue forest of southern Chile and Argentina Studies on neotropical Fauna and Environment, (1907) 27, 24, 26, 200., 22
- Fox, R C & Naylor, B. G, 1982 A reconsideration of the relationships of the fossil amphibian Albonerpeion
- Canadian Journal of Earth Sciences, 19 (1): 118-128

  FROST, D. R., (ed.), 1985. Amphibian species of the world. Lawrence, Allen Press & Assoc Syst. Coll [1-w] + 1-v +
- [-732]
  GAO, K.-Q., CHENG, Z.-W. & Xu, X., 1998. First report of a Mesozoic urodele from China. Chinese Geology, 1 (248).
- 40-41, [In Chinese],
  GAO, K.-Q. & Shushis, N. H., 2001 Late Jurassic salamanders from northern China. Nature, 410 (6828, 574-577
  GAO, K.-Q. & Wang, Y., 2001 Mesozoic antirans from Liaoning Province, China, and phylogenetic relationships of
- GAO, K.-Q. & WANG, Y. 2001 Mesozoic anurans from Liaoning Province, China, and phylogenetic relationships of archaeobatrachian anuran clades. Journal of vertebrate Paleonology, 21 (3): 460-476
- GARCIA-PARIS, M. & MARTINEZ-SOLANO, 1, 2001 Nuevo estatus taxonomico para las poblaciones iberomediterraneas de Afriso obsteticam (Anura Discoglossidae). Revista española de Herpetologia, 15 99-113 GARCIA-PARIS, M. & WAKE, D. B. 2003. Molecular phologonetic analysis of relationships of the tropical salamander
- genera Osdipma and Notoriton, with descriptions of a new genus and three species Copen, 2000 (1) 42-70
  GARDLER, J. D., 1999 New albaner-pentoud amphibians from the Albian to Contacion of Utah, USA bridging the
  gap, Journal of Verebrate Policomiology, 19 (4): 622-638
- 2000 Albanerpetontid amphibians from the upper Cretaceous (Campanian and Maastrichtian) of North America. Geodiniersitas, 22 (3): 349-388
- Gerlach, J & Will, J, 2002 A new species of frog, genus Sooglossus (Anura, Sooglossidae) from Silhouette island, Sewhelles, Ambibba-Remba, 23 (4), 445-458.
- GIARRETTA, A. A. & AGUIAR, O. Jr., 1998. A new species of Megaelosia from Mantiqueira range, southeastern Brazil Journal of Herpetology, 32 (1): 80-83
- GIARFITA, A., BENNADE P S & KOKUBUM M N DE C , 2000 A new species of Proceratophrys (Anura Leptodactylidae) from the Amazon rain forest. Journal of Herpetology, 34 (2): 173-178
- Giaretta, A. A. & Sawara, R. J., 1998 Second species of Psyllophryne (Anura Brachycephalidae) Copeia, 1998 (4) 985-987
- GLAW, F., KOHLER, J., LÖTTERS, S. & VENCES, M., 1998. Vorlaufige Liste and Bibliographic neubeschriebener Amphibenarten und -uniterarten von 1993 bis 1997. Elaphy, 6 (1): +xxiv. GLAW, F. & VENCES, M., 1994. [Mid December] A fieldguide to the amphibiums and retuiles of Madarussear Second
- edition, including manimals and feshivater fish. Kolm, Vences & Glaw. 1-480, 48 pt. [Publication date according to F. Glaw]
- 2000 A new species of Mantidactylus from northeastern Madagascar with resurrection of Mantidactylus blancs (Guibé, 1974) (Amphibia, Anura, Ranidae). Spixiana, 23 (1): 71-83.
- 2001 Two new sibing species of Maundocylus cornutus from Madagascar (Amphibia, Anura, Ranidae) Spixiana, 24 (2): 177-190
- —— 2002a [30 April] A new sibling species of the anuran subgenus Blommerua from Madagascar (Amphibia Mantellidae Munidacriho) and its molecular phylogenetic relationships. The herpetological fournal 12 (1) 11-20. [Exact publication date: The herbetological fournal, 2002. 12 (2), back cooping.
- --- 2002b. A new cryptic treefrog species of the Boophis hieu group from Madagascar bioacoustic and genetic evidence (Amphibia, Anura, Mantellidae). Spixiana, 25 (2): 173-181.
- 2602c [15 October A new cryptic frog species of the Manudacishis boilenger group with a divergent vocal sac structure. Amphibia-Reptibia, 23 (3) 293. 314. [Exact publication date. Amphibia Reptiba, 2022, 23 (4) inside front cover].
- 2002d A new species of Manudaershis (Anura Manteilidae) from Andasibe in eastern Madagascar Journal of Herperology, 36 (3): 372-378
- GLAW, F., VELCES, M., ANDREINE, F. & VALLAN, D. 2001. Revision of the Bx pins major group (Amphibia Mantellidae) from Madagascar, with descriptions of five new species. Zwingrad Journa, 34 the Linneau, Society, 133 (4): 495-529.
- GLAW, F., VINCES, M. & BOHME, W., 1998. Systematic revision of the genus Aphypodactypin Boulenger, 1919.
  Amura Randac, and ana says of its pike ference relationships with other rander genera from Madagasca ("Inverse is a Boyle, "Anni Jantvoo and Mass cale." Journal of violenced Systemac, and experience Research, 36 (12) 17-37.
- GLAW F. VENCES, M. & GONSMANN, V. 2007. A new species of Montalactolic (Subgenus, Guibemann) from Madagaskar, with a comparative survey of internal femoral gland structure in the genus. Amphibia. Ramdae Mantellinae), Journal of natural History, 34 (2) (1133-1154.
- G BRITAN, S. W., 1974. (Inches) of world amplificans up to January 1, 1970. Saint John, The New Brunswick Museum. 1-173.

GORZIII A. S. & SEÑABIS C. 2000 - Una nueve especie del genero Ostascopholius (Anues, Hylidae) de la Gran Sahana Venezuela, Acta biologica venezuelica, "1996". 16 (4): 19-77

GRANT, T. 1998. Una nieva especie de Colorebus del grupo edinación de Colombia. Reinta de la Academia colombiana

de Common evactor, finear v matemales, 22 (84): 423-428

2000 Una nueva especie de Rhamblophryne (Anura Bufon dae) de la Cordillera Central de Colombia Revista de la Academia conombiano de Cuncias eracias fucas y naturales, "1999", 23 (Sunlemento especial), 287-292 Printing finished in February 2000 according to last page of fasciclel.

Grant, T & Ardila-Robayo, M C, 2002 [23 May] A new success of Colostethus (Anura Dendrobatidae) from the eastern slones of the Cordillera Oriental of Colombia Herbishionea, 58 (2) 252-260. [Exact publication date

Herpetologica, 2002, 58 (3): 393]

Grant, T. & Castro, F., 198. The cloud forest Colonicitus (Anara, Dendrobatidge) of a region of the Cordillera GRANT, T. & CASTRO, F., 1998. The cloud forest Colonidius (Anara, Dendrobatidae) of a region of the Conditiera Occidental of Colombia. Journal of Herpetology, 32 (3): 378-392. GRANT, T. HIMPHREV, E. C. & MYRES, C. W. 1997. The median lingual process of frogs. a bizarre character of Old

World ranged discovered in South American dendrobatids. American Museum Nonitaies, 3212: 1 40.

GRANT, T & RODRÍGUEZ, L. O , 2001 Two new species of frogs of the genus Colostethus (Dendrobatidae) from Peru and a redescription of C. trilmeatus (Boulenger, 1883) American Museum Novuates, 3355 1-24.

Gu. H., 1992. A new species of Hymobius. Hymobius amiensis. In Y. Olan, E. Zhao & K. Zhao. (ed.), Animal science wearch A salums would to cichnate the 90° hardan of Professor Mane-near I. Y Chang, Benno, China Forestry Press, "1991": 39-43. [In Chinese]. [Publication date: ZHAO & ADLER, 1993: 372]

GURIN, Y. M., 1991. Palencene salamanders from southern Mongolia, Paleontologichesku Zhurnal, 1991 (1), 96-106. 1999 Ghhards (Anura) from the Huner Cretaceous locality Khermeen-Tsay (Golu Desert, Mongolia)

Paleontologichesku Zhurnai, 1991 (1): 76-87.

Society of Washington, 112 (1): 1-18

GUNTHER, R., 1985 Ordnung Anura, Proschurche, In. W. E. ENGELMANN, I. FRITZSCHE, R. GÜNTHER & F. I. ORST.

Lurche and Kreechnere Europay, Lengua & Rudebeul, Neumann: 113-184

Iran Iava, with descriptions of new species. Mittellimen aus dem Museum für Naturhunde in Berlin, Zoologische Reshe. 75 (2): 317-335 - 2000 Albertus lauren species nova, the first record of the genus Albertus (Anura, Microhylidae) from the west

of New Guines. Mittellingen aus dem Museum für Naturbunde in Berlin. Zooloniche Reihe. 76 (2): 167-174. - -- 2001 The Papuan frog genus Hylophorbus (Anura Microhylidae) is not monospecific description of six new

species, Russian Journal of Heroetology, 8 (2): 81-104

- 2002a Westernmost records of the Papuan frog genus Googia with descriptions of two new species (Amphibia Anura Microhylidae) Faumstische Abhandlungen, Staatliches Museum für Tierkunde Dresden, 23 (2) 35-58

---- 2002b Beschreibung einer neuen Gobiida-Art (Amphibia, Anura, Microhylidae) von der Insel Yapen im Nordwesten von Panus, Indonessen Zoolusische Abhandsungen, Staatisches Museum für Tierkunde Dreiden, 52 77-86

GUNTHER, R. & RICHARDS, S., 2000 A new species from the Litoria gracilenta group from Irian Jaya (Anura Hylidae) Herberozoa, 13 (1-2): 27-43

GÜNTHER, R., RICHARDS, S & ISKANDAR, D., 2001 Two new species of the genus Orcophryne from Irian Java,

Indonesia (Amphibia, Anura, Microhylidae), Spixiana, 24 (3), 257-274 HANKEN, J & WAKE, D B, 1998 Biology of tiny animals systematics of the minute salamanders (Thornis Plethodortidae) from Veracruz and Puepia. Mexico, with descriptions of five new species. Gobera, 1998 (2)

312 345 --- 2011 [10 December] A seventh species of minute salamander (Thorner Plethodonudge) from the Sierra de Juarez, Mexico, Herpetologica, 57 (4) 515-523 [Exact publication date. Herpetologica, 2002, 58 [1] 138]

HANKEN, J., WAKE, D. B. & FREEMAN, H. L., 1999 Three new species of minute salamanders (Thorus Plethodontidae, from Guerrero, Mexico, including the report of a novel dental polymorphism in Urodeles. Copera, 1999 (4): 917-931

HARDY, I D Ir 2001 A new frog of the genus Eleutheroducty his from the island of Tobago, West Indies Bulletin of the Maryland herpetological Society, 37 (1). 25-31.

HARVEY, M. B & P ERGLETA S. (1998. A new species of Phrynogia (Anura: Leptodactybdae) from Elfin Forest in

Bolivian Andes. Journal of Herpetology, 32 (4): 536-540 HARVEY, M. B., PEMBERTON, A. J. & SMITH, F. N., 2007. New and poorly known parachuting frogs. Rhacophoridae

Rhacophorus) from Sumatra and Java Herpetological Monographs, 16, 46-92 HE, X., 1999. A new species of the family Rhacophoridae. Polypediates piercusis. Stehnan Tournal of Zonozy, 18 (3).

99-100 HENRICI, A. C., 1998. A new pipoid anuran from the Late Lirassic Morrison Formation at Dinosaur National

Monument, Utah. Journal of vertebrate Paleontology, 18 (2): 321-332 HENRICI, A. C. & BAEZ, A. M., 2001 First occurrence of Xenopus (Anura Prodae) on the Arabian peninsula a new

species from the upper Oligocene of Yemen. Journal of Paleontology, 75 (4): 870-882 HEYER, W. R., 1999 A new genus and species of frog from Bahia, Brazil (Amphibia Anura Leptodacty.idae) with comments on the zoogeography of the Brazilian campos rupestres. Proceedings of the biological Society of

Washington, 112 (1), 19-39 HEYER, W. R. & MUNOZ, A. M., 1999. Validation of Lloutheroduction repotants Bokermann. 1965, notes on the types and type Is calify of Elatron a heterodictytum Miranda-Ribeiro, 1987, and description of a new species of Fleuth rodge roles from Mato Grosso Brazil, Amphibia Anara Leptodactylidae) Proceedings of the mological

- HIGHTON, R., 1999 [2 March]. Geographic protein variation and speciation in the salamanders of the Plethodon interior group with the description of two new species. Herpetologica, 55 (1) 43-90 [Exact publication date Herbetological point 95 (20): 2931.
- Hostrov, R. & Passonv, R. B., 2009. Geograph, protein variation and speciation in slammanders of the Plenholm portion and Plenholm planning complexes in the construct Appelachem Mountains with the description of Sournew species. In R. C. Brucz, R. G. Jasons & L. D. Houck (ed.), The biology of plenholmed salamenders, K.uwer Academoc & Plennum Publishers, 31-94.
- HILLS, D. M., CHARBELLAN, D. A., WILLOY, T. P. & CHIPPENDAE, P. T., 2001 [14 September]. A new spoess of subterracea bland salamander (Pfenhodounde Hemidecylum Eurysox (Tymhonolog) from Austria, Texas, and a systematic revision of central Texas psecionorphic salamanders. Herpicologica, 57 (1): 266-280 [Exact publication date: Hemeologica, 2001, 57 (4).
- HOLMAN, J. & FLARRISON, D. L., 2002. A new Thaumastoraurus (Anura familia incertae sechs) from the late Eccene of England, with remarks on the taxonomic and 200geographic relationships of the genus Journal of Herpetology, 36 (4), 621–626.
- HOSSIN, S, 2000 Un nouveau discoglosside (Amphibia, Anura) dans le Miocene supérieur du gisement marocain
  "Oued Zra" Comptes rendus de l'Academie des Sciences, (II), (a) Sciences de la Terre et des Planetes, 331 (9)
  521.565
- Hossin, S. & Rage, J.-C., 2000 Palaeobatrachid frogs from the earliest Miocene (Agenran) of France, with description of a new species. Geodori Villeurhanne, 33 (2): 223-231
- HUANG, Y. & YE, C., 1997 A new species of the genus Lurana (Amphibia Ran,dae) from Xizang, China Cultum herbetologica sinica, 6-7, 113-115. [In Chinesel].
- INGER, R. F. & KOTTELAT, M., 1998. A new species of ramid frog from Laos. The Raffles Bulletin of Zoology, 46 (1) 29-34.
  INGER, R. F., ORLOV, N. & DAREVSKY, I. S., 1999. Frogs of Vietnam: a report on new collections. Fieldman. Zoology.
- INGER, R. F., ORLOV, N. & DAREUSKY, I. S., 1999. Frogs of Vietnam: a report on new collections. Figidiana. Zoology, (n. s.), 92. i-iv. + 1-46.
  INGER, R. F., TAN, F. L. & YAMBUN, P. 2001. A new species of toad of the zerous Antonia (Anura Bufonidae) from
- INGER, R. F., TAN, F. L. & YAMBUN, P., 2001. A new species of toad of the genus Antonia (Anura Bulomdae) from Borneo. The Raffles Bulleun of Zoology, 49 (1), 35-37.

  INGER, R. F. 1998. Novo general de Hylidge President (Amphibya Anura). Resista Hussersidade viinal. Constant de Resistant and Constant de Resistant and Constant de Resistant de
- IZECKSONN, E., 1998 Novo genero de Hybidae brasileiro (Amphibia, Anura) Revista Universidade rural, Ciencias da Vida, "1996", 18 (1-2) 47-52. [Publication date: Zoological Record, 1999, 135 (16): 28]
  IACEMAN, T. R. 1998 Mosecular and historical evidence for the introduction of clouded salamanders (cents.)
- Aneude) to Vancouver Island, British Columbia, Canada, from California Canadian Journal of Zoology, 76 (8) 1570-1580.
  JENKINS, F. A. Jr. & Walsh, D. M., 1993 An early Jurassic caecilian with limbs. Nature, 365 (6443) 246-250
- JI SHU'AN & Ji Qiang, 1998 The first Mesozoic frog fossil from China (Amphibia Anura) Chinese Geology, 3 (250) 39-42. [In Chinese]
  JANO, J. DUROSI, A., OHI ER, A., TILLIER, A., CHEN, X., XIE, F. & STÖCK, M., 2005. Phylogenetic relamonshins of
- the terbe Pann (Amphibia, Anura, Ranidae) based on partial sequences of mitochondrial 12s and 16s rRNA genes. Zoological Science, 22, 353-362.

  Ilang, I. Fali, J. Yi. C. Zishig, X. Zifen, M., Xie, F. & Chen, Y., 1997. Studies on the taxonomics [sic] of species
- JIANNS J. J. P.B., L. Y. B., V. ZENG, A. ZERN, M., AIE, F. & CHEN, Y. 1997. Sutures on the taxontomics [stc] of species of Pseudorana and discussions on the phelogenetical [sc] relationships with its relative general Cultum harpetologica sinuta, 6-7, 67-74, [In Chinese]
  ILMNG, J. FEI, L. ZHENG, M., YE, C. XIE, F. & CHEN, Y. 2002
  Description of Megophrys transversis (Adura,
- Pelobandae) from Sichuan, China, with discussion on the relationships of its related species. Herpetologica sinica, 9, 80-87

  IANG, I & ZROU, K. 2005 Phylogenetic relationships among Chinese ranids inferred from sequence data set of 12s
- and 16s rDNA, Herpetological Journal, 15, 1-8

  Torkusch, F. L., Ware, D. B. & Yangy, K. P. 1998. New species of slender salamanders. Batrachowns (Amphibia)
- Plethodontidae, from the Sierra Nevada of California Contributions in Science, Los Angeles, 472 1-17

  JOCKSCH, E. L., YANEV, K. P. & WARE, D. B., 2001 Molecular phylogenetic analysis of slender salamanders, genus

  Battachouse (Ambabba Plethodontidae), from central coastal. California, with descriptions of four new
- Barachouse (Amphiba Picthodontidae), from central coastal Californa with descriptions of four new species. Hepsteological Monographs, 15–34-99
  [NINGER, K. H. & HÖDI, W., 2002 [24 April] A new species of Ostoocphalus from Ecuadon and a redescription of Oloreuru Dumeni & Barron, 1841] A nursa. Hyldae). Amphiba-Rephalus, 23 (1) 21-46. [Exact outblication
- date. Amphibia-Republa, 2002, 23 (2) inside front cover]

  Jungers, K. H. & Lehr, E., 2001. A new species of Otteocephalus with incoloured iris from Pozuzo (Peru
  Denvirtannet de Perco) (Amphibia Aprica Haldae). Zoodotiche Abhandhuson, Vezathe her Museum, fin
- Departamento de Pasco) (Amphibia Anura Hylidae) Zoologische Abhandlungen, Staathiches Museum für Treckunde Dreiden, 51 (19) 321-329
- JUNGFER, K. H., Lotters, S. & Jorgens, D., 2000 Der kleinste Pfeilgiftfrosch eine neue Dendrobates-Art aus West Panama. Herpetofauma, 22 (129): 11-18
- JUNGFER, K.-H., RON, S., SEIPP, R. & ALMENDARIZ, A., 7:060 [3 October] Two new species of hylid frogs, genus Oseocophalus, from Amazonama Ecuador. Amphibia-Repitha, 21 (3): 327-340 [Exact publication date Amphibia-Repitha, 2000, 21 (4). inside front cover]
- Khan, M. S., 2001. Notes on cramal-ridged toads of Pakistan and description of a new subspecies. (Amphibia Bufonidae). Pakistan Journal of Zoology, 33 (4): 293-298.
- KOHLER, G., 7.002 [23 May] A new species of salamander of the genus Nototruon from Nicaragua (Amphibia Caudata Plethodontidae) Herpetologica, 58 (2) 205-2.0 [Exact publication date Herpetologica, 2002, 58-3) 1031

KÖHLER, G. & McCrainte, J. R., 1999 A new species of salamander from Volcan Mombacho. Nicaragua, formerly referred to Behitoglasia striantia (Amphibas, Caudata, Plethodontidae). Sencknobergiana biologica, 79 (1):89-93 KÖHLER, L. 2000.2. A new species of Philograpus Hever from the Chapater region of Bollivas, with notes on Philograpus.

carrascoscola (Amphibia, Anura, Leptodactylidae) Spixiana, 23 (1): 47-53

- 2000 New species of Eleutherodactylus (Anura Leptodactyludae, from cloud forest of Bolivia Copeia, 2000 (2) 516-520
- KÖMLER, J. & LÖTTERS, S., 1999 New species of the Eleutherodactylus umstrigatus group (Amphibia. Anura. Leptodactylidae) from montane rain forest of Bohyna. Copesa, 1999 (2): 422-427.
- 2001 a A new species of minute Hyla from the southwestern Amazon Basin (Amphibia, Anura, Hyladae) Studies on neotropical Fauna and Environment, 36 (2): 105-112.
  2001 b. Decembro of a small ten from a group Hyla (Anura, Hyladae) from human dandern slopes of Boliusa.
- —— 2001b Description of a small tree frog, genus Hyla (Anura Hylidae), from humid Andean slopes of Bolivia Salamandra, 37 (3), 175-184.
  KÖHLER, I. MORALES, V. R. LÖTTERS, S., REICHLE, S. & APARICIO, J., 1998. A new green species of frog, genus
- Eleutherodactylus, from Bolivia and Peru, Studies on neotropical Fauna and Environment, 33 (2-3) 93-99

  Kou, Z. T. Hu, L.S. & Gao, C. W. 2001. A new energies of the genus Polysodorus from Yimpan, Chips (Amphilyan)
- KOU, Z.-T., HU, J.-S. & GAO, C.-W. 2001 A new species of the genus Polypedates from Yunnan, China (Amphibian Reacophordide). Acta zootaxonomica sinica, 26 (2): 229-233. [In Chinese]
  KPALIN F. & ALLINDA A. 2006. Two pure superior of Conditionalist from New Groups. Journal of Herbetolom. 34 (4)
- Reads, P. & Allison, A., 2000 Two new species of Cophicalis from New Guinea. Journal of Herpetology, 34 (4, 535-54)
- —— 2001 [24 May] A review of the endemic New Guinea microhylid genus Choerophryne Herpetologica, 57 (2): 214-232. [Exact publication date. Herpetologica, 2001, 57 (3), 406]. 2001 [26 February] A new species of Xinoholatachus Anuan Microhyldae) from northern Papua New Guinea.
- Herpetologica, 58 (1): 56-66. [Exact publication date: Herpetologica, 2004, 58 (2): 275]

  KRISHNAMUSTHY, S. V. MANIUNATHA REDDY, A. H. & GURDSHA, K. V. 2001. A new species of frog in the genus
- Nyenhamachu (Anura Randae) from Western Ghats, India Currun Scome, 80 (7): 887-89.
  Kwert, A. 2000 (31 March)
  The genus Pracida, Anura Pesadodae, in Rio Grande do Sul, southern Brazil, with description of a new species. Amphibia-Repulsa, 21 (1): 39-55. [Exact publication date: Amphibia-Repulsa, 2000, 21 (2): mode from cower.
- populations of the genus. Ahres, 20 (1.2). 28-43. [Exact publication date obtained directly from publisher].
  KWET, A. & DI BERNARDO, M., 1998. Elaclustedess erythrogatter, a new microhylid species from Rio Grande do Sul, Brazil. Studies on notropical Fauna and Environment, 33 (1): 7-18.
- KWET, A. & FAVOVICH, J. 2001 Processophysy biglibbos species group (Anura Leptodactylidae), with description of a new species. Copera, 2001 (1): 203-215.
  LA MARCA, E. 1996. Baias del genero Colorichius (Amphibia Anura Dendrobatidae) de la guavana venezolana con
- LAMARCA, E., 1979 Ranas del genero Colostellus (Ampinibia Anura Dendrobatdae) de la guayana venezoiana con la descripción de siete especies nuecas. Publicaciones de la Asociación de Amigos de Doñana, y 1-64 LANGONE, J. A, & SEGALIA, M. V., 1996 Una nueva especie de Equitorodacivita del Estado de Parana, Brasil
- Comunicaciones Zoologicas del Museo de Historia Natural de Monteudeo, 12 (185): 1-8

  Lanza, B., Leo, P., Forti, G., Cimmaruta, R., Caputo, V. & Nascetti, G., 2001 Descrizione preliminare dello
- Spelcomantes ingeraults surrabuscurs subsp. n. (Amphibus Caudata Piethodontidae). Paourie, 13 83-84
  LARIERM, M. J., 1997. Two new species of Probadians Boulenger, 1917 (Amphibus Anura Randele from Ethiopas,
  with observations on other members of the genus recorded from this country and a tentative key for their
  identification. Thoseia Zoolevi. 19 123-24-50.
  - 2000 Another new species of Psychadena Boulenger .917 from Ethiopia (Amphibia Anura Ranidae) Tropical Zoology, 13 (1): 171-178
- ---- 2001 The status of the genus *Phrynobatrachus* Gunther 1862 in Ethiopia and Entrea, including description of a new species (Amphibia Anura Raindae). *Tropical Zoology*, 14 (2): 287-306

  LATHROP, A., MURPHY, R. W., ORLOV, N. L. & Ho, C. T., 1998 Two new species of *Leptobrachium* (Anura,
- Megophrydae) from the central highlands of Ventram with a redescription of Lepiobachium (climate). Megophrydae from the central highlands of Ventram with a redescription of Lepiobachium chapters. Russian Journal of Herperology, 5 (1) 51-60

  LATHROP A MURCHLY, R.W., ORLOW, N. L. & Ho, C. T., 1986 [12 August]. Two new species of Lepiolalax (Anura
- Megophrydae) from northern Veenam Amphibae-Repulta, 19 (3): 253-267. [Exact publicate values Amphibae-Repulta, 1988, 19 (4): msde front cover]

  LNILLE G & ERGUER, P., 1995. Una nueva especie de Jehnaudens (Anura Leptodaervlidae del sudoeste de
- Bolivia Ecologia en Bolivia, 24 91-101

  LAVILLA, E. O. & Ercu Fra Sandovat, P. 1999 [8 February] A new Bolivian species of the genus Telmatobias (Anura
- Leptodactylidaey with a humeral spine Amphibia-Repuba, 20 (1 55-64 [Exact publication date Amphibia-Republa, 1992, 20 (2): inside front cover)
  Lawson, P. D. 2000 [29 February] A new caecilian from Cameroon, Africa Amphibia Gymnophonia Scoleco
- LAWSON, P. D., 2010 Les Pectuary] A new casedian from Cameroon, Artica (Amphiosa Gymnopional Scoleco morphidae). Herpetologica, 26 (1): 77-80. [Exact publication date. Herpetologica, 2000, 56 (2): 238 [LAZELla\_], 1988. New salamander of the genus Plethodon from Mussissippi, Copeta, 1998 (4): 961-970
- LEHR, E., 2001. A new species of *Physiopus*. Anura. Leptodactyhdae) from the eastern Andean slopes of centra.

  Peru. Salamandra, 37 (1): 11-20.
  - LEIR, F. & AGURAR, C., 2007 A new species of Phronopus (Ampinbia, Anura, Leptodactylidae) from the puna of Maraypata (Departamento de Haanuco, Peru, Zwdogishe Abhandlungen, Stantiches Museum für Tierkusde Dreidin, 52–57-64.

- LEHR, E., AGUILAR, C. & KÖHLER, G., 2002. Two sympatric new species of Phrynopus (Anura, Leptodactylidae) from a cloud forest in the Peruvian Andes. Towned of Harbotologu, 36 (2): 208-216.
- Leirs, E., Köhlers, G., Aguilar, C. & Ponce, E., 2001 New species of *Bufo* (Anira Bufonidae) from central Peru *Capera*, 2001 (1), 216-223.
- LEHR, E., KÖHLER, G. & PONCE, E., 2000 A new species of *Phrynopus* from Peru (Amphibia, Anura, Leptodactylidge). Smokenherstrang Redomon. 80 (1-2): 205-212
- LEHR, E., RODRIGUEZ, D. & CORDOVA, J. H., 2002. A new species of Phrynopus (Amphibia, Anura, Leptodactylidae) from the Cordillera de Carpish (Departamento de Huánuco, Peru). Zoologuche Abhandlungen, Staatliches Museum for Technologic Devictor. 37: 64.
- Museum fur Tierhunde Dresden, \$2: 65-70
  LESCURE, J. & Marty C., 2000 Adia des Amphibiens de Guyane Paris, MNHN, Patrimoines Naturels, 45 [v. 1] + 1-390
  LIMA, A. P. & CALINWELL, I. P., 2001 124 Max. I. A new Amazonian species of Coloradius with sky blue digits.
- Herpetologica, 57 (2): 180-189. [Exact publication date: Herpetologica, 2001, 57 (3): 406].
  LITVINGHUX, S. N., BORKIN, L. J., DÜUKIC, G., ΚΑΙΕΣΙĆ, M. L., ΚΙΑΙΙΤURIN, M. D. & ROSANOV, J. M., 1999
  Taxonomic status of Triturus karehum on the Balkans, with some comments about other crested new taxa
- Russian Journal of Herpetology, 6 (2), 153-163

  Liu, M., Zhang, S. & Liu, M., 1993. A new species of Ranidae from Lisoning, China (Anaura) [sic] Acta zonazanomica timca. B (64): 493-497.
- Liu, W. & Yans, D., 2000 [J June] A new species of Amologs (Anura Ranidae) from Yunnan, China, with a discussion of Karyological diversity in Amologi Herpetologica, 56 (2) 231-238 [Exact publication date Herbenologica, 2000. 65 (3):411]
- Lit., W , Yang, D , Ferraris, C & Matsui, M , 2000 Amologs bellulus a new species of stream-breading frog from
- western Yunnan, Chana (Anura, Ranufae). Copens, 2009 (2): 536-541.

  LOTTERS, S., 2003. Boulengenula jurkern Nursbaum and Hankel, 1994 is an objective junior synonym and a homonym of Boulengenula juskiern Nursbaum and Hinkel in Fischer and Hinkel, 1992 (Amphitia, Gymnophiona).

  Herecuboraci Rennes. 4 (4), 211.
- Herpetological Reviews, 34 (3). 211.

  LOTTERS, S, HAAS, W, Scirick, S & BÖIME, W, 2002 On the systematics of the harlequin frogs (Amphibia Bufonidae Atelopus) from Amazonia I Description of a new species from the Cordillera Azul, Peru Salamandra, 38 (7), 95-104.
- Salamanara, 38 (2): 93-104.
  LÖTTERS, S. & HENZL, M. J., 2000. A new species of Atelapus (Anura Bufon.dae) from the Serrania de Sira, Amazonian Peris Yournal of Herpetology, 34 (2): 169-173.
- Amazonian Peru Journal of Herpetology, 34 (2): 169-173

  LÖTTERS, S., JUNGFER, K.-H. & WIDMER, A., 2000 A new genus of aposematic poison frog (Amph.b.a Anura
  Dendrobatidae) from the upper Amazon Basin, with notes on its reproductive biology and tadpole morphol-
- ogy, Jahrethefte der Gesellschaft für Naturkunde in Würtumberg, 156 233-243.

  LÖTTERS, S. & KOHLER, J., 2000 A new toad of the Bufo ryphonus complex from humid montane forests of Bohvia
- (Amphibas, Anura, Bufonidae). Sparazina, 23 (3): 293-303.

  Lu, Y. Y. & Lu, P. P., 2002 A new wood-frog of the genus Rana in Mt. Kunya, Shandong Province, China (Amphibas: Anura' Randae). Acts observationally and the control of the genus Rana in Mt. Kunya, Shandong Province, China (Amphibas: Anura' Randae). Acts observationness and the control of the genus Rana in Mt. Kunya, Shandong Province, China (Amphibas: Anura' Randae). Acts observationness and the control of the genus Rana in Mt. Kunya, Shandong Province, China (Amphibas: Anura' Randae).
- (Amphibia: Anura' Randae) Acta zootaxonomica sinica, 27 (1): 162-166. [In Chinese]
  I.YNCH, J. D., 1998a. New species of Fleinherodictylus from the Cordillera Occidental of western Colombia with a synopsis of the distributions of species in western Colombia. Revista di a Academia colombiana de Ciencias.
- syntopss of the distribution of species in western Coolings revisit in a reducement communities of the species in western Coolings revisit in a reducement communities of the species of t
- 2000 A new species of frog, genus Eleutherodactylus (Leptodactylidae), from the Sabana de Bogota Revista de la Academia colombiana de Ciencias exactas, físicas y naturales, 24 (92), 435-439.
- 2001.a A small amphibian fauna from a previously unexplored paramo of the Cordillera Occidental in western Colombia, Journal of Herpetology, 35 (2): 226-231.
- 2001b Three new rainfrogs of the Eleutheroductivius diastenta group from Colombia and Panama Revista de la Academia colombiana de Guncias exactas, fisicas y naturales, 25 (95): 287-297.
- 200? A new species of the genus Ossewephalus (Hylidae Anura) from the western Amazon Revisa de la Academia colombiana de Cuencias exactas, fisicas y naturales, 26 (98): 269-292. LYNJI, J D & ARDILA ROSAYO, M C, 1999. The Fleinberholarchist of the tolematus complex in western Colombia.
- taxonomy and distribution. Revista de la Academia colombiana de Ciciusas exastas, fisicas y naturales. 23 (89), 615-624. LNRGH I D & RUEDO-ALMONACID, I V. 1998a. Additional new species of frogs. genus Ecutherodaciv-hi) from cloud
- LINGH J D & RUEDA-ALMONACID, J V, 1995a Additional new species of trogs: genus Leutheodactivis) from cloud forests of eastern Departamento de Caldas, Colombia Revista de la Academia Acombiana de Ciencias exacias, físicas y naturales, 22 (83), 287-298
- 1988. New frogs of the genus Eleutherodactylus from the eastern flank of the northern Cordulera Central of Colombia Reusta de la Academia colombiana de Ciencias exectas, fincas y marindes, 22 (85) '601-570 '999 New species of frogs from low and moderate e-eartons from the Caldas transpect of the eastern flank of
- the Cordilera Central Revista de la Academia colombiana de Grencias cacetas, fisicas y naturales, 23 (83) 301-314
  LYNCH, J. D. & SUAREZ MAYOKA, A. M., "2000. A new frog. Jetenlarodas vivia. I exprodactylidae, from the southern
  part of the Cerdillera Oriental of Colombia. Revisa de la Academia colombiana de Chestias Grafie, fisicas."
- MacCulatori, P. O. & Larmon A. 2017 [6 August.] Exceptional diversity of Visional (Anura Hylidae) on mount Anaganna Gunar three new species and new distributional records. Harpandogus, 58 (3 337 346 [Fact publication date. Herpandogus, 2002, 58 (9) 594]

- MAHONY, M., KNOWLES, R., FOSTER, R. & DONNELLAN, S. 2001 Systematucs of the Litoria citropa (Anura' Hylidae) complex in northern New South Wales and southern Queensland, Australia, with the description of a new spaces. Records of the Autralian Museum 53: 37-48.
- - natural History, 5 (2): 121-133.

    2001b. Polypedates fastigo, a new tree frog (Ranidae Rhacophorinae) from Sri Lanka Journal of South Asian
- natural Hutray, 5 (2), 191–199.

  MANTHEY, U & STEIOF, C., 1998. Rhacophorus eyanopunctatus sp. n. (Anura Rhacophorudae), em neuer Flugfrosch von der Maluschen Halbursel. Surmatra und Bornes. Saura. 20 (3), 37–42.
- von der Malauschen Halbinsel, Sumatra und Borneo. Sauria, 20 (3), 37-42.

  Martino, A. L. & Sinsch, U., 2002. Speciation by polyploidy in Odoniophrynus americanus. Journal of Zoology.
- London, 257 (1): 67-81

  Matsut, M., Nashitashitata, J. & Panha, S., 1998 [29 December]

  A new Ansonia from northern Thailand (Anura
- —— 1999 On Leptobrachium from Thailand with a description of a new species (Anura Pelobatidae), Japanese Journal of Herpstology, 18 (1): 19-29
  McCrannie, J. R. & Köhler, G. 1999a — A new species of salamander of the Belitoplassa dumni group from Cerro FI
- Pital, Honduras and El Salvador (Amphibia, Caudata, Piethodontidae) Senkenbergana biologica, 78 (12) 225-229

  1999a A new species of rainfrog of the Fleightendarylus collinear group from western Honduras. Senkenberganan
- 1999b A new species of rainfrog of the Eleutherodactylus gollmen group from western Honduras Senckenbergiana biologica, 79 (1): 83-87
  MCCRANIE, I. R. & WILSON, I. D., 1997. Two new species of salamanders (Caudata: Plethodoptidae) of the general
- Processing 1 to witsons, 2. D. 1997. Two flew species of saturations: Caudata: Flectionolitide; of the general Bohoglosia and Notorition from Parque Nacional La Muralla, Honduras. Proceedings of the biological Society of Washington, 110 (3): 366-372.
- —— 1988 Specific status of the Honduran frogs formerly referred to Plectrohyla teuchestes Journal of Herpetology, 32 (1) 96-101 [1990a. Description of a new species of Plectrohyla from Certo Celsoue, Honduras, formerly referred to
- Plestrohyla glandulosa (Amphibia, Anura, Hylidae). Senckenbergiana biologica, 78 (12), 231 (236, 1996). Two new species of the Eleutherodactylus rigulosus group (Amphibia Anura Leptodactylidae) from
- Honduras, Proceedings of the biological Society of Washington, 112 (3), 515-522.

  2000 A new species of high-crested toad of the Bufo valliceps group from north-central Honduras. Journal of
- Herpetology, 34 (1): 21-31

  MCCRAINE, J. R., WILSON, L. D. & POLISAR, J., 1998 [29 December]

  Another new montane salamander (Amphibia

  Caudata Plethodomical from Parque Nacional Santa Barbara, Honduras Herpetologica, 54 (4), 455-461
- [Exact publication date Herpetologica, 1999, 55 (1): 129].
  McDonald, K. R., 1997 A new stream-dwelling Litera from the Melville Range, Australia Memory of the
- Queensland Museum, 42 (1): 307-309

  McGown, G & Fynns, S E. 1995

  Albaneroetonud amphibians from the Cretaceous of Spain Nature, 373 (6510)
- 143-145
  MENDELSON, J. R., III & CAMPBELL, J. A., 1999 [9 March] The taxonomic status of populations referred to Hyla chaegue in southern Mexico, with the description of a new treefrog from Oaxaca Tournal of Herbetolory. 33
- (1). 80-86. [Publication date according to inside front cover of fascicle].
  MENDES CASTANHO, L. & HADDAD, C. F. B., 2000. [4 August]. New species of Eleutherodactivitis (Amphibia Leptoactividae, from Guaraquecaba, Atlantic Porest of Braul Contra. 2000. [3, 179-78]. [Publication date
- according to front cover of fascicle Menzies, J. I., 1999 A study of Alberius (Anura Microhylidae) of New Guinea. Australian Journal of Zoology, 47 (4)
- 327-360

  Mercanal, Dr. Barrio, I.T. & A. Barrio (1994). Reconsideration del genero Pseudonaludicale de Argentina y
- descripcion de dos nuevas especies P murandae y P riopiedadensis (Amphibia, Ânuta) Revista del Musco argentino de Ciencias naturales "Bernardino Rivadavia", 16 (6) 65-80 Mijares-User ITA, A, 1988. Una nueva especie de rana arborrocia (Amphibia Hyldae Hyla) de un bosque nublado
- MIJARES-URRUTIA, A., 1998. Una nueva especie de rana arboricola (Amphibia Hylidae Hyla) de un bosque nublado del oeste de Venezuela. Revista brasileira de Biologia, 58 (4): 659-663
- MIJARES-URRUTIA, A & ARENDS R, A, 1999a [2 March] A new Mannophryne (Anura Dendrobatidae) from western Vernezuela, with comments on the generic allocation of Constetinis larandinus Herpetologica, 55 (1) 106-114 [Exact publication data Herpetologica, 1999, 55 (2), 291.
- —— 1999b. Un nuevo Mannophryne (Anurs: Dendrobatidae) del Estado Falcon, con comentarios sobre la conservación del genero en el noroeste de Nenezuela Carribboan Journal of Scienca, 35 (3-4): 231-237 2001 [10 December]. A new toad of the Bulo margarium complex (Amphibias Bulonidae) from northwestern.
- Veneruela Herpstologou, 57 (4): 523-531. [Euset publication date Herpstologou, 5002, 58 (1), 138 [Appas-Uberst, JA, A, MANASHLA-PUPCO, B & IA, MARCA, E. 2000. Una naeva especia de Epsinhola (Anura Hylidae) del noroeste de Venerue a, con comentiarios sobre su bogeografia. Resenta de Biologia tropicali, "1999", 47 (3): 1099-1110 [Printing finished in July 2000 according to last page of fascia.
- Mijares-Urruzia, A. & Rivero, R. A., 2000 A new treefrog from the Sierra de Arora northern Venezuela Journal of Herpetology, 34 (1): 80-84
- MIYNABSKI, M. SZYNDIAR, Z., ESTES, R. & SANCHIZ, B., 1984. Amphibians and reptiles from the Phocene locality of Weze 2 near Działoszyn (Poland). Acta palacontologica polonica, 29 (3-4): 209-226.

- MORALS, V. R., 2002. Sistematica y biogeografia del grupo refinentia (Amphibu, Anura, Dendrobandae, Cofeitellur), con descripcion de once nuevas especies. Publicaciones de la Asociación de Amigos de Doñana, "2007", 13 1.59 [Published in April 2002 according to personal communication of V. R. Morales to R. I.
- MORALES, V. R. & VELAZCO, P. M., 1998 [I December] Una especie nueva de Epipedobates (Amphibia, Anura, Dendrobatidas) de Peru Amphibia-Repulia, 19 (4) 169-376 [Exact publication date Amphibia-Repulia, 20 (1) inside front convert.
- MYERS, C. W. & Donnelly, M. A., 1997 A Tepui herpetofsuna on a granitic mountain (Tamacuari) in the borderland between Venezuela and Brazil report from the Phipps Tapurapeco expedition. American Museum Numbers, 2313: 1-21.
- Novandas, 34.3 1-71
  2001. Heppetofauna of the Yutaje-Corocoro massif, Venezuela: second report from the Robert G Goeket American museum-Terramar expedition to the northwestern Tepuis. Bulletin of the American Museum of named History, 261, 1-85.
- MYERS, C. W., RODRIGUEZ, L. O. & ICOCHEA, J., 1998 Epipedobates simulans, a new cryptic species of poison frog from southeastern Peru, with notes on E-macow and E-peteru (Dendrobatidae) American Museum Novitaies, 328 1,20
- NAPOLI, M. F. & CARAMASCHI, U., 1998. Duas novas espécies de Hyla Laurenti, 1768 do Brasil central afins de H ritaennata Bokermann, 1965 (Amphibia, Anura, Hylidae). Bolstim do Museu Nacional Río de Janeiro, 391. 1-
- --- 1999a Variation and description of two new Brazilian Hyla of the H. tritaemata complex (Amphibia, Anura, Huladae). Bolistim da Museu Nacomal Zaalogia, Rio de Janeiro, (n.s.). 407: [...]
- Hytidae) Boletim do Museu Nacional, Zoologia, Kio de Jineiro, (n. s.), 407 1-11.

   1999 [17] June] Goographic variation of Hyla rubecurdula and Hyla antialismus, with the description of a new species (Anura, Hylidae) Alvies, 16 (3-4) 105 189 [Exact publication date obtained directly from publisher]
- 2000 [30 June] Description and variation of a new Brazilian species of the Hyla rubiciondula group (Anura, Hylider). Alute. 17 (3-d): 165-184 [Exact publication date obtained directly from published]
- NASCIMENTO, L. B., POMBAL, J. P. Jr. & HADDAD, C. F. B., 2001. A new frog of the genus Hybides (Amphibia Leptodactylidae, from Minas Gerais, Brazil Journal of Zoology, London, 284, 4(4), 421–428. + cover.
  NASTAD B. G., 1983. A new scammande of the framb. Barrachossurooddae from the late Minorene of North America.
- NAYLOR, B. G., 1985. A new salamander of the farmit, Batrachosauroididae from the late Muocene of North America with notes on other batrachosauroidids. *Paleobios*, "1981", 39. 1-14. [Publication date. Zoological Record, 1985, 120 (16): 391.
- NATIOR, B. G. & FOX, R. C. 1993. A new ambytromated salamander, Dicampadon annquia n. sp., from the Paleocene of Alberta, Canada, Canadan Journal of Earth, Science, 30 (4): 314-818.

  NESSON, L. A., 1981. Cretisecous salamanders and frogs of Kizylkum desert. Prudy 2001 Inst. Lewinger, 101: 57-88. [In DRASSON, L. A.].
- Russianj.

  1988 Late Mesozoic amphibians and lizards of soviet middle Asia. Acta 2001. Cracon., 31 (11-27). 475-486
- 1997 Nemorskie pozvonochow melovogo perioda Severnoi Eurazu [Cretaceous nonnarine veriebrates of northern Eurana], Saint Petersburg, Institute of Earth Crust. 1-218.
- NOOSAN, B. P. & HARVEY, M. B., 2000 [8 September]. A new species of glass frog (Anura Centrolenskie) from the hghlands of Guyana. Hep-producyae, 56, U. 924–192 [Essat publication data. Hep-producyae, 50, 1000, 56, 62] viol. (NESSAUMA, R. A. & HINKEL, H., 1994. Revision of east African caccilians of the genera Africaccilia Taylor and Randomeroula Tomer (Armshibar Cummonbiona, Caecciliade). Control, 1994. (20): 759–760.
- NUSSEAUM, R. A. & WILKINSON, M., 1995. A new genus of lungless tetrapod a radically divergent caecthan. Amphibia. Gymnophiona). Proceedings of the royal Society of London, (B), Biological Sciences, 261 (1862).
- OHLER, A., 1999 [4 November] Une nouvelle espece du genre Leptodacyilodon (Arthroleptidae, Astylosterninae) du Gabon. Alytes, 17 (1-2): 73-80. [Exact publication date obtained directly from publisher].
- OHIER, A., MARQUIS, O., SWAN, S. & GROSEAN, S., 1900. Amphibian brodiversity of Hoang Lien Nature Reserve (Lao Chai Province, northern Vietnam) with description of two new species. Herpstozoa, 13 (1-2): 71-87.
- OHLER, A., SWAN, S. R. & DALTRY, J. C., 2012. A recent survey of the amphibian fauna of the Cardamom mountains, southwest Cambodia with descriptions of three new species. The Raffles Bulium of Zwagg, 50, 23, 465-481.
- ORLOV, N. L., LATHROP, A., MURPHY, R. W. & CUE, H. T., 2001. Frogs of the family Rhacophondae (Anura Amphiba) in the northern Hoang Luan mountains (mount Fan Si Pan, Sa Pa district, Lao Cai province, Victiann Russian flouring of Herpetology, 80 (1), 17-48.
- OSORNO MENOZ, M., ARDILA ROBAYO, M. C. & RUZ-CABRANZA, P. M., 2001. Tres nuevas especies del genero Artilopio A. M. C. Dumerti & Bibron 1841 (Amphibia Bufonidae) de las partes altas de la Cordillera Oriental Colombiana Caldana, 23 (2): 590-520.
- PAOLUCCI, C., FUHN, I. E. & BRUNO, S., 1993 L'erpetofauna abruzzese. Documenti e prospetiive. Q Am bio, 7
- PARRA-OLEA, G., GARCIA-PARIS, M. & WARE, D. B. 2002. Phylogenetic relationships among the salamanders of the B. Kirgonia maximum species group. Amphiba. Plethodonicae, with descriptions of two new species from Control (Marina). Proceed of Hardinships. 36 (3): 256-266.
- Oracia (Mexico), Javand of Hericotory, 36 (3): 36-366.

  PARRA-OLEA, G., PATROPIUS, T. J. & WAKE, D. B., 2001. New species of lungless salamanders of the genus Patro-Olean, G. Terrestras, Mexic. S. vanistic Papers, Natural History, Alaxams, The University of Kawan, 20

- PAWAN, D., NARVAES, P. & TREFAUT RODRIGUES, M., 2001 A new species of leptodactylid frog from the Atlantic forests of southeastern Brazil with notes on the status and on the speciation of the Hybides species groups. Proper combine the Poslings. Many ab. Cooping at Improvededs & San Pauls. 44 (73) 407,4275.
- PEIXOTO, O. L., 2002. Uma nova especie do grupo perpusilius para Santa Teresa, Estado do Espirito Santo, Brasil (Amphibia, Anura, Hylidae). Boletim do Museu de Biologia Mello Leitão, (n.s.), 13. 7-15
- Perez Radios, E & Salinana, Spraes, Joseph Minister and Proposition and Proposition of Salinanda Phendourysea (Amphibia Caudata Phendodonidae) de la región Amuzga, al sureste de Guerrero, Mexico. Revista digual universitaria, I (1). https://www.revista.unam.my.vol. | lart/fundes.html
  - Nueva especie de salamandra del genero Pseudouryera (Amphibia Caudata Plethodontidae) de la regina Amizos, al sureste de Guerrero, Mexico, Aria 200/2010 mericana, (n.s.), 89: 55-68.
- region Amuzga, al sureste de Guerrero, Mexico. Acia zoologica mexicana, (n s.), 89: 55-68
  PILLAL R. S. & PATTABIRAMAN, R. 1990. Amphibians from Sabarigin forest, Western Ghais, Kerala, including a new
- Species of Micrixalus. Records of the zoological Survey of India, 86 (2-4): 383-390.

  PHIAL R. S. & RAVIT HANDRAN, M. S. 1990. Companhings (Amphilus) of India A taxonomic study. Records of the
- zoological Survey of India Occasional Papers, 172 1-viv 1-1-17

  POMBAL, J. P. Jr., 2001. [7] June] A new species of Brachyesphalus (Anura: Brachyesphaluse) from Atlantic rain forest of surfressering Pages and Augustic Reports 27 (2), 79-185. [Psyct publication date. Augusticia. Reports 70 (2), 27
- (2): misde front cover].

  Pombal, J. P. Jr. & BASTOS, R. P., 1998 Nova especie de Hyla Laurenti, 1768 do centro-oeste brasileiro e a posição
  Lavandrica de Hintercochiala portuga Cachina. 1953 e H. microchiala mendiana R. Lutz. 1957 (Anura.
- (axonomica de FI microcepnata terriera Coctaras, 1972 e FI microcepnata meritana B. Lutz, 1972 (Anturs, Hylidae). Boleum do Museu Nacional Rio de Janeiro, 390; 1–14
  POMBAL, J. P. Jr., Feilo, R. N. & HADDAD, C. F. B., 2002 [24 October]. A new species of torrent frog genus Hyloder.
- (Anura Leptodactylidae) from southeastern Brazil Herpetologica, 58 (4): 462-471 [Exact publication date Herpetologica, 2003, 59 (1): 143].

  POMBAL, J. P. T. & HADDAD, C. F. B., 1999 Frogs of the genus Paratelmatobus (Anura Leptodactylidae) with
- descriptions of two new species. Copera, 1999 (4): 1014-1026

  POMBAL J. P. F., WISTUBA, E. M. & BORNSCHEIN, M. R., 1998. A new species of brach-cephalid (Anura) from the
- POMMAL, J. P. Jr., WISTOSA, E. M. & BORNSCHEIN, M. K., 1998. A new species of oracnycepnania (Anura) from the Atlantic ram forest of Brazil, Journal of Herpetology, 32 (1), 70-74.

  PONNTON, I. C. & CLARKE, B. T. 1999. Two new species of Stephopaedes (Anura Bufonidae) from Tanzania, with a
- review of the genus African Journal of Herpatology, 48 (1-2): 1-14
  PONNON, J., HOWELL, K. M., CLARKE, B. T. & LOVETT, J. C., 1999. A Critically endangered new species of Nectophyroides (April Buffondae) from the Kihansi Goree, Udzungwa Mountains, Tanzama African.
- Nectophyliodes (Anura Butomodae) from the Kinansi Gorge, Cazungwa Mountains, Janzania African Journal of Herpitology, 47 (2): 59-67.

  PRIGIONI, C. M. & LANGONE, J. A. 2000. Una nueva especie de Melanophylmiscus Gallardo, 1961, de Argentina v.
- Paraguay (Amphibia, Aniara, Biafondae) Comunicaciones spolingia del Misco del Moron normale de Montevideo, 12 (195): 1-11

  RAGE J C. AMSHALL, L. G. & GAYFI, M., 993 Enigmatic Caudata (Amphibia) from the unner Cretaceous of
- RAGE J. C., MARSHALL, L. G. & GANFT, M., 1993. Enigmatic Caudata (Amphibia) from the upper Cretaceous of Gondwana. Geobios, Lyon, 26 (4): 515-519.
  RAO. D. & YANG, D., 1994. The study of early development and evolution of Tree montraine assuma. Zoological
- Research, 15: 142-157.

   1997a The karyotypes of Megophryinae (Pelobatidae) with a discussion on their classification and phyloge-
- netic relationships. Assauc herpetological Research, 7, 93-102

  1997b The variation in Raryotypes of Brach harsophrys from China with a discussion of the classification of the genus. Assauch herboslogical Research, 7, 103-107
- --- 1997: The description of a new rand species from Xishuangbanna Rana bannanka sp nov Loological Research, 18 (2): 157-161. [In Chinese]
  RANGHADDRAM, M. S. & PLILAIR, S. 5, 1996. Amphibia of Maharashtra with description of a new species of torrent
- RAVICHANDRAN, M. S. & PILLAI, R. S., 1996. Amphibia of Maharashira with description of a new species of torrent toad, Alasi ma. Records of the zootogucal Survey of India, "1996", 86 (2.4) 505-513. [Publication date. Dubots & Ottags, 1999; 1781.
- 2000 Systematic studies on the amphibian fauna of the district Dehradun. Uttar Pradesh, India. Memoirs of the goological Survey of India, 18 (3), 1-102.
- REICHLE, S., LÖTTERS, S. & DE LA RIVA, L., 2001. A new species of the discordalis group of Eleutherodactvins (Anura, Leptodactvindae) from inner-Andean dry valleys of Bohvia Journal of Herpetology, 35 (1): 21-26
- RICHARDS, S. J., 2001. A new species of torrent-dwelling trog (Anura. Hylidae. Literia: from the mountains of Indonesian New Guinea (West Papua). Memours of the Queensland Misseum, 46 (2): 733-739.
  RICHARDS, S. J. & JSRAIDA, D., 2000. A new minute Orscolerum, Annur Misrohylidae, from the mountains of Irian.
- Jaya, Indonessa. The Raffles Bulletin of Zoology. 48 (2) 257-262
  2081 [1] January A new species of tree frog (Anura, Hyldae, Luoria) from the mountains of Irian Jaya, Indonessa. Alpher, 18 (3-34) [141-152. [Exact publication date obtained directly from publisher].
- Indonessa Afytes, 18 (3-4): 141-152. [Exact publication date obtained directly from publisher].
  RICHARDS, S. J., JOHNSTON, G. R. & BURTON, T. C., 1992. A new species of microhybid frog (genus Copluxalus) from the Star Mountains, central New Guinea. Science in New Guinea, 18 (3): 141-145
- RIEFFEL, O & GRANDE, L. 1998. A well-preserved fossil amphimum (Lissamphibia Caudata) from the Eocen-Green River Formation of Wyoming. Journal of vertebrate Paleontology, 18 (4): 700-708.

- RIVERO, J. A. & SERNA, M. A., 1995 Nuevos Colossathus (Amphibia, Dendrobatidae) del departamento de Antioquia, Colombia, con la descripción del renacuajo de Colossathus fraterdament. Revista de Ecologia latino-americana. 2 (1-3): 45-58
- ROBERTS, J. D., MAHONY, M., KENDRICK, P. & MAJORS, C. M., 1991. A new species of burtowing frog. Neobatrachus (Anura Myobatrachidae), from the eastern wheatbelt of Western Australia. Records of the Western Australian Museum, 15 (1): 23-25.
- RÖBEL, M. O., 1999. A new Hyperolius species from Tai National Park, Ivory Coast (Anura Hyperoliudae: Hyperolimae). Revue francaue d'Aquariologie, 25 (3-4), 123-130.
- RÖDEL, M. O. & ERNET, R. 2000. Bufo tatents in sp., euro neue Kröte aus dem Tai-Nationalpark, Elfenbeinkuste Herpatofauno, 22 (125): 9-16.
- reproductive mode for the genus. Journal of Herpetology, 36 (4): 561-571

  RÖDEL, M.-O., GRAFF, T. U., RUDOLF, V. H. W. & ERNST, R., 2002

  A review of West African spotted Kasuna,
- nichiding a description of Kasina schooter sp. nov (Amphibia Anura Hyperolindae). Copera, 2002 (3) 800 814.
  Roin, S. Prakaura, J. B., 2000 [14 January]. A new species of Outcoophalas (Anura Hydrae) from Amazoman Escusior and Peru Herceologica. 1999; 55(4) 431-446. [Escat publication date Hercadocinca, 2000. 56, 10].
- Ecuador and Peru Herpetologica, "1999", \$5 (4) 433-446. [Exact publication date Herpetologica, 2000, \$6 (1) 118].

  RUZ-CARRANZA, P. M. & LYNCH, J. D., 1997 Ranas Centrolenidae de Colombia, X. Los centrolenidos de un nerfil.
- RUIZ-CARRANZA, P. M. & LYNCH, J. D., 1997 Ranas Centrolenidae de Colombia. X. Los centrolenidos de un perfil del flanco oriental de la Cordillera Central en el departamento de Caldas. Revista de la Academia colombiana de Osencias exactas, física y naturales, 21 (81), 541-553.
- de Giencias exactas, fisicas y naturales, 21 (81), 541-535.
  1998 Ranas Centrolenidae de Colombia XI Nuevas especies de ranas cristal del genero Hyalmobatrachium Renuta de la Academia colombiana de Ciencias exactas, fisicas y naturales, 22 (83): 571-586.
- SANCHEZ-HERRAIZ, M. J., BARBADILLO, L. J., MACHORIOM, A. & SANCHIZ, B., 2000 [29 February] A new species of pelodyud frog from the Iberian Peninsula Herpetologica, 56 (1) 105 118 [Exact publication date Herpetolonica, 2000, 56 (2): 2487.
- SANCHIZ, B., 1998 Salientia In: P. WELLNHOFER (ed.), Handbuch der Paläoherpetologie, Teil 4, München, Friedrich Pfeil, 1-xu + 1-275
- SAVAGE, J. M., 2000 A new species of ramfrog of the Eleutherodactylus milesi species group (Anura Leptodactylidae)
- from Gustemala. Revista de Biologia tropical, 48 (4): 993-999.

  SAVAGE, J. M., McCranne, J. R. & WILSON, L. D., 1999. A new species of rainfrog of the Eleutherodacytha cruentus
  group from eastern Honodiras (Amphibia Antura Leotodactvl.dae). Proceedings of the biological Society of
- Wintington, 112 (4): 787-792

  SAVAGE, J. M. & MYERS, C. W., 2002. Frogs of the Eleutherodactylus biporcatus group (Leptodactyludae) of Central America and northern South America, including rediscovered, resurrected, and new taxa. American Museum
- Normataes, 3357: 1-48
  SCHARGEL, W.E., GARCIA-PEREZ, J.E. & SMITH, E. N., 2002 A new species of Bolitoglosia (Caudata P.ethodont.dae)
  from the Cordillera de Menda, Venezuela Proceedines of the biological Society of Washington, 115 (3) 534-542
- SCHIOTZ, A., 1999. Treefrogs of Africa: Frankfurt am Main, Chimaira: 1-352.
  SCHIOTZ, A. & WESTERLAARD, M. M., 2000. Notes on some Hyperolius (Anata Hyperolius) from Tanzania, with
- supplementary information on two recently described species. Steenstrapa, 25 (1): 1-9

  SCHEICH, H. & Anders, C. C., 1998. Temoperan maskets spec now from Nepal Amphibia, Anura). In H. H. SCHEICH, B. W. MSKITE, (ed.). Commissions to the hereotopost of south-size (New M.). Anura.
- Museum 57-72.

  SCHNEIDER, H. & SINSCH, U., 1997. Mating call variation in take frogs referred to as Runa ridibunda Pallas. 1771.
- Taxonomic implications. Zeitschrift für zoologische Systematik und Evolutioniforschung, 30 297-315
  Schneider, H., Sinsk H. U. & Sochanidot, T. S., 1993. The water frogs of Greece Bioacoustic evidence for a new species. Zeitschrift für zoologische Systematik und Evolutioniforchung, 31 47-63.
- SCHNEIDER, H., SOPIANIDOU, T.S. & KYRAKOPOULOU. SKLAVODNOU, P. 1984. Bioacoustic and morphometric studies in water frogs. (genus. Rana) of lake Joannia in Greece, and description of a new species (Anura, Amphidos). Zenschrift für zuödigske Systematik und Evolutionsforchung, 22, 399-366.
- SCHULTE, R., 1999. Plealigiftinische. Artenteil Peru. Waiblingen, Imbico. 1-292
  SENARS, J. C., "Ull. Una mieva especie de Hyalineobarealitum, Antura Centrolenidae) de la Cordillera de la Costa,
  Vencezaela Memora Fundason Lo. Salle d. Consa, naturals, "1999", 39, 152, 133-147 [Printing finished in
- Venezaela Memora Fundason Le Salle de Creusas naturales, "1997", 99, 1, 2, 13, 144 [Printing Inshired in November 2001 according to last page of fascicle] \$85Mars, J. C. & Ayarazdouska, J., 2002. — In a nueva especie de rana cristal del genero Healmobaria, himi (Annue Centrolendae) del della del no Ornacio Nenzeda Restrua de Bologa rispirale, "20, ", 49 (3-4), 1083-1093.
- Printing finished in May 202 according to list page of fascisle, received on 24 Jun 2002 in the Paris Museum Central Library.

  1847b A new species of Hista Anura Hylidae) from the highlands of Venezuelan Gusjana. Journal of Heroteloops, 36 (4): 634-64.
- Herpetology, 30 (4): 0.49-041

  SENSITY, J. C., Ayarzaketena, J. & Gorzula, S., 1996. Revision taxonomica del genero Sighuna (Andra, Halidae, en Vineyuela con la descripción de cinco nuevas especies. Publicaciónes de la Asociación de Antigos de Domina, 7.
- 1-57.
  SHEL, C. A. & MENDELSON, J. R. III., 2001 [24 May]. A new species of Homporucius (Anura: Hylidae Hempprocuriae), and a redescription of H v Intern Herpeologica, 2001, 57 (2): 460–205. [Exact publication date Herpeologica, 2001, 57 (3): 406.

- SHEN, Y., 1994 A new pelobated toad of the genus Megophrys from China (Anura, Pelobatedae). In Proceeding of the
- ---- 1997 A new subspecies of Hyla annectans from Hunan (Anaura [sic]: Hylidae) Zoological Research, 18 (2)
- SMITH, E. N. & NOONAN, B. P., 2001 A new species of Osteocephalus (Anura Hylidae) from Guvana Revista de
- Bsologia tropical, 49 (1), 347-357.

  Sono, M., Zeng, X., Wu, G., Liu, Z. & Fu, J., 2001 A new species of Batrachuperus from northwestern China.

  Annue hopostological Research. 9: 6:-8.
- Arman Repetiological Research, 9° 0-0.

  ŠPINAR, Z. V., 1983 Paleogeography and its significance for the phylogeny of some European fossil frogs. Vestnik
  utroed. Vin. God. 58 (1): \$2.56
- SPINAR, Z. V. & TATARINOV, L. P., 1986 A new genus and species of discoglossid frog from the Upper Cretaceous of the Golu desert. *Journal of Internate Paleomology*, 6 (2), 113-122.
- STANISZEWSKI, M., 1996. Mantellas in captivity. Repulsar, 4 (1): 16-26.
- STEVAUX, M. N., 2002 A new species of Bufo (Anura, Bufonidae) from northeastern Brazil Revista brasileira de Zooloria, 19 (sunt.) 1: 235-242.
- STOCK, M., SCHMID, M., STEINE IER, C. & GROSSE, W.-R., 1999 Mosaicism in somatic triploid specimens of the Bufo sarids complex in the Karakoram with examination of calls, morphology and taxonomic conclusions. Italian formula of Zookov, 66, 215-332.
- STUART, B L. & PAPENFUSS, T J., 2002 A new salamander of the genus Paramesotrum (Caudata Salamandridae) from Lans. Sourced of Herpetology, 36 (2): 145-148
- STUEBING, R. B. & WONG, A., 2000 A new species of frog, Philautus erythrophthalmus (Rhacophoridae) from southwestern Sabah, Majawsa, The Raffle, Bullium of Zoology, 48 (7): 793-796.
- Tandy, M. & Perrit, L., 2000 The Bulo tuberosus species group with the description of a new species from the ramforest of Côte-d'Ivoire. Revue suase de Zoologie, 107 (2): 389-418.
- TIAN, Y., Gu, X. & Sun, A., 2000. A new species of Megophrys in China (Amphibia Pelobatidae). Acta zootaxonomica smica, 25 (4): 462-466. [In Chinese]
- TIAN, Y., GU, X., SUN, A. & L., S., 1998 A new species of Pseudohymobias guzhoueniys (Caudaa Hynhindae)

  Pseudohymobias sharcheigenis sp nov [sic] Journal of the Linguistian normal University, 47-13 [In Chinese]

  USTACIL P. C. MENDILSON, I. R. III. MCDIAMBUR, R. W. & CAMPRELL I. A. 2000 Il lund. A new species of Inda
- (Anura Hylidae) from the Sierra Mixes, Oaxaca, Mexico, with comments on ontogenetic variation in the tadpoles. Herpetologica, 56 (2): 239-250 [Exact publication date: Herpetologica, 2000, 56 (3), 411].
- VALLAN, D., 2000. A new species of Stumpffia (Amphibia Anura Microhylidae) from a small forest remnant of the central high plateau of Madagascar. Revue tusis de Zoologie, 107 (4): 83-841.
  VALIAN, D., GLAW, F., ANDROWN, F. & CADLE, I. E., 1998 I. December! A new treefrog soccies of the genus.
- Boophis (Anura Ranidae Rhacophorinae) with dermal fringes from Madagascar Amphibra-Repulia, 19 (4) 357-368. [Exact publication date: Amphibra-Repulia, 20 (1); inside front cover].
- VASUDEVAN, K. & DUTTA, S. K., 2000. A new species of Rhacophorus (Anura Rhacophoridae) from the Western Ghats, India Hamadryad, 25 (1), 21-28
- Vartti, M., Kosscir, J., Ohitas, A. & D. Koss, A., 2001 [51 May]. Systematics of Fagreerya limendurus (Gravenhors). 8.29 (Amph bia, Aniur., Randes) and relates species. 2 Morpho.ogical and noticular variation in frugs from the Greater Sunda Islands (Sumatin, Jawa, Borneo) with the definition of two species. Alpres, 19 (1), 5-28. (East; publication date obtained directly from publisher).
- VELEZ-RODRIGUEZ C. M. & RUIZ-CARRANZA, P. M., 1997. Una nueva especie de Arelopio (Amphibia Anura Bufondas) de la Cortillera Central, Colombia Revista de la Academia colombiava de Ciencias exactas, fisicas y antizioleg. 21 (81): 555-562.
- 2802 24 October] A new species of Bufo (Anura Bufon,dae) from Colombia Herpetologica, 58 (4) 453-462 [Exact publication date Herpetologica, 2003, 59 (1): 143]
- VENCES, M., ANDREONE, F., GLAW, F. & MATTIOLI F., 2002. New dwarf species of Mantidactytus from northwestern Madagascar (Anura. Mantellidae). Copina. 2002. (4): 1057-1062.
- VENCES, M. & GIAW, F., 2001a. When molecules claim for taxonomic changes new proposals on the classification of Old World treefrons. Sociation 3, 24 (1): 85-92.
- 2001b [20 December] Systematic review and molecular phylogenetic relationships of the direct developing Malagasy ancients of the Manifaktylic usper group (Amphibia, Manuelidae). Aprict, 19 (2-4) 107-139 [Exact publication date obtained directly from publisher]
  - 2012 Two new treefrogs of the Boophis rappostes group from eastern Madagas, at (Amphibia Mantellidae Tropical Zoology, 15 (1): 141-163
- VENCES, M., GLAW F., ANDREONE, F., JESU, R. & SCHIMMENT, G., 2002. Systematic revision of the enigmatic Malagasy broad headed frogs. (Laurentomanus Dubois, 1980), and their phylogenetic position within the endemic mantellid rediation of Madagascar. Contributions to Zoology, 70 (4): 191-212.
- VENCES, M., GLAW, F. & BOHME, W., 1999 [4] November] A review of the genus Mantella (Anura, Ranidae, Mantellinae) taxonomy, dartibution and conservation of Malagasy poison frogs. Alyres, 17 (12) 3.72 [Exact pubaration date obtained directly from publisher]
- VENCES M., GEAW, F., JISU, R. & SUHIMMENTI, G., 2000. A new species of Hetericalus. Amphibia. Hyperoladac, from western Madagascar. Aprican Zodogi. 35, 23, 269-276.

- VENES, M., GLAW, F., KOSICIA, J., DAS, L. & VETTS, M., 2000. Polyphyly of Theogenetic (Amphilus: Bandale) based on sequences of the nutochondral 168 and 128 TRNA genes, and ecological bloogengraphy of Malagasy relact amphibian groups: In W. R. LOURINGO & S. M. GOODMAN (ed.), Diversite at endemisme de Madingacar, Memoresi de la Societa de Bionocrombuler 229-242.
- VENCZEL, M., 1999 Land salamanders of the family Hynobiidae from the Neogene and Quarternary of Europe

  Analytica-Reputs 20 (4): 401-412
- WARE, D. B. & CAMPELL, J. A., 2000. Anew species of diminutive salamander (Amphibia Caudata Plethodontidae Notorition) from the Montañas del Mico of Guatemala. Proceedings of the biological Society of Washington, 113 (7), 815-819.
- 2001 [10 December] An aquatic plethodontid salamander from Oaxaca, Mexico. Herpetologica, 57 (4) 509-514 [Exact publication date. Herpetologica, 2002, 58 (1): 138].
- [Exact publication date. Interpetiologica, 2002, 36 (1): 136].
  WAKE, D. B., YANEV, K. P. & HANSEN, R. W., 2002. New species of slender salamander, genus Bairachoseps, from the southern Suerra Newada of California. Contra, 2002 (40: 1016-1028).
- Wang, Y. 2000 A new salamander (Amphibia Caudata) from the early Cretaceous Jehol biota Vertebrata palastanea, 38 (2): 100-103.
- WANG, Y. & GAO, K., 1997 Earliest Asian discoglossid frog from western Liaoning. Chinese Science Bulletin, 44 (7) 636-642
- WORTHY, T. H., 2001 A new species of Platymanns (Anura Ranidae) from Quaternary deposits on Viu Levu, Fiji.

  Palaeontology, Oxford, 44 (4): 665-680.

  Wit. G. & Tian W. 1993. A new Annotes species from southern Yunnan. Subjum Tournal of Zoology, 14 (suppl.)
- WU, G. & TIAN, W., 1995. A new Amolops species from southern Yunnan. Sichuan Journal of Zoology, 14 (suppl.)
   WII. G. & ZHAO, E., 1995. A new ranid species of the sourcing group of Sichuan. Suchuan Journal of Zoology. 14
- WU, G & ZHAO, E., 1995 A new ranid species of the spinora group of Sichuan. Sichuan Journal of Zeology, 14 (suppl.): 52-55
  YANG, D & HE, Y. 1990 Relationship between species within tympanumless toad group of Scutter (Oreolalax).
- from southwest China In E. Zhao (ed.), From soater into land, Beijing, Chinese Society for the Study of Amphibians and Reptiles: 204-209
- Yang, D., Luo, W & Rao, D. 1996 A new toad genus of Bufon.dae Torrentophryne from transhimalaya mountain of Yunnan of China with its biology. Zoological Research, 17 (4) 353-359.
- 1994a A new toad of the genus Bombina from Hubei, China (Anara Discoglossidae) Acta herpetologica sinica, (n.s.), 3, 22-25. [In Chinese].
   1994b. A new species of family Ranidae. Limnoneces funanensis from Funan, China (Amphibia Anura). Acta
- 1994b. A new species of family Ranidae. Limnonecies figuations from Fupan, China (Amphibia Anura). Acta. 200taxonomica strica, 19 (4), 494-499. [In Chinese]. 1995. Taxonomy, studies on the small type. Mesophyris in China including descriptions of the new species.
- (subspecies) (Pelobatidae; genus Megohyra), Acta herpadopus ninca, (n.s.), "1995-1996", 4-5: 72-81. [In Chinese] [Pubheation date: Zhao, Chang & Zhao, 2000-190]
- YE, C., FEI, L., & HU, S., 1993 Rare and economic amphibians of China. Chengdu, Sichuan Publishing House of Science and Technology. [1-11] + 1-2 + 1-2 + 1-7 + 1-412. [In Chinese].
- YE, C, Fei, L, Li, S & Li, C, 2000 On infraspectic categories of Hyla annectans of western China (Amphibia Hyladae) Cultum herpetologica simca, 8 88-93. [In Chinese]
- Ye, C., Fel, L. & Marsut, M., 1995 Taxonomic studies of Chinese Rana japonica Guenther. Acta her petologica sinica, (n.s.), "1995-1996", 4-8: 82-87. [In Chinese], Publication date. Zhao, Chang & Zhao, 2000: 190]
  Yustiz, E., 1991 Une neuve Coloractive (Amphibia) Dendrobandace de la Stera de Barbacoas, Estado Lara.
- YUSTIZ, E., 1991 Une nuevo Colonechus (Amphibia Dendrobatidae) de la Sierra de Barbacoas, Estado Lara, Venezuela, Bioagro, 3: 145-150 ZHAO, E.-M., 1999 Diagnoses of a new frog and a new snake from China Sichuan Journal of Zooogra, 18 (3) inside
- front cover. [In Chinese].
- ZHAO, E-M & ADLER K., 1993 Herpetology of China Oxford, Ohio, USA, SSAR 1-522 + [1-v], pt 1-48 + 1
  ZHAO, E-M, CHANG, H. W & ZHAO, H. 2000 Taxonomic bibliography of Chinese Amphibia and Reptitus including
- \*\*\* karyological Interature Chengdu, Kaohsung Fu Wen Publishing Co.: -ix + 1-261

  Ziegler, T. & Kohler, 1, 2001 \*\*\* Rhacophorus orlow sp. n., ein neuer Ruderfrosch aus Vietnam (Amphibia Anura
- Rhacophoridae). Sauria, 23 (3): 37-46.

  Zweffell, R. G. 2000. Partition of the Austra.opapuan microhylid frog genus Sphenophryne with descriptions of new
- ZWEIFEL, R. G., 2000. Partition of the Austra. opapuan microhylid frog genus. Sphenophryne with descriptions of new species. Bulletin of the American Museum of natural History, 253: 1–130.

# Amphibia Mundi. 1.3. Recent amphibians: suprageneric taxonomic additions (1967-2002)

#### Alain Dupore

Vertebres, Reptiles et Amphibiens, USM 0602 Taxonomie and Collections, Departement de Systématique and Evolution, Museum nanonal d'Histoire naturelle, 25 rue Cuvier, 75005 Paris, France Saduboss (moh. pr. 5-

The current International Code of Zoological Nomenclature (ANONYMOUS, 1999) only regulates some of the nomina of zoological taxa, belonging to three "groups of names" or better "nominal-series" (Directs, 2000), the species-series, the genus-series and the family-series. It is currently not concerned with the nomenclature of lower-ranked taxa, i.e. of the "variety-series" (Dubots, 2005c-d), or of higher-ranked taxa, i.e. of the "class-series" (Dubois, 2000, 2005c-d). As a result, the nomenclature of such taxa, supposedly regulated by "usage" and "consensus" among specialists, is in fact arbitrary and chaotic, which causes problem for communication among taxonomists and especially between the latter and all non-specialist users of zoological nomina. For this reason, Dubois (2005c-d) recently proposed a set of rules for the nomenclature of class-series taxa. For the time being, only brief summaries of these proposed rules have been published (Durois, 2004, 2005a), and their discussion by the international community of zoologists, before their possible incorporation in the Code, may take time Regarding the Neobatrachi (i.e., recent amphibians, taxa represented by at least one species in the currently living fauna of our planet, see Dubois, 2004), in the series Amphibia Mioidi, for reasons explained in DUBOIS (2005b), such nomina are currently not used, but this may change in the future. when more robust hypotheses on the relationships among amphibian fossil and recent groups are available and widely accented. It will then be useful to have a list of available class-series noming, some of which may have then to be considered as valid. As changes are also likely to occur at family level and below, a similar list for family-series nomina will also be useful

The present list presents additions in the taxonomy of Niobaxraxin for taxa above rank genus, published until 2004 after the two lists of such caso if KUBN (1967) and Dixasos (1984), or ignored in these two lists. The period covered by these additions starts in 1984 for family-series taxa of living anirans, and in 1967 for all other taxa and normal I tends on 31 December 2002 for all these groups.

New nomina of the family series (i.e., families, subfamilies, tribes and subtribes; DuBois, 2000, 2005e d) are printed in stati carrial Interact, followed by the nomina of their type-genera, and by the country of the type-decality of the type-species of the latter (not the currently known or inferred geographical distribution of the taxon, that may be much larger).

New nomina of the class-series (i.e., orders, classes, etc.; Dubois, 2000, 2005 a, c-d) are printed in BOLD SMALL CAPITALS. As class-series nomina below the rank order are not recognized in the

Dymore 71

ergotavanamu usad here (Dittacts 2005k), anu new namen of this naminal-series is simply listed below the namen of the least inclusive class-series tayon including all its originally included gapers or conucleagement (see Durous, 2005d), followed between square brackets by the rank afforded to this nomen in the publication where it was created.

Only new noming are listed, and taxonomic or nomenclatural changes other than additions (e.g., synonymisation or revalidation of nomen, change of rank or or higher taxonomic allocation of taxon. first-reviser action, orthographic emendation) are not considered here. The new nomina are listed below by alphabetical order under taxa according to the conservative general taxonomic frame of DUBOIS (2005b). The nomina of all-fossil taxa are preceded by the sign †. Nomenciaturally unavailable noming (i.e. noming mide and other kinds of anonlonums as defined by Difficult 2000) are presented below "between quotation marks"

Clossis Ampunia De Riamville 1816

Subclassis Neoratpacut Sarasin & Sarasin, 1890

Superordo + ALLOCAUDATA Fox & Navlor, 1982

Ordo + ALLOCAUDATA Fox & Navior, 1982

† Allocaudata Fox & Navlor, 1982 fordol.

Superordo Barrachia Brongniart, 1800

Ordo ANURA Duméril, 1806

ARCHAEOSALIENTIA Roček, 1981 [ordo]

ROMBINANTINA Ford & Cappatella, 1993 ["taxon"].

Discoglossanura Ford & Cannatella, 1993 ["taxon"].

LEIOPELMATANURA Ford & Cannatella, 1993 ["taxon"] NEGGAUDATA Cannatella & Hillis, 1993 (no rank given).

NEOSALIENTIA Roček, 1981 fordol.

PARATOIDIA Gardiner, 1982 [superordo] Comment Nomen misspelled Paratoidea by Milner

PIPANURA Ford & Cannatella, 1993 ["taxon"].

PIPIMORPHA Ford & Cannatella, 1993 ["taxon"]. PROCERA Feller & Hedges, 1998 [superordo].

#### Incertae sedis

- † Propartition: Shubin & Jenkins, 1995 Type-genus, by original designation: † Prosalities Kuhn. 1964 - USA (Arizona), Jurassic.
- † Trescourage Holman, 1974 Type-genus, by original designation. † Tregobatrachus Holman, 1964. USA (Kansas), Miocene

Enfamilia Romeinazonomia Grav. 1825

Superfamilia Romentaroporopa Grav. 1825

Familia Romenvarormae Grav. 1825

Subfamilia + GORIATINAE Roček & Nessov, 1993

+ GORGATIDAE Roček & Nessov, 1993. - Mongolia, Cretaceous,

Epifamilia Pelobatoidia Bonaparte, 1850

Superfamilia Pelobatoidea Bonaparte, 1850

Familia Pelobattoas Bonaparte, 1850

Subfamilia Megophryinae Noble, 1931 (1850)

Tribus LEPTOBRACHINI Dubois, 1983

"Lettobrachmit" Dubois, 1980. Type-genus, by implicit etymological designation Leptobrachium Tschudi, 1883. – Indonesia (Java) – Comment: Nomenclaturally unavailable nomen, as published conditionally (Art. I.S.1).

LEFTOBRACHIINAE Dubois, 1983. Type-genus, by implicit etymological designation. Leptobrachium Tschudi, 1838. – Indonesia (Java).

OREDIALMENDE Tian & Hu, 1985. Type-genus, by original designation: Oreolalax Myers & Lewton, 1962. - China (Sichuan) – Comment The original spelling of this nomen is morreet and should be emended into Oreolalands, a justified emendation which was first used by Dusons (1987b)

Subfamilia Pelobatinae Bonaparte, 1850

† EOPELOBATINAE Špinar, 1972 Type-genus, by original designation: † Eopelobates Parker, 1929.
Germany, Oligo-Miocene boundary.

Epifamilia Pipoidia Gray, 1825

Superfamilia Pipoidea Gray, 1825

Familia Pipidae Gray, 1825

Subfamilia Dactylethrinae Hogg, 1838

SHURANINAE Cannatella & Trueb, 1988 Type-genus, by implicit etymological designation Silurana Gray, 1864. – Nigeria.

Dubois 73

Epifamilia Ranoidia Rafinesque-Schmaltz, 1814

Superfamilia Hyloidea Rafinesque, 1815

Familia BUFONIDAE Gray, 1825

STEPHOPAEDINI Dubois, 1987a. Type-genus, by original designation Stephopaedes Channing, 1978. – Zimbabwe.

Superfamilia Ranoidea Rafinesque-Schmaltz, 1814

Familia Microhylidae Gunther, 1858 (1843)

Subfamilia ASTEROPHRYINAE Gunther, 1858

Tribus BARYGENYINI Burton, 1986

Barygenym Burton, 1986. Type-genus, by original designation: Barygenys Parker, 1936. Papua New Guinea.

Tribus CALLULOPINI Dubois, 1988

Callulopin Dubois, 1988 Type-genus, by original designation. Callulops Boulenger, 1888.

Papua New Guinea.

Subfamilia Micronylinas Günther, 1858 (1843)

Оторняукиме Wassersug & Pyburn, 1987 - Туре-genus, by original designation Otophryne Boulenger, 1900. – Guyana.

Subfamilia Phrynomerinae Noble, 1931

Phrynomintial Burton, 1986 Type-genus, by original designation Phrynomanus Peters, 1867 South Africa

Familia BREVICIPITIDAE Bonaparte, 1850

Subfamilia Brevicipitinae Bonaparte, 1850

TOMOSTERNINI Dubois, 1987a Type-genus, by original designation: Tomosterna Duméril & Bibron, 1841. – South Africa

#### Familia Rayroas Rafinesque-Schmaltz, 1814

#### Subfamilia Corp. cover Dubois 1992

CONRAUM Dubois, 1992 Type-genus, by original designation: Conraua Nieden, 1908 - Cameroon.

## Subfamilia Dicaggioseius Anderson 1871

Tribus I movemental Dubois 1992

LIMINONECTINI Dubois, 1992. Type-genus, by original designation: Liminonectes Fitzinger, 1843.
Indonesia (Java).

#### Tribus Occinozyana Fei, Ve & Huang, 1991

Occidozygivaf Fei, Ye & Huang, 1991. Type-genus, by original designation. Occidozyga Kuhl & Van Hasselt, 1822. – Indonesia (Java).

# Tribus Pava Dubois, 1992

Paint Dubois, 1992. Type-genus, by original designation Paa Dubois, 1975. Nepal.

#### Subfamilia Lankanec tinas Dubois & Obler, 2001

LANKANFETTIMAF Dubois & Ohler, 2001 Type-genus, by original designation Lankanectes Dubois & Ohler, 2001. – Sri Lanka

#### Subfamilia Mantellinae Laurent, 1946

#### Tribus Boophini Vences & Glaw, 2001

Boophinas Vences & Glaw, 2001 Type-genus, by original designation. Boophis Tschudi, 1838 - Madagascar.

# Tribus Laliostomini Vences & Glaw, 2001

Latherman, d'ences & Giaw, 2001. - Type-genus, by original designation Lahistoma Glaw, Vences & Bohme, 1998 Madagascar Comment The family-series nomen was ill formed as the stem of the nomen Lahistoma is Lahistomara. However, according to Art 29 4 of the current version of the Code (ANONYMOLS, 1999), in such cases the original spelling "must be maintained as the correct."

Durois 75

original spelling", artificially considering that "its stem is formed from the name of the type genus

# Subfamilia Micrixalinas Dubois, Ohler & Biju, 2001

MICRIXALINAS Dubois, Ohler & Biju, 2001. Type-genus, by original designation: Mucrixalus Boulenger, 1888. – "Southern India".

## Subfamilia Nyctibatrachinae Blommers-Schlosser, 1993

NYCTIBATRAGHIMAE Blommers-Schlösser, 1993 Type-genus, by original designation: Nyctibatrachus Boulenger, 1882. - India (Kerala).

#### Subfamilia PTYCHADENINAE Dubois, 1987

PTYCHADENINI Dubois, 1987a – Type-genus, by original designation Ptychadena Boulenger, 1917. La Réunion, Mascarene Islands.

#### Subfamilia Rannar Rafinesque-Schmaltz, 1814

# Tribus Ranni Rafinesque-Schmaltz, 1814

- "Amolopinae" Yang, 1989. Type-genus, by original designation: Amolops Cope, 1865 "Afghanistan". Comment: nomen nudum.
- Amolopsimae Yang, 1991 Type-genus, by original designation: Amolops Cope, 1865 "Afghamstan".

  Comment The original spelling of this nomen is incorrect and should be emended into Amolopsima, a matrified emendation which was first used by Fis. IY & Huans (1991).

#### Subfamilia RANIXALINAE Dubois, 1987

- RANDALINI Dubois, 1987a Type-genus, by original designation: Ranuxalus Dubois, 1986 India (Karnataka).
- Indiranimae Blommers-Schlosser, 1993 Type-genus, by original designation: Indirana Laurent, 1986 India (Kerala).

# Subfamilia Rhacophorinae Hoffman, 1932 (1858)

#### Tribus BUERGERUNI Channing, 1989

BEERGEROVAF Channing, 1989 Type-genus, by original designation: Buergeria Tschudi, 1838 Japan.

#### Ordo Unoper a Dominii 1906

#### Incertae radar

# Familia † Prosinevinas Estes, 1969

† PROSIRENIDAE Estes, 1969 - Type-genus by original designation. † Prosiren Goin & Auffenberg, 1958. – USA (Texas), Cretaceous.

Familia + Scapherperontinas Auffenberg & Goin, 1959

† Eoscapherperonimae Nessov, 1981 - Type-genus by original designation: † Eoscapherpeton Nessov,

Enifamilia Cavarosassocaouss Estainger, 1826

Superfamilia CRYPTOBRANCHOIDEA Fitzinger, 1826

Familia Cryptorranchidas Fitzinger, 1826

† Aviturime Gubin, 1991 Type-genus, by original designation: † Aviturus Gubin, 1991 Mongolia.
Palaeocene.

Familia Hynosiinas Cope, 1859 (1856)

Subfamilia Protohynosiinas Fei & Ye. 2000

Рвогонумовимає Fer & Ye, 2000. Type-genus, by original designation: Protohynobius Fer & Ye, 2000. – China (Sıchuan).

Enifamilia + Kanaunomia Ivachnenko, 1978

Superfamilia + Karauroidea Ivachnenko, 1978

Familia † Karaurinas Ivachnenko, 1978

† Karaurilai Ivachnenko, 1978 — **Type-genus**, by original designation. † Karaurila Ivachnenko, 1978 – Kazakhstan Jurassic

Epifamilia Sirenoidia Gray, 1825

Superfamilia Sirenoidea Gray, 1825

Familia SIRENIDAE Gray, 1825

† NOTERPE PINTIDAE Rage, Marshall & Gayet, 1993 Type-genus, by original designation: † Noterpeton Rage, Marshall & Gayet, 1993. – Bolivia. Cretaceous.

Directs 77

#### Superordo Gymnopulona Rafinesque-Schmaltz 1814

## Ordo Gymnopurous Rafinesque-Schmaltz 1814

EPICRIDEI Lescure, Renous & Gasc, 1986 [infraordo].

RHINATREMATOIDEI Lescure, Renous & Gasc, 1986 [subordo]

# Familia Caeciliidae Rafinesque-Schmaltz, 1814

Approachement Lescure, Renous & Gasc, 1986. Type-genus, by original designation: Afrocaecilia
Taylor, 1968. – Kenya

Ввамиютурниц Lescure, Renous & Gasc, 1986 - **Туре-genus**, by original designation. Brasilotyphilus Taylor, 1968. - Brazil (Amazonas).

Demorrana Taylor, 1969 - Type-genus, by original designation. Dermophis Peters, 1879 - Mexico Geotypetrose Lescure, Renous & Gase, 1986. Type-genus, by original designation. Geotypetes Peters, 1880 - Gabon.

GRANDISONILIAF Lescure, Renous & Gasc, 1986. Type-genus, by original designation: Grandisonia Taylor, 1968. - Sevchelies.

Gymnopit.ie Lescure, Renous & Gasc, 1986 Type-genus, by original designation: Gymnopis Peters, 1874 – Panama

HERPELINAE Lescure, Renous & Gasc, 1986. Type-genus, by original designation: Herpele Peters, 1879. – Gabon.

Indotyphlus Lescure, Renous & Gasc, 1986 - Type-genus, by original des.gnation Indotyphlus Taylor, 1960. - India (Maharashtra).

Oscare it most: Lescure, Renous & Gasc, 1986

Type-genus, by original designation: Oscascilia Taylor, 1968. — Panama

Pattosimproprit Lescure, Renous & Gasc, 1986

Type-genus, by original designation. Pseudosi-

Preudosiphorophit Lescure, Renous & Gasc, 1986 Type-genus, by original designation Pseudosiphonops Taylor, 1968. – Brazil

# Familia Ichthyophunas Taylor, 1968 (1843)

Китиуленным Taylor, 1968. Type-genus, by original designation Ichthyophis Taylor, 1968. Sri Lanka

# Familia Scolecomorphidae Taylor, 1969

Scottee оможрины Taylor, 1969. Туре-genus, by original designation. Scolecomorphia Boulenger, 1883. – Тапzапіа.

# Familia Tiphi onectione Taylor, 1968

Paraturn running Lescure, Renous & Gase, 1986 Type-genus, by original designation Patoman phlas Taylor, 1968 Venezuela Comment The original nomen of this family is incorrect and should be emended into Paraturn running, according to Art. 35.4.1 of the Code.

PSELIN TOTAL ONE TRY Lescure, Renous & Gase, 1986 Type-genus, by original designation: Pseudotyphlonectes Lescure, Renous & Gase, 1986. – Colombia. Typhlonectibue Taylor, 1968. Type-genus, by original designation: Typhlonectes Peters, 1879.

French Guyana.

Familia Hearcoveus mar Nusebaum, 1979

URABOTYPHLINAE Nussbaum, 1979 Type-genus, by original designation: Uraeotyphlus Peters, 1979.
India (Kerala)

Superfamilia Rumatermatoinea Nosshaum, 1977

Familia Pun atpresatinas Nucchaum 1977

RHINATREMATIONE Nussbaum, 1977. Type-genus, by original designation: Rhinatrema Taylor, 1968.
Venezuela.

Eniformilia + Focasiou jointa Tenkins & Walsh 1993

Superfamilia + Eocaeciijoidea Jenkins & Walsh, 1993

Familia + Eocaeculinae Jenkins & Walsh, 1993

† BOARDAMAN JERKÍNS & Walsh, 1993. Type-genus, by original designation † BoardaMa Jenkins & Walsh, 1993. USA (Arizona). Jurassic. Comment The original nomen of this family is incorrect and should be emended into EOGARDIAMA, a justified emendation first used by Dudios (2005b). The original spelling was oceanly desired from that of the familial nomen Carellandam. The latter spelling was note adopted by ICZN (Arronyavous, 1987) to avoid homorymy with a familial nomen of Insects, but this decision was later modified by ICZN (Arronyavous, 1996) to return to the well-known spelling Carellandam In 1993, the Code in force was the so-called third edition (Arronyavous, 1985) according to which an incorrect original familial nomen must be corrected. This rule was changed in the so-called fourth edition (Arronyavous, 1999; see above under Ladoryavandam) in applies to any familial nomen published before 31 December 1999.

#### LITERATURE CITED

- - An Opinion Caccinione rearricações carmants, act a (Ampinosa, Opiniophiona) and Caccinione Kolbe, 1880 (Insecta, Psocopiera) a rolling to remove the normonym. Baldism of zwologa at Namachame, 44 263-264
    1996. Opinion 1830. Caccinidae Kolbe, 1880 (Insecta, Psocopiera) spelling emended to Caeciniusidae, so
  - removing the homonymy with Caecilidae Rafinesque. 814 (Amphibia, Gymnophiona, Bullerin of zoological Nomenclature, 53 (1): 68-69
- 1999 International code of 2 sological nominidatine Fourth edition. London. International Trust for zoological. Nomenclature: xxxx + 1,306
- BIOMMERS SCHLOSSER, R. M. A., 1993. Systematic relationships of the ManteJinae Laurent 1946. Anura Ranoidea) Ethology, Ecology & Evolution, 5 (2): 199-218.
- BURTON, T. C. 1986. A reassessment of the Papuan subfamily Asterophry, nae. Anura. Microhylidae, Record of the South Australian Micromy, 110 (4): 155-158.

Dubois 79

- CANNATELIA, D. C. & HILLIS, D. M., 1993 [30 June]. Amphibian relationships: phylogenetic analysis of morphology and molecules. Herpetological Monograph, 7: 1-7. [Exact publication date: Herpetological Monograph, 1994, 8: hook count.]
- CANNATELLA, D. C. & TRUEB, L., 1988. Evolution of pipoid frogs: intergeneric relationships of the squatic frog family Pinidae (Anura). Zoological Journal of the Linnean Society, 94 (1): 1-38.
- Channing, A., 1989. A re-evaluation of the phylogeny of Old World treefrogs. South African Journal of Zoology, 24 (2): 116-131
- DUBOIS, A., 1980. Notes sur la systématique et la répartition des Amphibiens Anoures de Chine et des régions avoisinantes IV. Classification générique et sulgénérique des Pelobatidae Megophryinae. Bulletin mensuel de la Société liméneme de Love, 49 (8): 464-482.
- 1983 [30 December] Note preliminair sur le genre Leptolalax Dubois, 1980 (Amphibiens, Anoures), avec diagnose d'une espèce nouvelle du Vietnam. Alytes, 2 (4): 147-153. [Exact publication date obtained directly from publisher!
- 1984 La nomenclature supragénérique des Amphibiens Anoures. Mémoires du Muséum national d'Histoire naturelle, (A) 131: 1-64.
- date obtained directly from publisher].

  ——1987b [1 October]. Miscellanea nomenclatorica batrachologica (XIV). Alytes, "1986", 5 (4): 173-174. [Exact publisher].
- —— 1988 [28 December]. Miscellanea nomenclatorica batrachologica (XVII), Alyses, 7 (1): 1-5. [Exact publication date obtained directly from publisher].
- —— 2000 [13 July]. Synonymies and related lists in 200togy; general proposals, with examples in herpetology. Dumerilia, 4 (2): 33-98. [Exact publication date obtained directly from publisher]. —— 2004 [20 December]. — The higher nomenclature of recent amphibians. Alves. 22 (1-2): 1-14. [Exact publication
- date obtained directly from publisher].

  2005a. Propositions pour l'incorporation des nomina de taxons de rang supérieur dans le Code international de

- Code of Zoological Nomenclature. 1. Some general questions, concepts and terms of biological nomenclature. Zoosystema, 27 (2): 365-426.
- ---- 2005d. Proposed Rules for the incorporation of nomina of higher-ranked zoological taxa in the International

  Code of Zoological Nomenclature. 2. The proposed Rules and their rationale. Zoosystema, in press.
- DUBOIS, A. & OHLER, A., 2001 [20 December]. A new genus for an aquatic ranid (Amphibia, Anura) from Sri Lanka.

  Alyses, 19 (2-4): 81-106. [Exact publication date obtained directly from publisher].

  DUBOIS, A., OHLER, A. & BULL, S. D., 2001 [20 December]. A new genus and species of Ranidae (Amphibia, Anura).
- DUBOS, A., OHLER, A. & BIJU, S. D., 2001 [20 December]. A new genus and species of Ranidae (Amphilosa, Anura) from south-western India. Alytes, 19 (2-4): 53-79. [Exact publication date obtained directly from publisher]. ESTES. R. 1969. Prosirenidae, a new family of fossil salamanders. Nature, 224: 87-88.
- FEI, L. & YE, C, 2000. A new hynobiid subfamily with a new genus and new species of Hynobiidae from west China (Amphibia: Caudata). Cultum herpetologica sinica, 8: 64-70. [In Chinese].
- Fei, L, Ye, C. & Huang, Y., 1991. Key to Chinese Amphibia. Chongqing, Editions of Sciences and Techniques, "1990": [[-iv] + 1-2 + 1-364. [In Chinese]. [Publication date: Zhao & Anter, 1993: 367].
- FELLER, A. E. & HEDGES, S. B., 1998. Molecular evidence for the early history of living amphibians. Molecular Phylogenetics & Evolution, 9 (3): 509-516.
- FORD, L. S. & CANNATELLA, D. C., 1993 [30 June]. The major clades of frogs. Herpetological Monograph, 7: 94-117 [Exact publication date: Herpetological Monograph, 1994, & back cover.]
  FOX. R. C. & NAYLOR, 1982. — A reconsideration of the relationships of the fossil amphibian Albanerpeton. Canadian
- Fox, R. C. & NAYLOR, 1982. A reconsideration of the relationships of the fossil amphibian Albanerpeton. Canadia Journal of Earth Sciences, 19 (1): 118-128. GARDINER, B. G., 1982. — Terapod classification. Zoological Journal of the Linnean Society, 74 (3): 207-232.
- GARDINER, B. G., 1982. Tetrapod classification. Zoological Journal of the Linnean Society, 74 (3): 207-232.
  GUBIN, Y. M., 1991. Paleocene salamanders from southern Mongolia. Paleontol. Zhurn., 1991 (1): 96-106.
- Gubin, Y. M., 1991. Paleocene salamanders from southern Mongolia. *Paleontol. Zhurn.*, 1991 (1): 96-106.

  Holman, J. A., 1974. Herpetofauna of the Wakeeney local fauna (lower Pliocene: Clarendonian) of Trego county.
- Kansas, In: Studies on cenezoic paleontology am stratigraphy in honor of Claude W. Hibbard, University of Michigan Papers on Paleontology, 12: 49-66.

  IVACHENENO, M., 1978. — Urodeles from the Triassic and Jurassic of Soviet central Asia. Paleontol. Zhurn., 12: 362-368.
- DINKINS, F. A. J., & WALSH, D. M., 1993. An early Jurassic caecilian with limbs. Nature, 586 (6443): 246-250.
  KUBN, O., 1967. Amphibien und Reptilen. Stuttgart, Gustav Fischer: i-vij. +1-124.
  LESCURE, J., RENNUS, S. & GASC, J.-P., 1986. Proposition of vion enouvelle classification des Amphibiens Gymnophio-
- nes. Mémoires de la Société goologique de France, 43: 145-177, 1 tab.

  MILNER, A. R., 1988. The relationships and origin of biving amphibians. In: M. J. Benton (ed.), The phylogeny and
- classification of the Tetrapods, vol. 1, Amphibians, Reptiles, Birds, Oxford, Clarendon Press: 59-102.
  NESSOV, L. A., 1981. Cretaceous salamanders and frogs of Kizylkum desert. Trudy 2001. Inst. Lemigrad, 101: 57-88.
  Ilin Russianl.
- NUSSBAUM, R. A., 1977. Rhinatrematidae: a new family of caecilians (Amphibia: Gymnophiona). Occasional Papers of the Museum of Zoology of the University of Michigan, 682: 1-30.

—— 1979. — The taxonomic status of the caecilian genus Uraeotyphlus Peters. Occasional Papers of the Museum of Zoology of the University of Michigan, 687: 1-20

RAGE, J.-C., MARSHALL, L. G. & GAYET, M., 1993. – Enigmatic Caudata (Amphibia) from the upper Cretaceous of Gondwana. Goobins. Lyon. 26 (4): 515-519.

ROCER, Z., 1981. – Cranial anatomy of frogs of the family Pelobatidae Stannius, 1856, with outlines of their phylogeny and systematics. Acta Universitatis Carolinae, (Biologica), 1980 (1-2): 1-164.

ROČEK, Z. & NESSOV, L. A., 1993. – Cretaceous anurans from central Asia. Palaeoniographica, (Abt. A), 226: 1–54.
Shurin, N. H. & Jenkons, F. A., 1995. – An early Turassic jumping frog. Nature, 377: 49–52.

Stroins, 18-11. d. grantens, 18-7, 19-7, - This carry jumsus injuring trog, Notice, 371, 19-75.

Spring, Z. V., 1972. Teritary frogs from central Europe. The Hague & Prague, Junk & Academia: 1-286, pl. [i] + 1-184.

TAYLOR, E. H., 1968. – The caecilians of the world. A taxonomic review. Lawrence, University of Texas Press: i-xiv + 1.848.

--- 1969, - A new family of African Gymnophiona, University of Kansas Science Bulletin, 48: 297-305.

Tian, W. & Hu, Q., 1985. – Taxonomical studies on the primitive anurans of the Hengduan mountains, with descriptions of a new subfamily and subdivision of Bombina. Acta herpetologica sinica, (2), 4 (3): 219-224. [In Chinese].

Chinese].

VENCES, M. & GLAW, F., 2001. – When molecules claim for taxonomic changes: new proposals on the classification of
Old World treefrogs. Softiana. 24 (1): 85-92.

YANG, D., 1989. - Phylogenetic systematic of the Amolops group of ranid frogs of southeastern Asia and the greater Sunda islands. Proceedings of the 12th congress of China Zeological Association and its 55th annual academic meeting: 756-757.

YANG, D. (ed.), 1991. — The Amphibia fauna of Yunnan. Kunming, China Forestry Publishing House: [i-vii] + i-iv + 1-259. [In Chinese].

WASSERSUG, R. J. & PYBURN, W. F., 1987. – The biology of the Pe-ret toad, Otophryne robusta (Microhylidae), with special consideration of its fossorial larva and systematic relationships. Zoological Journal of the Linnean Society, 91 (2): 132-160.

71 (2): 137-107.

ZHAO, E.-M. & ADUSE, K., 1993. - Hernetology of China. Oxford, Ohio, USA, SSAR: 1-522 + [i-v], nl. 1-48 + 1.

MUSEUM PARIS



published by ISSCA

#### EDITORIAL BOARD

Chief Editor: Alain DUBOIS (Laboratoire des Reptiles et Amphibiens, Muséum national d'Histoire naturelle, 25 rue Cuvier, 75005 Paris, France; <adubois@mnhn.fr>)

Deputy Editor: Thierry Lone (Laboratoire d'Ecologie animale, Université d'Angers, 2 boulevard Lavoisier,

49045 Angers Cedex, France; <thierry.lode@univ-angers.fr>).

\*\*Conservation Editor: Stephen J. Richards (Vertebrates Department, South Australian Museum, North
Terrace, Adelaide, S.A. 5000, Australia; <Richards Steve@saugov.sa.gov.au>).

Alytes Editorial Board: Franco Andreone (Torino, Italy); Lauren E. Brown (Normal, USA); Janalee P. CALDWELL (Norman, USA); Ulisses Caramaschi (Rio de Janeiro, Brazil); Günter Gollmann (Wien, Austria); Heinz Grillitsch (Wien, Austria); Tim Halliday (Milton Keynes, United Kingdom); W. Ronald HEYER (Washington, USA); Esteban O. LAVILLA (Tucumán, Argentina); Masafumi MATSUI (Kyoto, Japan); Donald F. McALPINE (Saint John, Canada); Alain PAGANO (Angers, France); John C. POYNTON (London, England); Miguel VENCES (Konstanz, Germany).

Amphibia Mundi Editorial Board: Alain Dubois, Chef Editor (Paris, France); Ronald I. Crombie (San Francisco, USA); Stéphane Grosffean (Paris, France); W. Ronald Heyer (Washington, USA); JIANG Jianping (Chengdu, China); Esteban O. LAVILLA (Tucumán, Argentina); Jean-Claude RAGE (Paris,

France); David B. WAKE (Berkeley, USA).

Technical Editorial Team (Paris, France): Alain Dubois (texts); Roger Bour (tables); Annemarie Ohler (figures). Book Review Editor: Annemarie OHLER (Paris, France).

#### SHORT GUIDE FOR AUTHORS

# (for more detailed Instructions to Authors, see Alytes, 1997, 14: 175-200)

Alytes publishes original papers in English, French or Spanish, in any discipline dealing with amphibians. Beside articles and notes reporting results of original research, consideration is given for publication to synthetic review articles, book reviews, comments and replies, and to papers based upon original high quality illustrations (such as colour or black and white photographs), showing beaufuiful or rare species, interesting behaviours, etc. The title should be followed by the name(s) and address(es) of the author(s). The text should be typewritten

or printed double-spaced on one side of the paper. The manuscript should be organized as follows: English abstract, introduction, material and methods, results, discussion, conclusion, French or Spanish abstract, acknowledgements, literature cited, appendix,

Figures and tables should be mentioned in the text as follows: fig. 4 or tab. 4. Figures should not exceed 16 × 24 cm. The size of the lettering should ensure its legibility after reduction. The legends of figures and tables

should be assembled on a separate sheet. Each figure should be numbered using a pencil References in the text are to be written in capital letters (BOURRET, 1942; GRAF & POLLS PELAZ, 1989; INGER et al., 1974). References in the Literature Cited section should be presented as follows:

BOURRET, R., 1942. - Les batraciens de l'Indochine, Hanoi, Institut Océanographique de l'Indochine; i-x + 1-547. pl. 1-4

GRAF, J.-D. & POLLS PELAZ, M., 1989. - Evolutionary genetics of the Rana esculenta complex. In: R. M. DAWLEY & J. P. BOGART (ed.), Evolution and ecology of unisexual vertebrates, Albany, The New York State Museum:

INGER, R. F., VORIS, H. K. & VORIS, H. H., 1974. - Genetic variation and population ecology of some Southeast Asian frogs of the genera Bufo and Rana. Biochem. Genet., 12: 121-145.

Manuscripts should be submitted in triplicate either to Alain Dubois (address above) if dealing with amphibian morphology, anatomy, systematics, biogeography, evolution, genetics, anomalies or developmental biology, or to Thierry Lone (address above) if dealing with amphibian population genetics, ecology, ethology or life history, or to Stephen J. RICHARDS (address above) if dealing with conservation biology, including declining amphibian populations or pathology. Acceptance for publication will be decided by the editors following review by at least two referees

If possible, after acceptance, a copy of the final manuscript on a floppy disk (3 % or 5 %) should be sent to the Chief Edition. We welcome the following formats of text processing (1) preferably, MS Word (1.1 to 6,0. DOS or Windows), WordPerfect (4.1 to 5.1, DOS or Windows) or WordStar (3.3 to 7.0); (2) less preferably, formated DOS (ASCII) or DOS-formated MS Word for the Macintolsh (on a 3 %) high density 1.4 Ms floppy disk only).

Page charges are requested only from authors having institutional support for this purpose. The publication of colour photographs is charged. For each published paper, 25 free reprints are offered by ISSCA to the author(s). Additional reprints may be purchased.



Published with the support of AALRAM (Association des Amis du Laboratoire des Reptiles et Amphibiens du Muséum National d'Histoire Naturelle, Paris, France). Directeur de la Publication; Alain Dubois. Numéro de Commission Paritaire: 64851.

# Amphibia Mundi

# Contents

| Alain Dubois  |       |
|---|-------|
| Amphibia Mundi. 1.1.  |       |
| An ergotaxonomy of recent amphibians  | . 1-2 |
|   |       |
| Recent amphibians: generic and infrageneric taxonomic additions (1981-2002) | 25-6  |
| Alain Dubois  |       |
| 4   |       |

Recent amphibians: suprageneric taxonomic additions (1967-2002) . . .

Front cover illustration: holotype of Wolterstorffina chirioi Boistel & Amiet, 2001 (Bufonidae) from Cameroon. Drawing by Renaud Boistel, reproduced from original description of species (Ahytes, 2001 18, 127-140).

Alytes is printed on acid-free paper.

Alytes is indexed in Blosis, Cambridge Scientific Abstracts, Current Awareness in Biological Sciences, Pascal, Referativny Zhurnal and The Zoological Record.

Imprimerie F. Paillart, Abbeville, France. Dépôt légal: 3º trimestre 2005.